State of Arkansas OFFICE OF STATE PROCUREMENT 1509 West Seventh Street, 3rd Floor Little Rock, Arkansas 72201

STATE CONTRACT AWARD

THIS IS A <u>TERM</u> CONTRACT ISSUED BY THE OFFICE OF STATE PROCUREMENT. THIS IS NOT AUTHORITY TO SHIP. A SEPARATE PURCHASE ORDER WILL BE ISSUED. THIS CONTRACT CONSTITUTES ACCEPTANCE OF YOUR BID ALONG WITH ALL TERMS AND CONDITIONS THEREIN AND SIGNIFIES THE OFFERER'S KNOWLEDGE AND ACCEPTANCE OF ALL TERMS AND CONDITIONS SET FORTH WITHIN THE INVITATION FOR BID.

BUYER: JULIA SHACKELFORD CONTRACT NO.: SP-07-0035

DESCRIPTION: VEHICLES
CONTRACT PERIOD: SEPTEMBER 19, 2006 THROUGH JUNE 30, 2007 or cut-off dates

DELIVERY REQUIREMENTS: AS SPECIFIED WITHIN

PRICES ARE F.O.B. DESTINATION, INSIDE DELIVERY, UNLESS OTHERWISE SPECIFIED.

INVOICE AND DELIVER TO: AS SPECIFIED ON AGENCIES PURCHASE ORDER

CONTRACT AWARD TO: SEE PAGE 2

STATE OF ARKANSAS OFFICE OF STATE PROCUREMENT

BY: JaseRQ. Bidelio DATE: 9-19-06

BALE CHEVROLET ATTN: DAVID BROYLES 13101 CHENAL PARKWAY LITTLE ROCK, AR 72211 PHONE: 501-537-8284 FAX: 501-221-7418 VENDOR #100095671 dbroyles@balechevrolet.com

Item(s) awarded: 2, 7, 10, 33, 37

CAVENAUGH FLEET ATTN: BUD MOXLEY P.O. BOX 429 3487 HWY 67N WALNUT RIDGE, AR 72476 PHONE: 870-886-3561 FAX: 870-886-7101 VENDOR #100027741 fleet@cavautogroup.com

Item(s) awarded: 4, 5, 8, 9, 23, 34, 40, 46

GOSSETT MOTORS ATTN: DAVID SEDGWICK 1900 COVINGTON PIKE MEMPHIS, TN 38128 PHONE: 901-248-1112 FAX: 901-248-1114 VENDOR #100122483 dsedawick@gossettmotors.com Item(s) awarded: 14, 16, 19

NORTH POINT FORD ATTN: KELLY PEN P.O. BOX 16090 4400 LANDERS ROAD LITTLE ROCK, AR 72117 PHONE: 501-945-1200 extension 486

FAX: 501-955-7794 VENDOR #100103942 kpenn@northpointcars.com

Item(s) awarded: 24, 25, 27, 28, 36, 38, 39

LANDERS FORD ATTN: ALLEN PENROD 4600 S. UNIVERSITY AVE LITTLE ROCK, AR 72204 PHONE: 501-570-3722 FAX: 501-570-3776 VENDOR #100001659 apenrod@unitedauto.com

Item(s) awarded: 11, 13, 15, 17, 18, 21 22, 29, 30, 32, 35

LANDERS DODGE ATTN: RICK LAYTON P.O. BOX 1649 BENTON, AR 72018 PHONE: 501-680-2359 FAX: 501-570-3776 VENDOR #100001659 ricklayton@unitedauto.com

Item(s) awarded: 20, 31, 41, 42, 43, 44, 45

LANDERS CHEVROLET ATTN: RICK LAYTON P.O. BOX 1649 BENTON, AR 72018 PHONE: 501-680-2359 FAX: 501-570-3776 VENDOR #100029958 ricklayton@unitedauto.com Item(s) awarded: 1, 3, 12

SMART CHEVROLET ATTN: RICHARD SMART P.O. BOX 8008 PINE BLUFF, AR 71611 PHONE: 870-534-8122 FAX: 870-535-8122 VENDOR #100028795 rls@smartdrive.com Item(s) awarded: 6

AUTOMOBILES, VANS AND TRUCKS

PURPOSE AND INTENT

It is the intent of this Invitation for Bid to solicit and obtain competitive bids as a basis for establishing a contract under which the State of Arkansas and Cooperative Purchasing Program Participants may purchase cars, vans, light trucks, and one (1) ton trucks.

2. TERM OF CONTRACT

Term of this contract will be from date of award through June 30, 2007. Availability of individual line items will depend on factory order cut-off dates. Many items will have cutoff dates by February-April of 2007. Upon mutual agreement, contract for individual items may be extended up to one (1) additional year, or a portion thereof in accordance with the terms of the original contract.

3. AWARD AND REQUIREMENTS

This contract will be awarded by item. Option prices may be a determining factor in award of this contract. Bidder must also meet all requirements set forth by the Arkansas Motor Vehicle Commission, prior to bidding.

4. QUANTITIES

Actual quantities of vehicles that will be ordered are not known at this time. On last year contract, the State of Arkansas ordered approximately 700 various vehicles within the scope of this bid.

5. SPECIFICATIONS

All vehicles shall be new and shall be the latest model of proven performance and in standard production by manufacturer at time of delivery. Bidder's offering must conform to the State of Arkansas Specifications referenced herein. Specifications for these vehicles are minimum and bidders may bid more than one (1) model for each type, but they must meet or exceed the minimum specifications.

6. WARRANTY

The supplier warrants each vehicle to be of good material and workmanship and agrees to promptly replace any part or parts, when the vehicle is returned to the suppliers place of business or a pre-approved location, which by reason of defective material or workmanship shall fail under normal use, free of negligence or accident, for a minimum period of thirty-six (36) months or 36,000 miles, whichever comes first, from the date of delivery. If such failure renders the vehicle incapable of being driven, the supplier will be responsible for having the vehicle transported to his place of business. If such failure takes place outside the suppliers service area, the supplier will be responsible for reimbursing the nearest authorized dealer for services rendered under this warranty. Tires are exempted from this warranty but must be covered by the tire manufacturer's standard warranty and services provided by the local authorized dealer of the tire manufacturer.

NOTE: THIS WARRANTY APPLIES TO POLICE PURSUIT VEHICLES STARTING WITH THE DATE THE VEHICLE IS PUT IN SERVICE, NOT DELIVERED DATE.

7. ACKNOWLEDGEMENTS AND PAYMENTS:

Awarded vendors must send, to the ordering entity, an order acknowledgement within 10 days after receipt of order. Upon delivery of the vehicle, the vendor is required to provide original invoice, odometer statement, certificate origin and any other documentation required to license and pay sales tax on vehicle. To ensure prompt payment, vendor must provide a copy of the invoice and the signature of agency representative on a copy of the purchase order or any other receiving document and date received to the "bill to address".

8. <u>DELIVERY TO ARKANSAS STATE AGENCIES: F.O.B. DESTINATION</u>

Bid prices must include delivery of all vehicles to the ordering agency regardless of location within the State of Arkansas. Bidder must state approximate delivery for each vehicle in the space provided. If delivery time stated is considered excessive by the Office of State Procurement, bid for that vehicle may be rejected. Failure to deliver the vehicle within the stated time may result in cancellation of the order of vehicle(s). If cancellation occurs, the Office of State Procurement may purchase the vehicle(s) from another source and charge the difference (if any) to the defaulting contractor.

9. PRICE INCREASES

Price increases will be allowed if the manufacturer has a general price increase on any model on the contract. However, the price increase must be documented by a letter from the manufacturer and only that amount will be allowed. The effective date of the increase will be 10 days after Office of State Procurement accepts it. The successful vendor(s) must guarantee that the ordering agency will receive the full general price decrease or rebate amount the manufacturer offers on any vehicle(s) within this contract.

10. ADDITIONAL OPTIONS NOT SPECIFIED:

Agencies/Awarded Vendors cannot add options to vehicle purchases from this contract unless the option is referenced within this Invitation for Bid/Contract for that vehicle.

11. SELLING TO COOPERATIVE PURCHASING PROGRAM PARTICIPANTS

Arkansas Purchasing Law provides that local public procurement units (counties, municipalities, school districts, certain not-for-profit corporations, etc.) may participate in state purchasing contracts. The contractor(s) therefore agree(s) to sell to Cooperative Purchasing Program Participants. Unless otherwise stated, all standard and special terms and conditions listed within the Invitation for Bid must be equally applied to such participants. (Notice 12 and 13 for co-op participants.)

12. COOPERATIVE PURCHASING PROGRAM PARTICIPANTS NOTE:

In order to provide the discounted prices offered in this procurement package to both the State and the Cooperative Purchasing Program participants, the vehicle bidders must receive timely payment, payment for partial shipment on multiple vehicle orders, and have all required approvals obtained prior to order placement. All these conditions are being met by state agencies, who are required to have sufficient funds and approvals before orders are placed and to make prompt payment for vehicles as received. It is incumbent upon Cooperative Purchasing participants to have all approvals obtained and funds available to complete the purchasing transaction in a prompt manner. Most of the dealers have fifteen days from the time a vehicle leaves the factory to pay the manufacturers. In order to continue to receive the fleet pricing, you must ensure prompt payment for each vehicle as it is received.

13. <u>DELIVERY TO ARKANSAS COOPERATIVE PURCHASING PROGRAM PARTICIPANTS:</u> FOB DEALERSHIP

Arkansas Cooperative Purchasing Participants will have the option to pick up vehicle(s) at dealership location or have vehicle(s) delivered to the ordering agency location with a charge per mile added to each vehicle. Bidder must state approximate delivery for each vehicle in the space provided. If delivery time stated is considered excessive by the Office of State Procurement, bid for that vehicle may be rejected. Failure to deliver the vehicle within the stated time may result in cancellation of the order of vehicle(s). If cancellation occurs, the Office of State Procurement may purchase the vehicle(s) from another source and charge the difference (if any) to the defaulting contractor.

STATE AGENCY GUIDLINES

1. ORDERING VEHICLES

All vehicles as defined by Arkansas Code Annotated of 1987 at section §22-8-206, will be ordered by the Department of Finance & Administration, Administrative Services. Vehicles not covered by Arkansas Code Annotated of 1987 at section §22-8-206, will be ordered by Ordering Agency after notifying the Office of State Procurement.

- 1.1 Ordering A state agency purchase order(s) and all necessary supporting documents will be sent to the AR Department of Finance and Administration, Office of Administrative Services.
- 1.2 Options Purchasers shall select preferred options listed in addenda 1 through 9 and include the following information in their procurement request:
 - a. Title, number, and date of this specification.
 - b. Title, and number of the addendum.
 - c. Numbers and descriptions of the options selected.
- 1.3 <u>Exclusivity</u> This specification shall, until revised or rescinded by the Office of State Procurement, apply to each future purchase and/or contract of those commodities described herein.

2. <u>ADDITIONAL OPTIONS NOT SPECIFIED:</u>

Agencies/Awarded Vendors cannot add options to vehicle purchases from this contract unless the option is referenced within this IFB/Contract for that vehicle.

3. ONE TON VEHICLES

Except for agencies that are exempt, it is required when agencies are ordering One (1) Ton vehicles from this contract that the original approved MV-6 form and a copy of the agency purchase order be sent to the Office of State Procurement, attention: Vehicle Buyer.

OTHER VEHICLES

Vehicles which do not conform to the State of Arkansas Standard Specifications and have been approved for purchase will be bid on an individual basis.

AWARD NO: SP-07-0035

PAGE 7

SPECIFICATION FOR AUTOMOBILES AND STATION WAGONS

ITEM 1: TYPE ACA-Four (4) Door Compact Sedan

AASIS MATERIAL #10011612

VENDOR: LANDERS CHEVROLET

VENDOR #100029958

ADDENDUM 2 STANDARD SPECIFICATIONS; PAGE 52

MFG AND MODEL: CHEVROLET AVEO

\$11,200.93

ENGINE SIZE: 1.6L/4CYL

Approximate delivery 90 days A.R.O.

ETHANOL FLEXIBLE-FUEL VEHICLE (E85)

N/A

Delivery Charge for AR Cooperative Purchasing Program Participants: \$0.90/mile/vehicle

ITEM 2: TYPE ADA-Four (4) Door Mid-Size Sedan

AASIS MATERIAL #10011613 VENDOR: BALE CHEVROLET

VENDOR #10095671

ADDENDUM 3 STANDARD SPECIFICATIONS; PAGE 53

MFG AND MODEL: CHEVROLET MALIBU

\$11,978.80

ENGINE SIZE: 2.2L/4CYL

Approximate delivery 90 days A.R.O.

ETHANOL FLEXIBLE-FUEL VEHICLE (E85)

N/A

Delivery Charge for AR Cooperative Purchasing Program Participants:

\$0.64/mile/vehicle

AWARD NO: SP-07-0035 PAGE 8

ITEM 3: TYPE AEA-Four (4) Door Large Sedan

AASIS MATERIAL #10011614 VENDOR: LANDERS CHEVROLET

VENDOR #100029958

ADDENDUM 4 STANDARD SPECIFICATIONS: PAGE 54

MFG AND MODEL: CHEVROLET MALIBU MAXX LT \$14,413.30

ENGINE SIZE: 3.5L/V6

Approximate delivery 90 days A.R.O.

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) N/A

Delivery Charge for AR Cooperative Purchasing Program Participants: \$.0.90/mile/vehicle

OPTIONS:

CB. Gasoline engine: 8-cylinder, min. 280 CID N/A

ITEM 4: TYPE SAA – Four (4) Door Compact Station Wagon

AASIS MATERIAL #10125532 VENDOR: CAVENAUGH FLEET

VENDOR #100027741

ADDENDUM 5 STANDARD SPECIFICATIONS; PAGE 55

MFG AND MODEL: FORD FOCUS \$12,340.70

ENGINE SIZE: 2.0L/4CYL

Approximate delivery 90 days A.R.O.

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) N/A

Delivery Charge for AR Cooperative Purchasing Program Participants: \$0.20/mile/vehicle

AWARD NO: SP-07-0035 PAGE 9

ITEM 5 TYPE SBA-Four (4) Door Mid-Size Station Wagon

AASIS MATERIAL #10011615

VENDOR: CAVENAUGH FLEET

VENDOR #100027741

ADDENDUM 6 STANDARD SPECIFICATIONS; PAGE 56

MFG AND MODEL: CHEVROLET MALIBU MAXX

\$14,706.15

ENGINE SIZE: 3.5L/V6

Approximate delivery 90 days A.R.O.

ETHANOL FLEXIBLE-FUEL VEHICLE (E85)

N/A

Delivery Charge for AR Cooperative Purchasing Program Participants:

\$0.20/mile/vehicle

ITEM 6: TYPE JAA-Four (4) Door Campus Security Mid-Size or Larger Sedan

AASIS MATERIAL #10011616 VENDOR: SMART CHEVROLET

VENDOR #100028795

ADDENDUM 7 STANDARD SPECIFICATIONS: PAGE 57

MFG AND MODEL: CHEVROLET MALIBU LS

\$14,227.00

ENGINE SIZE: 3.5L/V6

Approximate delivery 60 days A.R.O.

ETHANOL FLEXIBLE-FUEL VEHICLE (E85)

N/A

Delivery Charge for AR Cooperative Purchasing Program Participants:

\$1.00/mile/vehicle

OPTIONS:

EO. Police Package (i.e., heavy-duty brakes, heavy-cooling system, gauges, 105 AMP alternator, 54 AMP battery, firm ride suspension, bucket seats, etc.) N/A

AWARD NO: SP-07-0035 PAGE 10

ITEM 7: TYPE KAA - Four (4) Door Mid-Size Police Sedan

AASIS MATERIAL #10011617 VENDOR: BALE CHEVROLET

VENDOR #10095671

ADDENDUM 8 STANDARD SPECIFICATIONS: PAGE 58 - 59

MFG AND MODEL: CHEVROLET IMPALA 9C1 \$17,224.68

ENGINE SIZE: 3.9L/V6

Approximate delivery 120 days A.R.O.

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) N/A

Delivery Charge for AR Cooperative Purchasing Program Participants: \$0.64/mile/vehicle

OPTIONS:

IO. Roof reinforcement for light bar installation N/A

MO. Delete Spotlight: Spotlight may be deleted for credit (deduct) <\$150.00>

NO. Bucket Seats STANDARD

VM. Vinyl Floor Mats, Front & Rear \$125.00

VO. Delete ABS Brake System (deduct) N/A

VS. Vinyl Seat Upholstery, Rear only NO CHARGE

WO. Full size wheel covers, all four wheels \$145.00

WI. Unmarked police package: full wheel covers, bench seats.

NO CHARGE

carpeted floor, regular outside trim

WL. Full sized spare, tire to match others on vehicle \$195.00

AWARD NO: SP-07-0035 PAGE 11

ITEM 8: TYPE LAA - Four (4) Door Large Police Pursuit Sedan

AASIS MATERIAL #10011618 VENDOR: CAVENAUGH FLEET

VENDOR #100027741

ADDENDUM 9 STANDARD SPECIFICATIONS; PAGE 60-61

MFG AND MODEL: FORD CROWN VICTORIA \$20,312.50

ENGINE SIZE: 4.6L/V8

Approximate delivery 90 days A.R.O.

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) N/A

Delivery Charge for AR Cooperative Purchasing Program Participants: \$0.20/mile/vehicle

OPTIONS:

IO. Roof reinforcement for light bar installation \$80.00

MO. Delete Spotlight: Spotlight may be deleted for Credit (deduct) < \$166.00 >

OO. Spotlight (additional, to be installed front passenger side). \$190.00

VI. Delete anti-slip rear axle (deduct) N/A

VM. Vinyl Floor Mats, Front & Rear NO CHARGE

VO. Delete ABS Brakes (deduct) N/A

VS. Vinyl Seat Upholstery, Rear only STANDARD

WL. Full size spare; tire to match others on vehicle. STANDARD

ZI. Street Appearance Package: Chrome grill, side moldings, full size wheel covers, change police engine markings. (Also deletes spotlight) \$155.00

ITEM 9: TYPE MAA - Four (4) Door Mid to Large Size Police Pursuit Sedan

AASIS MATERIAL # 10125251 VENDOR: CAVENAUGH FLEET

VENDOR #100027741

ADDENDUM 10 STANDARD SPECIFICATIONS: PAGE 62-63

MFG AND MODEL: DODGE CHARGER \$18,998.37

ENGINE SIZE: 3.5L/V6 HIGH OUTPUT

Approximate delivery 90 days A.R.O.

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) N/A

Delivery Charge for AR Cooperative Purchasing Program Participants: \$0.20/mile/vehicle

OPTIONS:

HE. 5.7-liter HEMI, V8 engine with 340 hp @ 5000 rpm, 390 lb-ft of torque @ 4000 rpm

\$2230.00

IO. Roof reinforcement for light bar installation NO CHARGE

MO. Delete Spotlight: Spotlight may be deleted for Credit (deduct) < \$184.00 >

OO. Spotlight (additional, to be installed front passenger side). \$200.00

VM. Vinyl Floor Mats, Front & Rear \$30.00

VS. Vinyl Seat Upholstery, Rear only NO CHARGE

WL. Full size spare; tire to match others on vehicle. \$160.00

WO. Full size wheel covers, all four wheels \$30.00

ZI. Street Appearance Package: Chrome grill, side moldings, full size wheel covers, change police engine markings. (Also deletes spotlight)

N/A

AWARD NO: SP-07-0035 PAGE 13

SPECIFICATION FOR TRUCKS: ONE (1) TON AND LESS

* <u>Bidders Note</u>: Engines bid in Standard Specification for pickup trucks must work with any option (NO ADDITIONAL COST) listed and if you list any exception for engine, your bid may not be considered.

ITEM 10: TYPE PAA-Compact Pickup Truck

AASIS MATERIAL #10011619 VENDOR: BALE CHEVROLET

VENDOR #10095671

ADDENDUM 1 STANDARD SPECIFICATIONS; PAGE 68

MFG AND MODEL: CHEVROLET COLORADO \$10,519.89

HORSEPOWER & TORQUE: 185/190

Approximate delivery 90 days A.R.O.

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) N/A

Delivery Charge for AR Cooperative Purchasing Program Participants: \$0.64/mile/vehicle

OPTIONS:

LS. Differential: limited slip, ratio as recommended by manufacturer. \$295.00

PO. Automatic Speed Control (may be dealer installed but of same manufacturer as vehicle)

NO CHARGE

QI. Short Wide Pickup Box (deduct) N/A

TO. Without Air Conditioning (deduct) N/A

ZO. Transmission: manual with a minimum of three (3) forward speeds and one (1) reverse.

(deduct) < \$700.00 >

AWARD NO: SP-07-0035 PAGE 14

ITEM 11: TYPE PAB-Compact Pickup Truck with Extended Cab

AASIS MATERIAL #10011620 VENDOR: LANDERS FORD VENDOR #100001659

ADDENDUM 2 STANDARD SPECIFICATIONS; PAGE 69

MFG AND MODEL: FORD RANGER \$11,408.50

HORSEPOWER & TORQUE: 148/180

Approximate delivery 90 days A.R.O.

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) N/A

Delivery Charge for AR Cooperative Purchasing Program Participants: \$0.90/mile/vehicle

\$27.00 MINIMUM

OPTIONS:

LS. Differential: limited slip, ratio as recommended by manufacturer. \$300.00

PO. Automatic Speed Control (may be dealer installed but of same manufacturer as vehicle)

\$385.00

QH. Long Pickup Box N/A

TO. Without Air Conditioning (deduct) < \$400.00 >

ZO. Transmission: manual with a minimum of three (3) forward speeds and one (1) reverse.

(deduct) < \$400.00 >

AWARD NO: SP-07-0035 PAGE 15

ITEM 12: TYPE PAD: Compact Truck, 4wd, Extended Cab, Four (4) Doors, Short Bed

AASIS MATERIAL #10011621

VENDOR: LANDERS CHEVROLET

VENDOR #100029958

ADDENDUM 2A STANDARD SPECIFICATIONS; PAGE 70

MFG AND MODEL: CHEVROLET COLORADO \$15.075.89

HORSEPOWER & TORQUE: 185/190

Approximate delivery 90 days A.R.O.

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) N/A

\$0.90/mile/vehicle Delivery Charge for AR Cooperative Purchasing Program Participants:

OPTIONS:

CB. Gasoline engine: 8 cylinder, a minimum of 280 cid N/A

KO. Skid Plate **STANDARD**

LS. Differential: limited slip, ratio as recommended by manufacturer. \$295.00

PO. Automatic Speed Control (may be dealer installed of same manufacturer as vehicle) and tilt steering wheel.

TO. Without Air Conditioning

STANDARD

N/A UO. Transmission Oil coolers

XO. Hitch, Class III, frame attached, 7500 lb. or better towing capacity. Must be dealer or manufacturer installed. Insert bar and ball not included. \$395.00

ZO. Transmission: manual with a minimum of three (3) forward speeds and one (1) reverse.

(deduct) < \$676.00 >

(deduct) N/A

AWARD NO: SP-07-0035 PAGE 16

ITEM 13: TYPE PBA-Full Size One-Half (1/2) Ton Pickup Truck, 6-Cylinder

(larger engine size not acceptable)

AASIS MATERIAL #10011622 VENDOR: LANDERS FORD VENDOR #100001659

ADDENDUM 3 STANDARD SPECIFICATIONS; PAGE 71

MFG AND MODEL: FORD F150 \$12,546.50

ENGINE SIZE: 4.2L/V6

Approximate delivery 90 days A.R.O.

ETHANOL FLEXIBLE-FUEL VEHICLE (E85): ENGINE SIZE: 5.4L/V8 \$15,046.50

Approximate delivery 90 days A.R.O.

Delivery Charge for AR Cooperative Purchasing Program Participants: \$0.90/mile/vehicle

\$27.00 MINIMUM

OPTIONS:

LS. Differential: limited slip, ratio as recommended by manufacturer. \$300.00

PO. Automatic Speed Control (may be dealer installed of same manufacturer as vehicle) and tilt steering wheel. \$225.00

QI. Short Wide Pickup Box (deduct) < \$200.00 >

TO. Without Air Conditioning (deduct) < \$600.00 >

XO. Hitch, Class III, frame attached, 7500 lb. or better towing capacity. Must be dealer or manufacturer installed. Insert bar and ball not included. \$350.00

ZO. Transmission: manual with a minimum of three (3) forward speeds and one (1) reverse. (deduct) < \$800.00 >

ITEM 14: TYPE PBB-Full Size One-Half (1/2) Ton Pickup Truck, Short Bed, 6-Cylinder,

Extended Cab, Rear Seat, Four (4) Doors (larger engine size not acceptable)

AASIS MATERIAL #10011623 VENDOR: GOSSETT MOTORS

VENDOR #100122483

ADDENDUM 4 STANDARD SPECIFICATIONS; PAGE 72

MFG AND MODEL: DODGE RAM QUADCAB

\$15,169,75

ENGINE SIZE: 3.7L/V6

Approximate delivery 120 days A.R.O.

ETHANOL FLEXIBLE-FUEL VEHICLE (E85): ENGINE SIZE: 4.7L/V8

\$15,926.75

Approximate delivery 120 days A.R.O.

Delivery Charge for AR Cooperative Purchasing Program Participants:

\$1.25/mile/vehicle

OPTIONS:

DS. Without Rear Seat

(deduct) N/A

LS. Differential: limited slip, ratio as recommended by manufacturer.

\$251.00

PO. Automatic Speed Control (may be dealer installed of same manufacturer as vehicle) and tilt

steering wheel.

4.7L / V8 ONLY

\$1922.00

QH. Long Wide Pickup Box

\$220.00

TO. Without Air Conditioning

(deduct) N/A

XO. Hitch, Class III, frame attached, 7500 lb. or better towing capacity. Must be dealer or

manufacturer installed. Insert bar and ball not included.

\$295.00

ZO. Transmission: manual with a minimum of three (3) forward speeds and one (1) reverse.

(deduct) < \$964.00 >

AWARD NO: SP-07-0035 PAGE 18

ITEM 15: TYPE PGA-Full Size One-Half (1/2) Ton Pickup Truck, 8-Cylinder

AASIS MATERIAL #10011625 VENDOR: LANDER'S FORD VENDOR #100001659

ADDENDUM 6 STANDARD SPECIFICATIONS; PAGE 74

MFG AND MODEL: FORD F150 \$13,982.50

ENGINE SIZE: 4.6L/V8

Approximate delivery 90 days A.R.O.

ETHANOL FLEXIBLE-FUEL VEHICLE (E85): ENGINE SIZE: 5.4L/V8 \$14,582.50

Approximate delivery 90 days A.R.O.

Delivery Charge for AR Cooperative Purchasing Program Participants: \$0.90/mile/vehicle

\$27.00 minimum

OPTIONS:

LS. Differential: limited slip, ratio as recommended by manufacturer. \$300.00

PO. Automatic Speed Control (may be dealer installed but of same mfg. as vehicle) and tilt steering

wheel. \$225.00

QI. Short, wide pick up box (deduct) < \$200.00 >

TO. Without Air Conditioning (deduct) < \$500.00 >

UO. Transmission oil cooler \$150.00

XO. Hitch, Class III, frame attached, 7500 lb. or better towing capacity. Must be dealer or manufacturer installed. Insert bar and ball not included. **Includes option UO** \$350.00

ZO. Transmission: manual with a minimum of three (3) forward speeds and one (1) reverse.

(deduct) N/A

AWARD NO: SP-07-0035

PAGE 19

ITEM 16: TYPE PGB-Full Size One-Half (1/2) Ton Pickup Truck, Long Bed, 8-Cylinder,

Extended Cab, Rear Seat, Four (4) Door

AASIS MATERIAL #10011626 VENDOR: GOSSETT MOTORS

VENDOR #100122483

ADDENDUM 7 STANDARD SPECIFICATIONS; PAGE 75

MFG AND MODEL: DODGE RAM QUAD CAB

\$15,999.15

ENGINE SIZE: 4.7L/V8

Approximate delivery 120 days A.R.O.

ETHANOL FLEXIBLE-FUEL VEHICLE (E85): ENGINE SIZE: 4.7L/V8

\$15,999.15

Approximate delivery 120 days A.R.O.

Delivery Charge for AR Cooperative Purchasing Program Participants:

\$1.25/mile/vehicle

OPTIONS:

DS. Without Rear Seat

(deduct) N/A

LS. Differential: limited slip, ratio as recommended by manufacturer.

\$251.00

PO. Automatic Speed Control (may be dealer installed but of same mfg. as vehicle) and tilt steering

wheel.

\$220.00

QI. Short, wide pick up box

(deduct) < \$225.00 >

TO. Without Air Conditioning

(deduct) N/A

UO. Transmission oil cooler

\$295.00

XO. Hitch, Class III, frame attached, 7500 lb. or better towing capacity. Must be dealer or

manufacturer installed. Insert bar and ball not included.

\$295.00

ZO. Transmission: manual with a minimum of three (3) forward speeds and one (1) reverse.

(deduct) < \$964.00 >

AWARD NO: SP-07-0035 PAGE 20 ****************

ITEM 17: TYPE PGD - One-Half (1/2) Ton Heavy Duty Pickup Truck, Long Bed,

(3/4 ton regular duty.) (Minimum of 7200 lbs GVWR)

AASIS MATERIAL #10011628 VENDOR: LANDERS FORD VENDOR #100001659

ADDENDUM 9 STANDARD SPECIFICATIONS; PAGE 77

MFG AND MODEL: FORD F150 \$15,685.50

ENGINE SIZE: 5.4L/V8

Approximate delivery 90 days A.R.O.

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) N/A

Delivery Charge for AR Cooperative Purchasing Program Participants: \$0.90/mile/vehicle

\$27.00 minimum

OPTIONS:

LS. Differential: limited slip, ratio as recommended by manufacturer. \$300.00

PO. Automatic Speed Control (may be dealer installed but of same mfg. as vehicle) and tilt steering \$225.00

wheel.

QI. Short wide pickup box (deduct) N/A

TO. Without Air Conditioning (deduct) N/A

UO. Transmission oil coolers \$150.00

XO. Hitch, Class III, frame attached, 7500 lb. or better towing capacity. Must be dealer or

manufacturer installed. Insert bar and ball not included. \$350.00

ZO. Transmission: manual with a minimum of three (3) forward speeds and one (1) reverse.

(deduct) N/A

AWARD NO: SP-07-0035 PAGE 21

ITEM 18: TYPE PGE: One Half (1/2) Ton Heavy Duty Pickup Truck, Long Bed, Extended Cab,

Rear Seat, Four (4) Doors (3/4 ton regular duty) (Minimum of 7200 lbs GVWR)

AASIS MATERIAL #10011629 VENDOR: LANDERS FORD VENDOR #100001659

ADDENDUM 10 STANDARD SPECIFICATIONS; PAGE 78

MFG AND MODEL: FORD F150

\$16.960.50

ENGINE SIZE: 5.4L/V8

Approximate delivery 90 days A.R.O.

ETHANOL FLEXIBLE-FUEL VEHICLE (E85)

N/A

Delivery Charge for AR Cooperative Purchasing Program Participants:

\$0.90/mile/vehicle

\$27.00 MINIMUM

OPTIONS:

DS. Without Rear Seat

(deduct) < \$50.00 >

LS. Differential: limited slip, ratio as recommended by manufacturer.

\$300.00

PO. Automatic Speed Control (may be dealer installed but of same mfg. as vehicle) and tilt steering

wheel.

\$225.00

QI. Short wide pickup box

(deduct) N/A

TO. Without Air Conditioning

(deduct) N/A

UO. Transmission oil coolers

\$150.00

XO. Hitch, Class III, frame attached, 7500 lb. or better towing capacity. Must be dealer or

manufacturer installed. Insert bar and ball not included.

\$350.00

ZO. Transmission: manual with a minimum of three (3) forward speeds and one (1) reverse.

(deduct) N/A

AWARD NO: SP-07-0035 PAGE 22

ITEM 19: TYPE PCA-Full Size 4 x 4 One-Half (1/2) Ton Pickup Truck

AASIS MATERIAL #10011631 VENDOR: GOSSETT MOTORS

VENDOR #100122483

ADDENDUM 12 STANDARD SPECIFICATIONS; PAGE 80

MFG AND MODEL: DODGE RAM \$15,499.36

ENGINE SIZE: 4.7L/V8

Approximate delivery 120 days A.R.O.

ETHANOL FLEXIBLE-FUEL VEHICLE (E85): ENGINE SIZE: 4.7L/V8 \$15,499.36

Approximate delivery 120 days A.R.O.

Delivery Charge for AR Cooperative Purchasing Program Participants: \$1.25/mile/vehicle

OPTIONS:

CB. Gasoline engine: 8 cylinder, min. 280 CID STANDARD

KO. Skid Plate \$40.00

LS. Differential: limited slip, ratio as recommended by manufacturer. \$251.00

PO. Automatic Speed Control (may be dealer installed but of same manufacturer as vehicle) and tilt

steering wheel \$220.00

QI. Short Wide Pickup Box (deduct) < \$363.00 >

TO. Without Air Conditioning (deduct) NA

UO. Transmission oil cooler \$295.00

XO. Hitch, Class III, frame attached, 7500 lb. or better towing capacity. Must be dealer or

manufacturer installed. Insert bar and ball not included. \$350.00

ZO. Transmission: manual with a minimum of three (3) forward speeds and one (1) reverse.

(deduct) < \$1030.00 >

ITEM 20: TYPE PCB-Full Size 4x4 One-Half (1/2) Ton Pickup Truck, Long Bed, Extended Cab,

Rear Seat, Four (4) Doors AASIS MATERIAL #10011632 **VENDOR: LANDERS DODGE**

VENDOR #100032541

ADDENDUM 13 STANDARD SPECIFICATIONS; PAGE 81

MFG AND MODEL: DODGE RAM QUAD CAB \$18,773.05

ENGINE SIZE: 4.7L/V8

Approximate delivery 90 days A.R.O.

ETHANOL FLEXIBLE-FUEL VEHICLE (E85): ENGINE SIZE:5.7L/V8 \$18,873.05

Approximate delivery 90 days A.R.O.

Delivery Charge for AR Cooperative Purchasing Program Participants: \$0.90/mile/vehicle

OPTIONS:

CB. Gasoline engine: 8 cylinder, min. 280 CID STANDARD

DS. Without Rear Seat (deduct) N/A

KO. Skid Plate \$140.00

LS. Differential: limited slip, ratio as recommended by manufacturer. \$285.00

PO. Automatic Speed Control (may be dealer installed but of same manufacturer as vehicle) and tilt

\$250.00 steering wheel.

QI. Short Wide Pickup Box (deduct) < \$100.00 >

TO. Without Air Conditioning (deduct) N/A

UO. Transmission oil cooler STANDARD

XO. Hitch, Class III, frame attached, 7500 lb. or better towing capacity. Must be dealer or

manufacturer installed.

Insert bar and ball not included. \$335.00

ZO. Transmission: manual with a minimum of three (3) forward speeds and one (1) reverse.

(deduct) N/A

AWARD NO: SP-07-0035 PAGE 24

ITEM 21: Type PJA - Three Quarter (3/4) Ton Heavy Duty Pickup Truck

AASIS MATERIAL #10011634 VENDOR: LANDERS FORD VENDOR #100001659

ADDENDUM 15 STANDARD SPECIFICATIONS; PAGE 83

MFG. AND MODEL: FORD F250 \$15,672.70

ENGINE SIZE: 5.4L/V8

Approximate delivery 90 days A.R.O.

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) N/A

Delivery Charge for AR Cooperative Purchasing Program Participants: \$0.90/mile/vehicle

\$27.00 MINIMUM

OPTIONS:

BO. Differential with gear ratio designed for extra towing capability. \$300.00

CA. Diesel Engine: minimum of a 190 HP with a rear axle ratio as recommended by manufacturer to maximize the vehicles highway performance and towing capabilities. \$5650.00

LS. Differential: limited slip, ratio as recommended by manufacturer. \$300.00

PO. Automatic Speed Control (may be dealer installed but shall be from same manufacturer as vehicle) and tilt steering wheel. \$385.00

XO. Hitch, Class III, frame attached, 7,500 lb. or better towing capacity. Must be dealer or manufacturer installed. Insert bar and ball not included. \$175.00

AWARD NO: SP-07-0035 PAGE 25

ITEM 22: TYPE PJB - Three Quarter (3/4) Ton Heavy Duty Pickup Truck, Long Bed, Extended

Cab, Rear Seat, Four (4) Doors AASIS MATERIAL #10011635 VENDOR: LANDERS FORD VENDOR #100001659

ADDENDUM 16 STANDARD SPECIFICATIONS; PAGE 84

MFG. AND MODEL: FORD F250 \$17,676.70

ENGINE SIZE: 5.4L/V8

Approximate delivery 90 days A.R.O.

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) N/A

Delivery Charge for AR Cooperative Purchasing Program Participants: \$0.90/mile/vehicle

\$27.00 MINIMUM

OPTIONS:

BO. Differential with gear ratio designed for extra towing capability. \$300.00

CA. Diesel Engine: minimum of a 190 HP with a rear axle ratio as recommended by manufacturer to maximize the vehicles highway performance and towing capabilities. \$5650.00

DS. Without Rear Seat (deduct) < \$250.00 >

LS. Differential: limited slip, ratio as recommended by manufacturer. \$300.00

PO. Automatic Speed Control (may be dealer installed but shall be from same manufacturer as vehicle) and tilt steering wheel. \$385.00

QI. Short wide pickup box (deduct) < \$100.00 >

XO. Hitch, Class III, frame attached, 7,500 lb. or better towing capacity. Must be dealer or manufacturer installed. Insert bar and ball not included. \$175.00

AWARD NO: SP-07-0035 PAGE 26

ITEM 23: Type PJD - Three Quarter (3/4) Ton Heavy Duty Pickup Truck, Crew Cab, Long Bed,

Full Size Rear Bench Seats, Four (4) Full Doors

AASIS MATERIAL #10119109 VENDOR: CAVENAUGH FLEET

VENDOR #100027741

ADDENDUM 18 STANDARD SPECIFICATIONS; PAGE 86

MFG. AND MODEL: DODGE RAM 2500 \$18,043.00

ENGINE SIZE: 5.7L/V8

Approximate delivery 90 days A.R.O.

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) N/A

Delivery Charge for AR Cooperative Purchasing Program Participants: \$0.20/mile/vehicle

OPTIONS:

BO. Differential with gear ratio designed for extra towing capability. \$50.00

CA. Diesel Engine: minimum of a 190 HP with a rear axle ratio as recommended by manufacturer to maximize the vehicles highway performance and towing capabilities. \$6650.00

to maximize the vehicles highway performance and towing capabilities. \$6650.0

GO. Carrier: spare wheel, side mount N/A

LS. Differential: limited slip, ratio as recommended by manufacturer. \$285.00

PO. Automatic Speed Control (may be dealer installed but shall be from same manufacturer as vehicle) and tilt steering wheel. \$250.00

QI. Short wide pickup box (deduct) N/A

XO. Hitch, Class III, frame attached, 7,500 lb. or better towing capacity. Must be dealer or manufacturer installed. Insert bar and ball not included. \$335.00

AWARD NO: SP-07-0035 PAGE 27

ITEM 24: TYPE PEA - 4 x 4 Three-Quarter (3/4) Ton Heavy Duty Pickup Truck

AASIS MATERIAL # 10011637 VENDOR: NORTH POINT FORD

VENDOR #100103942

ADDENDUM 19 STANDARD SPECIFICATIONS; PAGE 87

MFG AND MODEL: 2008 FORD F250 \$18,240.00

ENGINE SIZE: 5.4L/V8

Approximate delivery 90 days A.R.O.

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) N/A

Delivery Charge for AR Cooperative Purchasing Program Participants: \$1.00/mile/vehicle

OPTIONS:

KO. Skid Plate \$160.00

LS. Differential: limited slip, ratio as recommended by manufacturer. \$300.00

PO. Automatic Speed Control (may be dealer installed but of same mfg. as vehicle) and tilt steering wheel. \$385.00

QI. Short wide pickup box (deduct) N/A

TO. Without Air Conditioning (deduct) < \$600.00 >

XO. Hitch, Class III, frame attached, 7,500 lb. or better towing capacity. Must be dealer or manufacturer installed. Insert bar and ball not included. \$385,00

ZO. Transmission: manual with a minimum of three (3) forward speeds and one (1) reverse. (deduct) < \$1000.00 >

AWARD NO: SP-07-0035 PAGE 28

ITEM 25: TYPE PEB - 4 x 4 Three-Quarter (3/4) Ton Heavy Duty Pickup Truck, Long Bed,

Extended Cab, Rear Seat, Four (4) Doors

AASIS MATERIAL #10011638 VENDOR: NORTH POINT FORD

VENDOR #100103942

ADDENDUM 20 STANDARD SPECIFICATIONS; PAGE 88

MFG AND MODEL: 2008 FORD F250 \$20,250.00

ENGINE SIZE: 5.4L/V8

Approximate delivery 90 days A.R.O.

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) N/A

Delivery Charge for AR Cooperative Purchasing Program Participants: \$1.00/mile/vehicle

OPTIONS:

DS. Without Rear Seat (deduct) < \$344.00 >

KO. Skid Plate \$100.00

LS. Differential: limited slip, ratio as recommended by manufacturer. \$300.00

PO. Automatic Speed Control (may be dealer installed but of same mfg. as vehicle) and tilt steering wheel. \$385.00

QI. Short wide pickup box (deduct) < \$100.00 >

TO. Without Air Conditioning (deduct) < \$600.00 >

XO. Hitch, Class III, frame attached, 7,500 lb. or better towing capacity. Must be dealer or manufacturer installed. Insert bar and ball not included. \$385.00

ZO. Transmission: manual with a minimum of three (3) forward speeds and one (1) reverse. (deduct) < \$800.00 >

AWARD NO: SP-07-0035 PAGE 29

ITEM 26: Type PED - 4 x 4 Three-Quarter (3/4) Ton Heavy Duty Pickup Truck, Crew Cab, Rear

Bench Seat, Four (4) full doors AASIS MATERIAL #10111950 VENDOR: NORTH POINT FORD

VENDOR #100103942

ADDENDUM 22 STANDARD SPECIFICATIONS; PAGE 90

MFG AND MODEL: 2008 FORD F250 \$21,430.00

ENGINE SIZE: 5.4L/V8

Approximate delivery 90 days A.R.O.

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) N/A

Delivery Charge for AR Cooperative Purchasing Program Participants: \$1.00/mile/vehicle

OPTIONS:

CA. Diesel Engine: minimum of a 190 HP with a rear axle ratio as recommended by manufacturer to maximize the vehicles highway performance and towing capabilities. \$5650

KO. Skid Plate \$100.00

LS. Differential: limited slip, ratio as recommended by manufacturer. \$300.00

PO. Automatic Speed Control (may be dealer installed but of same mfg. as vehicle) and tilt steering wheel. \$385.00

QI. Short wide pickup box (deduct) < \$100.00 >

TO. Without Air Conditioning (deduct) < \$600.00 >

XO. Hitch, Class III, frame attached, 7,500 lb. or better towing capacity. Must be dealer or manufacturer installed. Insert bar and ball not included. \$385.00

ZO. Transmission: manual with a minimum of three (3) forward speeds and one (1) reverse. (deduct) < \$800.00 >

AWARD NO: SP-07-0035 PAGE 30

ITEM 27: TYPE PKA - Full Size One (1) Ton Pickup Truck, Dually

AASIS MATERIAL #10011640 VENDOR: NORTH POINT FORD

VENDOR #100103942

ADDENDUM 23 STANDARD SPECIFICATIONS; PAGE 91

MFG AND MODEL: 2008 FORD F350 \$15,690.00

ENGINE SIZE: 5.4L/V8

Approximate delivery 90 days A.R.O.

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) N/A

Delivery Charge for AR Cooperative Purchasing Program Participants: \$1.00/mile/vehicle

OPTIONS:

CA. Diesel Engine: minimum of a 190 HP with a rear axle ratio as recommended by manufacturer to maximize the vehicle's highway performance and towing capabilities \$5650.00

CD. Engine: minimum of a 414 CID/V8 with a rear axle ratio suggested by manufacturer to maximize the vehicles highway performance and towing capabilities. \$600.00

LS. Differential: limited slip, ratio as recommended by manufacturer. \$300.00

PO. Automatic Speed Control (may be dealer installed but shall be from same manufacturer as vehicle) and tilt steering wheel. \$385.00

TO. Without air conditioning

(deduct) < \$600.00 >

XO. Hitch, Class III, frame attached, 7,500 lb. or better towing capacity. Must be dealer or manufacturer installed. Insert bar and ball not included. \$385.00

AWARD NO: SP-07-0035 PAGE 31

ITEM 28: Type PKB - Full Size One (1) Ton Pickup Truck, Dually, Extended Cab

AASIS MATERIAL #10011641 VENDOR: NORTH POINT FORD

VENDOR #100103942

ADDENDUM 24 STANDARD SPECIFICATIONS; PAGE 92

MFG AND MODEL: 2008 FORD F350

\$17,975.00

ENGINE SIZE: 5.4L/V8

Approximate delivery 90 days A.R.O.

ETHANOL FLEXIBLE-FUEL VEHICLE (E85)

N/A

Delivery Charge for AR Cooperative Purchasing Program Participants:

\$1.00/mile/vehicle

OPTIONS:

CA. Diesel Engine: minimum of a 190 HP with a rear axle ratio as recommended by manufacturer to maximize the vehicle's highway performance and towing capabilities. \$5650.00

CD. Engine: minimum of a 414 CID/V8 with a rear axle ratio suggested by manufacturer to maximize the vehicles highway performance and towing capabilities \$600.00

LS. Differential: limited slip, ratio as recommended by manufacturer. \$300.00

PO. Automatic Speed Control (may be dealer installed but shall be from same manufacturer as vehicle) and tilt steering wheel. \$385.00

TO. Without air conditioning

(deduct) < \$600.00 >

XO. Hitch, Class III, frame attached, 7,500 lb. or better towing capacity. Must be dealer or manufacturer installed. Insert bar and ball not included. \$385.00

AWARD NO: SP-07-0035

PAGE 32

ITEM 29: Type PQA - One (1) Ton Truck (Standard Chassis) Single Rear Wheel Type,

Chassis/Cab w/out bed, Minimum 135 inches

AASIS MATERIAL #10011642 VENDOR: LANDERS FORD VENDOR #100001659

ADDENDUM 25 STANDARD SPECIFICATIONS; PAGE 93

MFG AND MODEL: FORD F350

\$15,693.70

ENGINE SIZE: 5.4L/V8

Approximate delivery 90 days A.R.O.

ETHANOL FLEXIBLE-FUEL VEHICLE (E85)

N/A

Delivery Charge for AR Cooperative Purchasing Program Participants:

\$0.90/mile/vehicle

\$27.00 MINIMUM

OPTIONS:

AO. Four wheel drive (4X4) with standard equipment and buyers choice of options listed.

\$3020.00

CD. Engine: minimum of a 414 CID/V8 with a rear axle ratio suggested by manufacturer to

maximize the vehicles highway performance and towing capabilities. \$600.00

GG. Dual rear wheels \$1545.00

LS. Differential: limited slip, ratio as recommended by manufacturer for maximum use of cargo

carrier selected.

TO. Without air conditioning

\$350.00

PO. Automatic Speed Control (may be dealer installed but shall be from same manufacturer as

vehicle) and tilt steering wheel. \$385.00

(deduct) < \$700.00 >

ITEM 30: Type PQB - One (1) Ton Truck (Standard Chassis) Single Rear Wheel Type, Crew

Cab, Chassis/Cab w/out bed, Minimum 159" inches

AASIS MATERIAL #10011643 VENDOR: LANDERS FORD VENDOR #10001659

ADDENDUM 26 STANDARD SPECIFICATIONS; PAGE 94

MFG AND MODEL: FORD F350 \$18,415.70

ENGINE SIZE: 5.4L/V8

Approximate delivery 90 days A.R.O.

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) N/A

Delivery Charge for AR Cooperative Purchasing Program Participants: \$0.90/mile/vehicle

\$27.00 MINIMUM

OPTIONS:

AO. Four wheel drive (4X4) with standard equipment and buyers choice of options listed.

\$3020.00

CD. Engine: minimum of a 414 CID/V8 with a rear axle ratio suggested by manufacturer to

maximize the vehicles highway performance and towing capabilities \$600.00

GG. Dual rear wheels \$1500.00

LS. Differential: limited slip, ratio as recommended by manufacturer for maximum use of cargo

carrier selected.

\$350.00

PO. Automatic Speed Control (may be dealer installed but shall be from same manufacturer as

vehicle) and tilt steering wheel. \$385.00

TO. Without air conditioning (deduct) <\$700.00>

AWARD NO: SP-07-0035

PAGE 34

ITEM 31: Type PRA- One (1) Ton Truck (Long Chassis) Dual Rear Wheels Chassis/Cab w/out bed, Minimum 159 inches and minimum 11,000 lb. GVWR

AASIS MATERIAL #10011644 VENDOR: LANDERS DODGE VENDOR #100032541

ADDENDUM 27 STANDARD SPECIFICATIONS; PAGE 95

MFG AND MODEL: DODGE RAM 3500 \$14,955,00

ENGINE SIZE: 5.7L/V8

Approximate delivery 90 days A.R.O.

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) N/A

Delivery Charge for AR Cooperative Purchasing Program Participants: \$0.90/mile/vehicle

OPTIONS:

- CA. Diesel Engine: minimum of a 190 HP with a rear axle ratio as recommended by manufacturer to maximize the vehicle's highway performance and towing capabilities. \$7555.00
- CD. Engine: minimum of a 414 CID/V8 with a rear axle ratio suggested by manufacturer to maximize the vehicles highway performance and towing capabilities N/A
- LS. Differential: limited slip, ratio as recommended by manufacturer for maximum use of cargo carrier selected.

\$375.00

- PO. Automatic Speed Control (may be dealer installed but shall be from same manufacturer as vehicle) and tilt steering wheel. \$250.00
- TO. Without air conditioning

(deduct) < \$528.00 >

AWARD NO: SP-07-0035

PAGE 35

ITEM 32: Type PRB- One (1) Ton Truck (Long Chassis) Dual Rear Wheels, Crew Cab

Chassis/Cab w/out bed, Minimum 176 inches and min. 11,000 lb. GVWR

AASIS MATERIAL #10011645 VENDOR: LANDERS FORD VENDOR #10001659

ADDENDUM 28 STANDARD SPECIFICATIONS; PAGE 96

MFG AND MODEL: FORD F350

\$19,241,70

ENGINE SIZE: 6.8L/V10

Approximate delivery 90 days A.R.O.

ETHANOL FLEXIBLE-FUEL VEHICLE (E85)

N/A

Delivery Charge for AR Cooperative Purchasing Program Participants:

\$0.90/mile/vehicle

\$27.00 MINIMUM

OPTIONS:

CA. Diesel Engine: minimum of a 190 HP with a rear axle ratio as recommended by manufacturer to maximize the vehicle's highway performance and towing capabilities. \$5300.00

CD. Engine: minimum of a 414 CID/V8 with a rear axle ratio suggested by manufacturer to maximize the vehicles highway performance and towing capabilities. **STANDARD**

LS. Differential: limited slip, ratio as recommended by manufacturer for maximum use of cargo \$350.00 carrier selected.

PO. Automatic Speed Control (may be dealer installed but shall be from same manufacturer as vehicle) and tilt steering wheel. \$385.00

TO. Without air conditioning

(deduct) < \$700.00 >

ZO. Transmission: Four (4) speed automatic

\$1490.00

AWARD NO: SP-07-0035 PAGE 36

SPECIFICATION FOR VANS, CARRYALLS AND COMPACT UTILITY

ITEM 33: Type VAA - Full Size One-Half (1/2) Ton Utility Van

AASIS MATERIAL #10011646 VENDOR: BALE CHEVROLET VENDOR #10095671

ADDENDUM 1 STANDARD SPECIFICATIONS; PAGE 99

MFG AND MODEL: CHEVROLET EXPRESS \$13,554.48

ENGINE SIZE: 4.3L/V6

Approximate delivery 90 days A.R.O.

ETHANOL FLEXIBLE-FUEL VEHICLE (E85): ENGINE SIZE: 5.3L/V8 \$14,549.48

Approximate delivery 90 days A.R.O.

Delivery Charge for AR Cooperative Purchasing Program Participants: \$0.64/mile/vehicle

OPTIONS:

DO. Glass: side and rear cargo door(s) (deduct) < \$50.00 >

LS. Differential: limited slip, ratio as recommended by manufacturer. \$325.00

PO. Automatic Speed Control (may be dealer installed but of same mfg. as vehicle) \$395.00

TO. Without Air Conditioning (deduct) < \$148.00 >

AWARD NO: SP-07-0035 PAGE 37

ITEM 34: TYPE VAB - Full Size Three-Quarter (3/4) Ton Utility Van

AASIS MATERIAL #10125671 VENDOR: CAVANAUGH FLEET

VENDOR #100027741

ADDENDUM 2 STANDARD SPECIFICATIONS; PAGE 100

MFG AND MODEL: CHEVROLET EXPRESS 2500 \$14,998.08

ENGINE SIZE: 4.8L/V8

Approximate delivery 90 days A.R.O.

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) N/A

Delivery Charge for AR Cooperative Purchasing Program Participants: \$0.20/mile/vehicle

OPTIONS:

DO. Glass: side and rear cargo door(s) (deduct) < \$130.00 >

LS. Differential: limited slip, ratio as recommended by manufacturer. \$325.00

PO. Automatic Speed Control (may be dealer installed but of same mfg. as vehicle) INCLUDED

TO. Without Air Conditioning (deduct) < \$148.00 >

AWARD NO: SP-07-0035 PAGE 38

ITEM 35: TYPE VAC - Full Size One (1) Ton Utility Van

AASIS MATERIAL #10125670 VENDOR: LANDERS FORD VENDOR #100001659

ADDENDUM 3 STANDARD SPECIFICATIONS; PAGE 101

MFG AND MODEL: FORD E350 \$17,489.40

ENGINE SIZE: 5.4L/V8

Approximate delivery 90 days A.R.O.

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) N/A

Delivery Charge for AR Cooperative Purchasing Program Participants: \$0.90/mile/vehicle

\$27.00 MINIMUM

OPTIONS:

DO. Glass: side and rear cargo door(s) (deduct) < \$75.00 >

LS. Differential: limited slip, ratio as recommended by manufacturer. \$300.00

PO. Automatic Speed Control (may be dealer installed but of same mfg. as vehicle) INCLUDED

TO. Without Air Conditioning (deduct) < \$140.00 >

AWARD NO: SP-07-0035 PAGE 39

ITEM 36: Type VBA - Full Size One-Half (1/2) Ton Eight (8) Passenger Van

AASIS MATERIAL #10011647 VENDOR: NORTH POINT FORD

VENDOR #100103942

ADDENDUM 4 STANDARD SPECIFICATIONS; PAGE 102

MFG AND MODEL: FORD E150

\$16,260.00

ENGINE SIZE: 4.6L/V8

Approximate delivery 90 days A.R.O.

ETHANOL FLEXIBLE-FUEL VEHICLE (E85)

N/A

Delivery Charge for AR Cooperative Purchasing Program Participants:

\$1.00/mile/vehicle

OPTIONS:

CB. Gasoline engine: Min. 280 CID/V8

STANDARD

LS. Differential: limited slip, ratio as recommended by manufacturer.

\$270.00

UO. Auxiliary, transmission oil cooler.

INCLUDED

AWARD NO: SP-07-0035 PAGE 40

ITEM 37: Type VGA - Three Quarter (3/4) Ton Eight (8) Passenger Van

Minimum 127 inch wheel base. One Ton will not be accepted.

AASIS MATERIAL #10011648 VENDOR: BALE CHEVROLET

VENDOR #10095671

ADDENDUM 5 STANDARD SPECIFICATIONS; PAGE 103

MFG AND MODEL: CHEVROLET EXPRESS \$18,056.38

ENGINE SIZE: 4.8L/V8

Approximate delivery 90 days A.R.O.

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) N/A

Delivery Charge for AR Cooperative Purchasing Program Participants: \$0.64/mile/vehicle

OPTIONS:

CC. Gasoline Engine: minimum of a 325 CID V8 (6.0L/V8) \$995.00

HO. Seat (add one additional bench seat in rear of van) \$370.00

LS. Differential: limited slip, ratio as recommended by manufacturer. \$325.00

UO. Auxiliary transmission oil cooler (only w/optional 6.0L/V8) \$125.00

AWARD NO: SP-07-0035 PAGE 41

ITEM 38: Type VCA - One (1) Ton Twelve (12) Passenger Van

AASIS MATERIAL #10011649 VENDOR: NORTH POINT FORD

VENDOR #100103942

ADDENDUM 6 STANDARD SPECIFICATIONS; PAGE 104

MFG AND MODEL: FORD E 350 \$18,940.00

ENGINE SIZE: 5.4L/V8

Approximate delivery 90 days A.R.O.

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) N/A

Delivery Charge for AR Cooperative Purchasing Program Participants: \$1.00/mile/vehicle

OPTIONS:

CC. Gasoline Engine: minimum of a 325 CID V8 INCLUDED

LS. Differential: limited slip, ratio as recommended by manufacturer. \$270.00

UO. Auxiliary transmission and engine oil cooler INCLUDED

AWARD NO: SP-07-0035 PAGE 42

ITEM 39: Type VDA - One (1) Ton Fifteen (15) Passenger Van

AASIS MATERIAL #10011650 VENDOR: NORTH POINT FORD

VENDOR #100103942

ADDENDUM 7 STANDARD SPECIFICATIONS; PAGE 105

MFG. AND MODEL: FORD E350 \$19,430.00

ENGINE SIZE: 5.4L/V8

Approximate delivery 90 days A.R.O.

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) N/A

Delivery Charge for AR Cooperative Purchasing Program Participants: \$1.00/mile/vehicle

OPTIONS:

CC. Gasoline Engine: minimum of a 325 CID V8 INCLUDED

LS. Differential: limited slip, ratio as recommended by manufacturer. \$270.00

UO. Auxiliary transmission and engine oil cooler INCLUDED

WW. Cloth bench seats (Includes power windows, locks, & carpet) \$1150.00

ITEM 40: Type VEA-Compact Utility Van (Mini-Van), Larger van will not be accepted.

AASIS MATERIAL #10011651 VENDOR: CAVENAUGH FORD VENDOR #100027741

ADDENDUM 8 STANDARD SPECIFICATIONS; PAGE 106

MFG AND MODEL: FORD FREESTAR \$12,462.80

ENGINE SIZE: 4.2LV6

Approximate delivery 90 days A.R.O.

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) N/A

Delivery Charge for AR Cooperative Purchasing Program Participants: \$0.20/mile/vehicle

OPTIONS:

JO. Glass: tinted rear cargo door(s) N/A

TO. Without air conditioning (deduct) STANDARD

AWARD NO: SP-07-0035 PAGE 43

ITEM 41: Type VFA-Compact Seven (7) Passenger Van (Mini-Van), larger van will not be

accepted

AASIS MATERIAL #10011652 VENDOR: LANDERS DODGE VENDOR #100032541

ADDENDUM 9 STANDARD SPECIFICATIONS; PAGE 107

MFG AND MODEL: DODGE CARAVAN \$13,819.10

ENGINE SIZE: 3.3L/V6

Approximate delivery 90 days A.R.O.

ETHANOL FLEXIBLE-FUEL VEHICLE (E85): ENGINE SIZE: 3.3LV6 \$13,919.10

Approximate delivery 90 days A.R.O.

Delivery Charge for AR Cooperative Purchasing Program Participants: \$0.90/mile/vehicle

ITEM 42: Type PHA - Compact Two (2) WD Utility Vehicle

AASIS MATERIAL #10011653 VENDOR: LANDERS DODGE

VENDOR #100032541

ADDENDUM 10 STANDARD SPECIFICATIONS; PAGE 108

MFG AND MODEL: JEEP LIBERTY \$16,287.00

ENGINE SIZE: 3.7L/V6

Approximate delivery 90 days A.R.O.

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) N/A

Delivery Charge for AR Cooperative Purchasing Program Participants: \$0.90/mile/vehicle

OPTIONS:

CB: Gasoline V-8, not less than 280 CID N/A

FO. Power window package (four door only) STANDARD

RO. Four (4) door STANDARD

XO. Hitch, Class III, frame attached, 5,000 lb. or better towing capacity. Must be dealer or manufacturer installed. Insert bar and ball not included. \$365.00

AWARD NO: SP-07-0035 PAGE 44

ITEM 43: Type PFA - Compact Four (4) WD Utility Vehicle

AASIS MATERIAL #10011654 **VENDOR: LANDERS DODGE**

VENDOR #100032541

ADDENDUM 11 STANDARD SPECIFICATIONS; PAGE 109

MFG AND MODEL: JEEP LIBERTY \$17,616.00

ENGINE SIZE: 3.7L/V6

Approximate delivery 90 days A.R.O.

ETHANOL FLEXIBLE-FUEL VEHICLE (E85) N/A

Delivery Charge for AR Cooperative Purchasing Program Participants: \$0.90/mile/vehicle

OPTIONS:

N/A CB: Gasoline V-8, not less than 280 CID

FO. Power window package (four door only) STANDARD

\$150.00 KO. Skid Plate

LO. Special Purpose/Preferred Equipment Package. Package must also include steel wheels, N/A

rear window wiper and rear defroster.

RO. Four Door **STANDARD**

XO. Hitch, Class III, frame attached, 5,000 lb. or better towing capacity. Must be dealer or

manufacturer installed. Insert bar and ball not included. \$365.00 AWARD NO: SP-07-0035

PAGE 45

ITEM 44: TYPE PSA - Standard (2) Wheel Drive Utility Vehicle

AASIS MATERIAL #10011655 VENDOR: LANDERS DODGE

VENDOR #100032541

ADDENDUM 12 STANDARD SPECIFICATIONS; PAGE 110

MFG AND MODEL: DODGE DURANGO

\$18,689.00

ENGINE SIZE: 4.7L/V8

Approximate delivery 90 days A.R.O.

ETHANOL FLEXIBLE-FUEL VEHICLE (E85): ENGINE SIZE: 4.7L/V8 \$18,789.00

Approximate delivery 90 days A.R.O.

Delivery Charge for AR Cooperative Purchasing Program Participants: \$0.90/mile/vehicle

OPTIONS:

FL. Power Locks STANDARD

FO. Power windows STANDARD

HS. Heavy Service package, including heavy duty alternator, battery, suspension, and maximum engine/transmission cooling.

NO CHARGE (included with option XO)

KO. Skid Plate \$250.00

LO. Special Purpose/Preferred Equipment Package: Package must also include steel wheels, rear window wiper and rear defroster.

N/A

LS. Limited Slip Rear End STANDARD

XO. Hitch, Class III, frame attached, 5,000 lb. or better towing capacity. Must be dealer or manufacturer installed. Insert bar and ball not included \$455.00

AWARD NO: SP-07-0035 PAGE 46

ITEM 45: Type PSB - Standard (4) Wheel Drive Utility Vehicle

AASIS MATERIAL #10011656 VENDOR: LANDERS DODGE

VENDOR #100032541

ADDENDUM 13 STANDARD SPECIFICATIONS; PAGE 111

MFG AND MODEL: DODGE DURANGO \$20,537.00

ENGINE SIZE: 4.7L/V8

Approximate delivery 90 days A.R.O.

ETHANOL FLEXIBLE-FUEL VEHICLE (E85): ENGINE SIZE: 4.7L/V8 \$20,637.00

Approximate delivery 90 days A.R.O.

Delivery Charge for AR Cooperative Purchasing Program Participants: \$0.90/mile/vehicle

OPTIONS:

FL. Power Locks STANDARD

FO. Power windows (available on four (4) door only) STANDARD

HS. Heavy Service package, including heavy duty alternator, battery, suspension, and maximum engine/transmission cooling. NO CHARGE (included with option XO)

KO. Skid Plate \$170.00

LO. Special Purpose/Preferred Equipment Package: Package must also include steel wheels, rear window wiper and rear defroster.

N/A

LS. Limited Slip Rear End STANDARD

XO. Hitch, Class III, frame attached, 5,000 lb. or better towing capacity. Must be dealer or manufacturer installed. Insert bar and ball not included. \$455.00

AWARD NO: SP-07-0035

PAGE 47

ITEM 46: Type PMA - Eight (8) Passenger Carryall

AASIS MATERIAL #10011657 VENDOR: CAVANAUGH FLEET

VENDOR #100027741

ADDENDUM 14 STANDARD SPECIFICATIONS; PAGE 112

MFG AND MODEL: FORD EXPEDITION

\$23,846.70

ENGINE SIZE: 5.4L/V8

Approximate delivery 90 days A.R.O.

ETHANOL FLEXIBLE-FUEL VEHICLE (E85)

N/A

Delivery Charge for AR Cooperative Purchasing Program Participants:

\$0.20/mile/vehicle

OPTIONS:

AO. Four wheel drive (4X4) with standard equipment and buyers choice of options as listed.

\$2900.00

LS. Differential: limited slip, ratio as recommended by manufacturer.

STANDARD

WO. Factory installed rear air conditioning system.

STANDARD

XO. Hitch, Class III, frame attached, 7,500 lb. or better towing capacity. Must be dealer or manufacturer installed. Insert bar and ball not included. A minimum rear axle ratio of 3.31 is required for this option. \$350.00

STATE OF ARKANSAS DEPARTMENT OF FINANCE AND ADMINISTRATION OFFICE OF STATE PROCUREMENT

STANDARD SPECIFICATIONS FOR AUTOMOBILES AND STATION WAGONS

1. SCOPE AND CLASSIFICATION:

- 1.1 Scope To set forth the minimum acceptable standards in obtaining automobiles and station wagons in conjunction with this specification and the requirements of this state.
- 1.2 Classification Vehicles covered herein shall be of the following types and options as specified in the Invitation for Bid (IFB).

TYPE ABA - Four (4) door subcompact sedan, see addendum 1, page 51

TYPE ACA - Four (4) door compact sedan, see addendum 2, page 52

TYPE ADA - Four (4) door mid-size sedan, see addendum 3, page 53

TYPE AEA - Four (4) door large sedan, see addendum 4, page 54

TYPE SAA - Four (4) door compact station wagon, see addendum 5, page 55

TYPE SBA - Four (4) door mid-size station wagon, see addendum 6, page 56

TYPE JAA - Four (4) door campus security compact sedan, see addendum 7, page 57

TYPE KAA - Four (4) door mid-size police sedan, see addendum 8, page 58 - 59

TYPE LAA - Four (4) door large police sedan, see addendum 9, page 60 - 61

TYPE MAA - Four (4) door mid to large size police sedan, see addendum 10, page 62 - 63

2. APPLICABLE DOCUMENTS:

- 2.1 Reference to any standard(s), specification(s), amendment(s) and/or test method(s) shall be to the current issue(s) in effect on the date of the Invitation for Bid (IFB).
- 2.2 Interior volumes, vehicle size classification, and gasoline mileage shall conform to minimums shown in the latest edition of the <u>Fuel Economy Guide</u> published by the Environmental Protection Agency.

3. REQUIREMENTS:

3.1 All vehicles furnished to the State of Arkansas shall be new and delivered as specified in the Invitation for Bid (IFB). Vehicles shall be furnished with all interior, exterior trim and appointments listed by the manufacturer in printed specifications and literature as standard equipment. Vehicles shall also be equipped with any and all safety equipment required by the State of Arkansas and/or applicable Federal Regulations. Any upgrades and/or additional equipment necessitated by selection of any listed option by the ordering entity shall be included in the prices bid, and no additional charge shall be made by the vendor.

3.2 Warranty - From date of delivery, each vehicle shall be accompanied by a warranty for a minimum of thirty six (36) months or thirty six thousand (36,000) miles, whichever comes first. Warranty shall certify that the vehicle is of good material and workmanship and that the replacement of any part or parts that fail under normal use within the designated period, free of negligence or accident, will be promptly repaired or replaced at NO cost to the agency, institution, or other public body that purchased the vehicle.

3.3 <u>Specific Requirements</u> - See addenda 1 through 10 for specific requirements appropriate to each type of vehicle listed herein.

4. SAMPLING, INSPECTION AND TEST PROCEDURES:

- 4.1 Responsibility for Inspection Unless otherwise specified, the successful contractor will be responsible for performing all inspections required herein. The Office of State Procurement reserves the right to make any and all inspections deemed necessary to insure compliance with this specification.
- 4.2 Samples After bid results are tabulated, the Office of State Procurement reserves the right to require samples of selected vehicles be made available for inspection and evaluation as required in the IFB.

5. PREPARATION FOR DELIVERY:

5.1 Each vehicle shall be completely serviced, cleaned, and thoroughly inspected by the successful contractor just prior to delivery to the purchasing entity. No dealer advertisement shall be on any vehicle purchased by the State of Arkansas.

PREDELIVERY REQUIREMENTS:

- a. Complete lubrication.
- b. Fill crankcase with oil.
- c. Adjustment of engine to proper operating conditions.
- d. Inflate tires to proper pressure.
- e. Careful check to assure perfect operation of all mechanical features.
- f. Front end alignment and wheels balanced.
- g. Cleaning of vehicle, if necessary, and removal of all unnecessary tags, stickers, papers, etc. Window price sticker shall not be removed.
- h. No dealer's insignia shall be affixed to vehicle.
- i. A minimum five gallons of fuel in each vehicle.
- j. Delivery shall be during normal working hours, 8 A.M. to 4 P.M., Monday through Friday.
- k. License plate holders installed, front and rear.

AWARD NO: SP-07-0035 PAGE 50

6. NOTES:

- 6.1 Ordering A state agency purchase order(s) and all necessary supporting documents will be sent to the AR Department of Finance and Administration, Office of Administrative Services.
- 6.2 Options Purchasers shall select preferred options listed in addenda 1 through 9 and include the following information in their procurement request:
 - a. Title, number, and date of this specification.
 - b. Title, and number of the addendum.
 - c. Numbers and descriptions of the options selected.
- 6.3 <u>Exclusivity</u> This specification shall, until revised or rescinded by the Office of State Procurement, apply to each future purchase and/or contract of those commodities described herein.
- 6.4 Copies of this specification can be obtained from:

Arkansas Department of Finance and Administration Office of State Procurement Attention: Vehicle Buyer P. O. Box 2940 Little Rock, Arkansas 72203

ADDENDUM 1: TYPE ABA: Four (4) Door Subcompact Sedan NOT ON CONTRACT

A. Size Classification

A.1 Vehicle shall be classified in the latest edition of the U.S. Environmental Protection Agency's Fuel Economy Guide as either a subcompact or larger sedan.

- B.1 Standard equipment Every vehicle shall be equipped with the following:
- a. Air conditioning: factory installed and tinted glass in all windows.
- b. Alternator: type recommended by manufacturer for vehicle as equipped.
- c. Antifreeze: serviced to -29°C (-20°F) or lower.
- d. Automatic transmission: minimum of three (3) forward speeds and one (1) reverse.
- e. Battery: maintenance free, and type recommended by manufacturer for vehicle as equipped.
- f. Cooling system: factory installed and type recommended by manufacturer for vehicle as equipped.
- g. Doors: minimum of four (4) side doors. Shall include body side molding.
- h. Engine: a gasoline fueled engine of the type recommended by manufacturer for vehicle as equipped.
- i. Floor mats: individual front and rear, color to coincide with interior.
- i. Inside hood latch control.
- k. License plate brackets: front and rear.
- I. Operator's manual.
- m. Paint: one (1) exterior color selected from manufacturer's standard list and specified by ordering entity.
- n. Power Windows and Door Locks: factory installed.
- o. Power brakes: factory installed.
- p. Power steering: factory installed.
- q. Radio: factory installed in dash AM/FM.
- r. Rear seat: manufacturer's standard type for vehicle.
- s. Suspension: type recommended by manufacturer for vehicle as equipped.
- t. Tires: four (4) radial, tubeless, tires of the size and load range recommended by vehicle manufacturer for automobile as equipped and one (1) mounted spare tire with wheel, either "space saver" or full size.
- Upholstery: manufacturer's standard materials and colors to coincide with exterior color chosen.

AWARD NO: SP-07-0035 PAGE 52

ADDENDUM 2: TYPE ACA- Four (4) Door Compact Sedan

A. Size Classification

A.1 Vehicle shall be classified in the latest edition of the U.S. Environmental Protection Agency's <u>Fuel Economy Guide</u> as either a compact or larger sedan.

- B.1 Standard equipment Every vehicle shall be equipped with the following:
- a. Air conditioning: factory installed and tinted glass in all windows.
- b. Alternator: type recommended by manufacturer for vehicle as equipped.
- c. Antifreeze: serviced to -29°C (-20°F) or lower.
- d. Automatic speed control (may be dealer installed but of same manufacturer as vehicle) and tilt steering wheel.
- e. Automatic transmission: minimum of three (3) forward speeds and one (1) reverse.
- f. Battery: maintenance free, and type recommended by manufacturer for vehicle as equipped.
- g. Cooling system: Heavy duty, including heavy duty radiator, heavy duty fan, and factory installed coolant recovery system.
- h. Doors: minimum of four (4) side doors. Shall include body side molding.
- i. Engine: a gasoline fueled engine of the type recommended by manufacturer for vehicle as equipped.
- j. Floor mats: individual front and rear, color to coincide with interior.
- Inside hood latch control.
- License plate brackets: front and rear.
- m. Operator's manual.
- n. Paint: one (1) exterior color selected from manufacturer's standard list and specified by ordering entity.
- o. Power Windows and Door Locks: factory installed.
- p. Power brakes: factory installed.
- q. Power steering: factory installed.
- r. Radio: factory installed in dash AM/FM.
- s. Rear seat: manufacturer's standard type for vehicle.
- t. Suspension: Type recommended by manufacturer for vehicle as equipped.
- u. Tires: four (4) radial, tubeless, tires of the size and load range recommend by vehicle manufacturer for automobile as equipped and one (1) mounted spare tire with wheel, either "space saver" or full size.
- v. Upholstery: manufacturer's standard materials and colors to coincide with exterior color chosen.

ADDENDUM 3: TYPE ADA- Four (4) Door Mid-Size Sedan

A. Size Classification

A.1 Vehicle shall be classified in the latest edition of the U.S. Environmental Protection Agency's <u>Fuel Economy Guide</u> as either a mid-size or larger sedan.

- B.1 Standard equipment Every vehicle shall be equipped with the following:
- a. Air conditioning: factory installed and tinted glass in all windows.
- b. Alternator: type recommended by manufacturer for vehicle as equipped.
- c. Antifreeze: serviced to -29°C (-20°F) or lower.
- d. Automatic speed control (may be dealer installed but of same manufacturer as vehicle) and tilt steering wheel.
- e. Automatic transmission: minimum of three (3) forward speeds and one (1) reverse.
- f. Battery: maintenance free, and type recommended by manufacturer for vehicle as equipped.
- g. Cooling system: heavy duty, including heavy duty radiator, heavy duty fan, and factory installed coolant recovery system.
- h. Doors: minimum of four (4) side doors. Shall include body side molding.
- i. Engine: a gasoline fueled engine of the type recommended by manufacturer for vehicle as equipped.
- j. Floor mats: individual front and rear, color to coincide with interior.
- k. Inside hood latch control.
- I. License plate brackets: front and rear.
- m. Operator's manual.
- n. Paint: one (1) exterior color selected from manufacturer's standard list and specified by ordering entity.
- o. Power Windows and Door Locks: factory installed.
- p. Power brakes: factory installed.
- q. Power steering: factory installed.
- r. Radio: factory installed in dash AM/FM.
- s. Rear seat: manufacturer's standard type for vehicle.
- t. Suspension: Type recommended by manufacturer for vehicle as equipped.
- u. Tires: four (4) radial, tubeless, tires of the size and load range recommended by vehicle manufacturer for automobile as equipped and one (1) mounted spare tire with wheel, either "space saver" or full size.
- v. Upholstery: manufacturer's standard materials and colors to coincide with exterior color chosen.

ADDENDUM 4: TYPE AEA: Four (4) Door Large Sedan

A. Size Classification

A.1 Vehicle shall be classified in the latest edition of the U.S. Environmental Protection Agency's <u>Fuel Economy Guide</u> as a large sedan.

- B.1 Standard equipment Every vehicle shall be equipped with the following:
- a. Air conditioning: factory installed and tinted glass in all windows.
- b. Alternator: type recommended by manufacturer for vehicle as equipped.
- c. Antifreeze: serviced to -29°C (-20°F) or lower.
- d. Automatic speed control (may be dealer installed but of same manufacturer as vehicle) and tilt steering wheel.
- e. Automatic transmission: minimum of three (3) forward speeds and one (1) reverse.
- f. Battery: maintenance free, and type recommended by manufacturer for vehicle as equipped.
- g. Cooling system: heavy duty, including heavy duty radiator, heavy duty fan, and factory installed coolant recovery system.
- h. Doors: minimum of four (4) side doors. Shall include body side molding.
- i. Engine: a gasoline fueled engine of the type recommended by manufacturer for vehicle as equipped.
- i. Floor mats: individual front and rear, color to coincide with interior.
- k. Inside hood latch control.
- I. License plate brackets: front and rear.
- m. Operator's manual.
- n. Paint: one (1) exterior color selected from manufacturer's standard list and specified by ordering entity.
- o. Power Windows and Door Locks: factory installed.
- p. Power brakes: factory installed.
- q. Power steering, windows and door handles: factory installed.
- r. Radio: factory installed in dash AM/FM.
- s. Rear seat: manufacturer's standard type for vehicle.
- t. Suspension: Type recommended by manufacturer for vehicle as equipped.
- u. Tires: four (4) radial, tubeless, tires of the size and load range recommended by vehicle manufacturer for automobile as equipped and one (1) spare tire with wheel, either "space saver" or full size.
- v. Upholstery: manufacturer's standard materials and colors to coincide with exterior color chosen.
- B.2 Optional equipment Purchasers may choose from the following:
 - CB. Gasoline engine: 8 Cylinder, a minimum of 280 CID.

ADDENDUM 5: TYPE SAA- Four (4) Door Compact Station Wagon

A. Size Classification

A.1 Vehicle shall be classified in the latest edition of the U.S. Environmental Protection Agency's <u>Fuel Economy Guide</u> as either a compact or larger station wagon.

- B.1 Standard equipment Every vehicle shall be equipped with the following:
- a. Air conditioning: factory installed and tinted glass in all windows.
- b. Alternator: type recommended by manufacturer for vehicle as equipped.
- c. Antifreeze: serviced to -29°C (-20°F) or lower.
- d. Automatic speed control (may be dealer installed, but of same manufacturer as vehicle) and tilt steering wheel.
- e. Automatic transmission: minimum of three (3) forward speeds and one (1) reverse.
- f. Battery: maintenance free, and type recommended by manufacturer for vehicle as equipped.
- g. Cooling system: heavy duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
- h. Doors: minimum of four (4) side doors with a station wagon type rear opening. Shall include body side molding.
- i. Engine: a gasoline fueled engine of the type recommended by manufacturer for vehicle as equipped.
- j. Floor mats: individual front and rear, color to coincide with interior.
- k. Inside hood latch control.
- I. License plate brackets: front and rear.
- m. Operator's manual.
- n. Paint: one (1) exterior color selected from manufacturer's standard list and specified by ordering entity.
- o. Power Windows and Door Locks: factory installed.
- p. Power brakes: factory installed.
- q. Power steering: factory installed.
- r. Radio: factory installed in dash AM/FM.
- s. Rear seat: manufacturer's standard type for vehicle.
- t. Suspension: type recommended by manufacturer for vehicle as equipped.
- u. Tires: four (4) radial, tubeless, tires of the size and load range recommended by vehicle manufacturer for automobile as equipped and one (1) mounted spare tire with wheel either "space saver" or full size.
- v. Upholstery: manufacturer's standard materials and colors to coincide with exterior color chosen.

AWARD NO: SP-07-0035 PAGE 56

ADDENDUM 6: TYPE SBA: Four (4) Door Mid-Size Station Wagon

A. Size Classification

A.1 Vehicle shall be classified in the latest edition of the U.S. Environmental Protection Agency's <u>Fuel Economy Guide</u> as either a mid-size or larger station wagon.

- B.1 Standard equipment Every vehicle shall be equipped with the following:
- a. Air conditioning: factory installed and tinted glass in all windows.
- b. Alternator: type recommended by manufacturer for vehicle as equipped.
- c. Antifreeze: serviced to -29°C (-20°F) or lower.
- d. Automatic speed control (may be dealer installed, but of same manufacturer as vehicle) and tilt steering wheel.
- e. Automatic transmission: minimum of three (3) forward speeds and one (1) reverse.
- f. Battery: maintenance free, and type recommended by manufacturer for vehicle as equipped.
- g. Cooling system: Heavy duty, including heavy-duty radiator, heavy duty fan, and factory installed coolant recovery system.
- h. Doors: minimum of four (4) side doors with a station wagon type rear opening. Shall include body side molding.
- i. Engine: a gasoline fueled 6 cylinder engine of the type recommended by manufacturer for vehicle as equipped.
- j. Floor mats: individual front and rear, color to coincide with interior.
- k. Inside hood latch control.
- 1. License plate brackets: front and rear.
- m. Operator's manual.
- n. Paint: one (1) exterior color selected from manufacturer's list and specified by ordering entity.
- o. Power Windows and Door Locks: factory installed.
- p. Power brakes: factory installed.
- q. Power steering: factory installed.
- r. Radio: factory installed in dash AM/FM.
- s. Rear seat: manufacturer's standard type for vehicle.
- t. Suspension: type recommended by manufacturer for vehicle as equipped.
- u. Tires: four (4) radial, tubeless, tires of the size and load range recommended by vehicle manufacturer for automobile as equipped and one (1) mounted spare tire with wheel, either "space saver" or full size.
- v. Upholstery: manufacturer's standard materials and colors to coincide with exterior color chosen.

AWARD NO: SP-07-0035 PAGE 57

ADDENDUM 7: TYPE JAA: Four (4) Door Campus Security Mid-Size or Larger Sedan

A. Size Classification

A.1 Vehicle shall be classified in the latest edition of the U.S. Environmental Protection Agency's <u>Fuel Economy Guide</u> as a midsize or larger car. Vehicle shall have no less than 95 or no more than 105 cubic feet of interior volume.

- B.1 Standard equipment Every vehicle shall be equipped with the following:
- a. Air conditioning: factory installed and tinted glass in all windows.
- b. Alternator: heavy duty minimum of 100 amperes.
- c. Anti-freeze: serviced to -29°1/2C (-20°F) or lower.
- d. Automatic speed control (may be dealer installed, but of same manufacturer as vehicle) and tilt steering wheel.
- e. Automatic Transmission: minimum of three (3) forward speeds and one (1) reverse.
- f. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
- g. Cooling System: heavy duty, including heavy duty radiator, heavy duty fan, and factory installed coolant recovery.
- h. Defroster (rear window).
- i. Disconnect door courtesy light switches.
- i. Electric door locks
- k. Engine: a gasoline fueled 6 cylinder engine of the type recommended by the manufacturer for the vehicle as equipped.
- 1. Floor mats: individual front and rear, color to coincide with interior.
- m. Inside hood latch control.
- n. License plate brackets, front and rear.
- o. Operator's manual.
- p. Paint: one (1) exterior color selected from manufacturer's list and specified by the ordering entity.
- q. Power Windows and Door Locks: factory installed.
- r. Power Brakes: factory installed, and compatible with vehicle as equipped.
- s. Power steering: factory installed.
- t. Protective body side molding.
- u. Radio: factory installed in dash AM/FM.
- v. Radio suppression: radio frequency interference suppression measures and devices shall be incorporated into the vehicle so that interference generated does not exceed the limits established in SAE standard J-55, entitled "Measurement of Vehicle Radio Interference (30 to 40 megacycles)."
- w. Seats: bench and/or bucket types as recommended by manufacturer.
- x. Suspension: type recommended by manufacturer for vehicle as equipped.
- y. Tires: four (4) radial, tubeless, tires of the size and load range recommended by vehicle manufacturer for automobile as equipped and one (1) spare tire with wheel, either "space saver" or full size.
- z. Upholstery: manufacturer's standard materials and colors to coincide with exterior color chosen.
- aa. Wheels: type recommended by manufacturer for vehicle as equipped.
- B.2 Optional equipment Purchasers may choose from the following:
 - EO. Police Package (i.e., heavy duty brakes, heavy duty cooling system, gauges, 105 Amp alternator, 54 Amp battery, firm ride suspension, bucket seats, etc.).

AWARD NO: SP-07-0035 PAGE 58

ADDENDUM 8: TYPE KAA: Four (4) Door Mid-Size Police Sedan, Chevrolet Impala 9C1 (no substitutes)

A. Size Classification

A.1 Vehicle shall have no more than 105 cubic feet of passenger interior space volume and a minimum of 11 cubic feet of trunk/cargo volume. Interior volumes are the ones shown as mid-size sedans in the latest <u>Fuel Economy Guide</u> published by the Environmental Protection Agency.

- B.1 Standard Equipment Every vehicle shall be equipped with the following:
- a. Air conditioning: factory installed and tinted glass in all windows.
- b. Alternator: heavy duty, minimum of 100 amperes.
- c. Anti-freeze: serviced to -29°C (-20°F) or lower.
- d. Automatic speed control (may be dealer installed, but of same manufacturer as vehicle) and tilt steering wheel.
- e. Automatic Transmission: minimum of three (3) forward speeds and one (1) reverse.
- f. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
- g. Brakes: ABS type brake system.
- h. Cooling system: heavy duty, including heavy duty extra capacity radiator, heavy duty temperature controlled fan, and factory installed coolant recovery system.
- i. Defroster (rear window).
- j. Disconnect door courtesy light switches.
- k. Drive axle: manufacturer to select axle ratio which will provide the best overall performance and the heaviest duty available.
- I. Electric controlled door locks.
- m. Engine: suitable for police pursuit work and capable of accelerating from 0 to 60 mph in a maximum of 14.5 seconds with a minimum top speed of 105 mph as shown in the latest Michigan Police Vehicle Test. Engine shall be equipped with dual exhaust (or single if large enough for proper elimination of pressure) and external engine oil cooler.
- n. Engine compartment light.
- o. Floor mats: individual front and rear, color to coincide with interior.
- p. Glove box light.
- q. Heater: integral fresh air heater and defroster.
- r. Horns, dual.
- s. Inside hood latch control.
- t. License plate brackets; front and rear.
- u. Lights, interior: standard dome light with map or reading lights, extra dome and reading light in center of windshield header.
- v. Locks, door: single key locking system for each car. Three (3) keys per vehicle.
- w. Mirrors, rear view: remote control both sides. Non-glare day-night inside.
- x. Operator's manual.
- y. Paint: One (1) exterior color selected from manufacturer's list and specified by the ordering entity.
- z. Police package: including all features listed in the manufacturer's printed specifications and literature part of their police equipment package.

continue

ADDENDUM 8: TYPE KAA: Four (4) Door Mid-Size Police Sedan, Chevrolet Impala (no substitutes)

aa. Power Windows and Door Locks: factory installed.

- bb. Power steering: firm feel power assisted steering gear and linkage.
- cc. Power windows.
- dd. Protective body side molding.
- ee. Quiet sound group (special noise deadening insulation).
- ff. Radio: factory installed in dash AM/FM.
- gg. Radio suppression: radio frequency interference suppression measures and devices shall be incorporated into the vehicle so that interference generated does not exceed the limits established in SAE standard J55, entitled "Measurement of Vehicle Radio Interference (30 to 40 megacycles)".
- hh. Remote deck lid release, control on driver's side.
- ii. Seats: Bench type with heavy-duty cloth upholstery.
- jj. Speedometer: 0 to 120 mph, certified calibrated within two (2) MPH. Allowable instrument error to be \pm one (1) mph at all speeds between 10 and 100 mph.
- kk. Spotlight: factory installed, left side. not less than 5 inches with aircraft or halogen bulb.
- II. Suspension: maximum handling package designed to limit body roll, allow flat cornering, limit dive on severe braking, limit squat on fast acceleration, and to provide optimum handling. Package should include, at a minimum, extra control front and rear shock absorbers, extra heavy duty frame or frame member reinforcement on unit frame, and front and rear stabilizer bars.
- mm. Tires: P215-65R15 tubeless, fabric body and belts. Pursuit radial. Tires must be certified by both the tire and auto manufacturer for police use to 120 mph sustained
- nn. Wheels: heavy duty, 15 inch diameter.
- oo. Windshield wipers: intermittent type.
- pp. Upholstery: cloth or vinyl, police duty, color to coordinate with exterior color. Dark colors and black unacceptable due to heat build-up.

B.2 Optional Equipment - Purchasers may select the following:

- IO. Roof reinforcement for light bar installation.
- MO. Delete spotlight: spotlight may be deleted for credit.
- NO. Bucket seats.
- VM. Vinyl Floor Mats, Front & Rear
- VO. Delete ABS type brake system.
- VS. Vinyl Seats, Rear only
- WO. Full size wheel covers, all four wheels.
- WI. Unmarked police package: Full wheel covers, bench seats, carpeted floor, regular outside trim, etc.
- WL. Full sized spare with tire to match others on vehicle.

AWARD NO: SP-07-0035 PAGE 60

ADDENDUM 9: TYPE LAA: Four (4) Door Large Police Pursuit Sedan, Ford Crown Victoria (no substitutes)

A. Size Classification

A.1 Vehicle shall have a minimum of 110 cubic feet of passenger interior space volume and a minimum of 20 cubic feet of trunk/cargo volume. Interior volumes are the ones shown as large sedans in the latest <u>Fuel Economy Guide</u> published by the Environmental Protection Agency.

- B.1 Standard equipment Every vehicle shall be equipped with the following:
- a. Air conditioning: factory installed and tinted glass in all windows.
- b. Alternator: heavy duty, minimum of 100 amperes.
- c. Anti-freeze: serviced to -29°C (-20°F) or lower.
- d. Automatic speed control (may be dealer installed, but of same manufacturer as vehicle) and tilt steering wheel.
- e. Automatic Transmission: minimum of three (3) forward speeds and one (1) reverse.
- f. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
- g. Brakes: ABS type brake system and anti-slip rear axle.
- h. Cooling system: heavy duty, including heavy duty extra capacity radiator, heavy duty temperature controlled fan, and factory installed coolant recovery system.
- i. Disconnect door courtesy light switches.
- j. Drive axle: manufacturer to select axle ratio which will provide the best overall performance and the heaviest duty available.
- k. Electric controlled door locks.
- I. Engine: suitable for police pursuit work and capable of accelerating from 0 to 60 mph in a maximum of 14.5 seconds with a minimum top speed of 105 mph as shown in the latest Michigan Police Vehicle Test. Engine shall be 210 h.p. or larger equipped with dual exhaust (or single if large enough for proper elimination of pressure) and factory installed engine oil cooler.
- m. Floor mats: individual front and rear, color to coincide with interior.
- n. Warning Lights: oil pressure and coolant temperature.
- o. Glove box light.
- p. Heater: integral fresh air heater and defroster.
- g. Horns, dual.
- r. Inside hood latch control.
- s. License plate brackets; front and rear.
- t. Locks, door: single key locking system for each car with three keys per vehicle.
- u. Mirrors: rear view with remote control both sides. Non-glare, day-night inside.
- v. Operator's manual.
- w. Paint: one (1) exterior color selected from manufacturer's list and specified by the ordering entity.
- x. Police package: including all features listed in manufacturer's printed specifications and literature part of police equipment package.

PAGE 61

continue

ADDENDUM 9: TYPE LAA: Four (4) Door Large Police Pursuit Sedan, Ford Crown Victoria (no substitutes)

y. Power Windows and Door Locks: factory installed.

- z. Power steering: firm feel power assisted steering gear with linkage & external oil cooler.
- aa. Power Windows.
- bb. Protective body side molding.
- cc. Quiet sound group (special noise deadening insulation).
- dd. Radio: factory installed in dash AM/FM.
- ee. Radio suppression: radio frequency interference suppression measures and devices shall be incorporated into the vehicle so that generated interference does not exceed the limits established in SAE standard J55, entitled "Measurement of Vehicle Radio Interference (30 to 40 megacycles)".
- ff. Rear Window Defrost.
- gg. Remote deck lid release, control on driver's side.
- hh. Seats: bucket front and rear bench.
- ii. Speedometer: 0 to 120 mph, certified calibrated within two (2) mph. Allowable instrument error to be \pm one (1) mph at all speeds between 10 and 100 mph.
- jj. Spotlight: factory installed, left side, not less than 5 inches with aircraft or halogen bulb.
- kk. Suspension: maximum handling package designed to limit body roll, allow flat cornering, limit dive on severe braking, limit squat on fast acceleration, and to provide optimum handling. Package shall include, at a minimum, extra control front and rear shock absorbers, extra heavy duty frame or frame member reinforcement on unit frame, with front and rear stabilizer bars.
- II. Tires: P225 60 V/R x 16 tubeless, fabric body and belts. Pursuit radial. Tires must be certified by both the tire and auto manufacturer for police use to 120 mph sustained. mm. Wheels: heavy duty, 16 inch diameter with metal, full wheel covers.
- nn. Windshield wipers: intermittent type.
- oo. Upholstery: cloth, police duty, color to coordinate with exterior color. Dark colors and black unacceptable due to heat build-up.

B.2 Optional equipment - Purchasers may select the following:

- IO. Roof reinforcement for light bar installation.
- MO. Delete spotlight: spotlight may be deleted for credit.
- OO. Spotlight (additional, to be installed front passenger side).
- VI. Delete anti-slip rear axle.
- VM. Vinyl Floor Mats, Front & Rear
- VO. Delete ABS type brake system.
- VS. Vinyl Seats, Rear only
- WL. Full sized spare with tire to match others on vehicle
- ZI. Street Appearance Package: Chrome grill, side moldings, change police engine markings.

AWARD NO: SP-07-0035 PAGE 62

ADDENDUM 10: TYPE MAA: Four (4) Door Mid to Large Police Pursuit Sedan, Dodge Charger (no substitutes)

A. Size Classification

A.1 Vehicle shall have no more than 103 cubic feet of passenger interior space volume and a minimum of 24 cubic feet of trunk/cargo volume. Interior volumes are the ones shown as mid-size sedans in the latest <u>Fuel Economy Guide</u> published by the Environmental Protection Agency.

- B.1 Standard Equipment Every vehicle shall be equipped with the following:
- a. Air Conditioning: Manual, factory installed and tinted glass in all windows.
- b. Alternator: high-output, minimum of 160 amperes.
- c. Antifreeze: serviced to -29°C (-20°F) or lower.
- d. Automatic Speed Control (may be dealer installed, but of same manufacturer as vehicle) and tilt steering wheel.
- e. Automatic Transmission: Five-speed with overdrive.
- f. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
- g. Brakes: ABS type brake system and anti-slip rear axle.
- h. Cooling System: Severe-duty including heavy duty extra capacity radiator, heavy duty temperature controlled fan, and factory installed coolant recovery system.
- i. Disconnect door courtesy light switches.
- j. Drive Axle: manufacturer to select axle ratio which will provide the best overall performance and the heaviest duty available.
- k. Electric controlled door locks
- I. Engine: 3.5-liter V 6 engine with 250 hp @ 6,400 rpm and 250 lb-ft of torque @ 3,800 rpm. Suitable for police pursuit work and capable of accelerating from 0 to 60 mph in a maximum of 14.5 seconds with a minimum top speed of 105 mph as shown in the latest Michigan Police Vehicle Test. Engine shall be 250 horsepower or larger equipped with dual exhaust (or single if larger enough for proper elimination of pressure) and factory installed engine oil cooler.
- m. Engine Compartment Light
- n. External Oil Coolers: engine oil, transmission fluid, power steering fluid.
- o. Floor Mats: individual front and rear, color to coincide with interior.
- p. Gauge Package: Warning lamps for low oil pressure, charging system, low fuel and coolant temperature
- q. Glove Box Light.
- r. Heater and Defroster
- s. Horns: Dual
- t. Inside hood latch control
- u. License plate brackets: front and rear
- v. Locks, Door: single key locking system for each car with three keys per vehicle. Separate key and key fob.
- w. Mirrors, Rearview; with remote control both sides. None-glare, day-night inside.
- x. Operator's Manual
- y. Dome lamp door switch deactivated
- z. Under hood lamp
- aa. Paint: one (1) exterior color selected from manufacturer's list and specified by the ordering entity.
- bb. Police Package: including all features listed in manufacturer's printed specifications and literature part of police equipment package.
- cc. Power Door Lock, Mirrors and Windows: factory installed.

ADDENDUM 10: TYPE MAA: Four (4) Door Mid to Large Police Pursuit Sedan, Dodge Charger (no substitutes)

- dd. Power Steering
- ee. Power Windows
- ff. Protective body side molding
- gg. Quit sound group (special noise deadening insulation).
- hh. Radio: factory installed in dash AM/FM
- ii. Radio Suppression: radio frequency interference suppression measures and devices should be incorporated into the vehicle so that generated interference does not exceed the limits established in SAE standard J55, entitled "Measurement of Vehicle Radio Interference (30 to 40 megacycles)".
- ij. Rear Window Defrost.
- kk. Remote deck lid release, control on driver's side.
- II. Seats: bucket front and rear bench
- mm. Speedometer: 160-mph or 260-km/h (certified) calibrated speedometer. Allowable instrument error to be ± one (1) mph at all speeds between 10 and 100 mph.
- nn. Spotlight: factory installed, left side, not less than five (5) inches with aircraft or halogen bulb.
- oo. Suspension: Four-wheel independent performance suspension. Maximum handling package designed to limit body roll, allow flat cornering, limit dive on severe braking, limit squat on fast acceleration, and to provide optimum handling. Package should include, at a minimum, extra control front and rear shock absorbers, extra heavy duty frame or frame member reinforcement on unit frame, with front and rear stabilizer bars.
- pp. Tires: P225/60R18 BSW V-rated performance tires, pursuit radial. Tires must be certified by both the tire and auto manufacturer for police use to 120 mph sustained.
- gg. Wheels: heavy-duty, 18x7.5-inch steel wheels, full wheel covers
- rr. Windshield Wipers: intermittent type.
- ss. Upholstery: Heavy-duty, police duty, cloth front bucket seats and rear fixed vinyl bench seat. Color to coordinate with exterior color. Dark colors and black unacceptable due to heat build-up.

Optional Police Equipment

- HE. 5.7-liter HEMI, V8 engine with 340 hp @ 5000 rpm, 390 lb-ft of torque @ 4000 rpm
- IO. Roof reinforcement for light bar installation
- MO. Delete Spotlight: Spotlight may be deleted for Credit
- OO. Spotlight (additional, to be installed front passenger side).
- VM. Vinyl Floor Mats, Front & Rear
- VS. Vinyl Seat Upholstery, Rear only
- WL. Full sized spare with tire to match others on vehicle
- WO. Full size wheel covers, all four wheels
- ZI. Street Appearance Package: Chrome grill, side moldings, full size wheel covers, change police engine markings. (Also deletes spotlight)

STATE OF ARKANSAS DEPARTMENT OF FINANCE AND ADMINISTRATION OFFICE OF STATE PROCUREMENT

STANDARD SPECIFICATIONS FOR TRUCKS, ONE (1) TON AND LESS

1. SCOPE AND CLASSIFICATION:

- 1.1 Scope To set forth the minimum acceptable standards in obtaining trucks of (1) one ton or less capacity in conjunction with this specification and the states requirements.
- 1.2 Classification Vehicles covered herein shall be of the following types and options as specified in the Invitation for Bid (IFB):

TYPE PAA - Compact Pickup Truck, see addendum 1, page 68

TYPE PAB - Compact Pickup Truck with Extended Cab, see addendum 2, page 69

TYPE PAD - Compact Truck, 4x4, Crew Cab, see addendum 2A, page 70

TYPE PBA - Full Size 1/2 Ton Pickup Truck, 6-Cylinder, see addendum 3, page 71

TYPE PBB - Full Size 1/2 Ton Pickup Truck, 6-Cylinder, with Extended Cab, see addendum 4, page 72

TYPE PBC - Full Size 1/2 Ton Pickup Truck, 6-Cylinder, with Extended Cab, 4 doors, see addendum 5, page 73

TYPE PGA - Full Size 1/2 Ton Pickup Truck, 8-Cylinder, see addendum 6, page 74

TYPE PGB - Full Size 1/2 Ton Pickup Truck, 8-Cylinder, with Extended Cab, see addendum 7, page 75

TYPE PGC - Full Size 1/2 Ton Pickup Truck, 8-Cylinder, with Extended Cab, 4 doors, Long Bed, see addendum 8, page 76

TYPE PGD - 1/2 Ton Pickup (Heavy Duty) Long Bed, see addendum 9, page 77

TYPE PGE - 1/2 Ton Pickup (Heavy Duty) Long Bed, Extended Cab, see addendum 10, page 78

TYPE PGF - 1/2 Ton Pickup (Heavy Duty) Long Bed, Extended Cab, 4 Doors, see addendum 11, page 79

TYPE PCA - 4 x 4, 1/2 Ton Pickup Truck, see addendum 12, page 80

TYPE PCB - 4 x 4, 1/2 Ton Pickup Truck, Extended Cab, see addendum 13, page 81

TYPE PCC - 4 x 4, 1/2 Ton Pickup Truck, Extended Cab, 4 Doors,

see addendum 14, page 82

TYPE PJA - 3/4 Ton Pickup (Heavy Duty), see addendum 15, page 83

TYPE PJB - 3/4 Ton Pickup (Heavy Duty), Extended Cab, see addendum 16, page 84

TYPE PJC - 3/4 Ton Pickup (Heavy Duty), Extended Cab, 4 doors, Long Bed, see addendum 17, page 85

TYPE PJD - 3/4 Ton Pickup (Heavy Duty), Crew Cab, Four Full Doors, Short Bed, see addendum 18, page 86

TYPE PEA - 4 x 4, 3/4 Ton Pickup Truck, see addendum 19, page 87

TYPE PEB - 4 x 4, 3/4 Ton Pickup Truck, Extended Cab, see addendum 20, page 88

TYPE PEC - 4 x 4, 3/4 Ton Pickup Truck, Extended Cab, 4 doors,

see addendum 21, page 89

TYPE PED - 4 x 4, 3/4 Ton Pickup Truck, Crew Cab, Four Full Doors, Short Bed, see addendum 22, page 90

TYPE PKA - Full Size One (1) Ton Pickup Truck, Dually, see addendum 23, page 91

AWARD NO: SP-07-0035 PAGE 65

TYPE PKB - Full Size One (1) Ton Pickup Truck, Dually, Extended Cab, see addendum 24, page 92

TYPE PQA - One-Ton Truck (Standard Chassis) Cab/Chassis, see addendum 25, page 93

TYPE PQB - One-Ton Truck (Standard Chassis) Cab/Chassis, Crew Cab,

see addendum 26, page 94

TYPE PRA - One-Ton Truck (Long Chassis) Cab/Chassis, with Dual Rear Wheels, see addendum 27, page 95

TYPE PRB - One-Ton Truck (Long Chassis) Cab/Chassis, with Dual Rear Wheels, Crew Cab see addendum 28, page 96

NOTE: Obtaining a cargo carrier other than those listed for a Type PQ or PR one-ton truck shall be the responsibility of the purchasing entity as an aftermarket option.

2. APPLICABLE DOCUMENTS:

- 2.1 Reference to any standard(s), specification(s), amendment(s), and/or test method(s) shall be to the current issue(s) in effect on the date of the Request for Quotation (RFQ).
- 2.2 Gasoline mileage shall conform to minimums shown in the latest edition of the <u>Fuel Economy</u> <u>Guide</u> published by the Environmental Protection Agency.

3. REQUIREMENTS:

- 3.1 All vehicles furnished to the State of Arkansas shall be new and delivered as specified within the Request for Quotation (RFQ). Vehicles shall be furnished with all interior, exterior trim and appointments listed by the manufacturer in printed specifications and literature as standard equipment. Vehicles shall also be equipped with any and all safety equipment required by the State of Arkansas and/or applicable Federal Regulations. Any upgrades and/or additional equipment necessitated by selection of any listed option by the ordering entity shall be included in the prices bid, and no additional charge shall be made by the vendor.
- 3.2 Warranty From date of delivery, each vehicle shall be accompanied by a warranty for a minimum of thirty six (36) months or thirty six thousand (36,000) miles, whichever comes first. Warranty shall certify that the vehicle is of good material and workmanship and that the replacement of any part or parts that fail under normal use within the designated period, free of negligence or accident, will be promptly repaired or replaced at NO cost to the agency, institution, or other public body that purchased the vehicle.
- 3.3 <u>Specific Requirements</u> See addenda 1 through 28 for specific requirements appropriate to each type of vehicle listed herein.

4. SAMPLING, INSPECTION, AND TEST PROCEDURES:

- 4.1 Responsibility for inspection Unless otherwise specified, the successful contractor will be responsible for performing all inspections required herein. The Office of State Procurement reserves the right to make any and all inspections deemed necessary to insure compliance with this specification.
- 4.2 Samples after bid results are tabulated, the Office of State Procurement reserves the right to require samples of selected vehicles be made available for inspection and evaluation as required in the RFQ.

5. PREPARATION FOR DELIVERY:

5.1 Each vehicle shall be completely serviced, cleaned and thoroughly inspected by the successful contractor just prior to delivery to the purchasing entity. No dealer advertisement shall be on any vehicle purchased by the State of Arkansas.

PREDELIVERY REQUIREMENTS:

- a. Complete lubrication.
- b. Fill crankcase with oil.
- c. Adjustment of engine to proper operating conditions.
- d. Inflate tires to proper pressure.
- e. Careful check to assure perfect operation of all mechanical features.
- f. Front end alignment and wheels balanced.
- g. Cleaning of vehicle, if necessary, and removal of all unnecessary tags, stickers, papers, etc. Window price sticker shall not be removed
- h. No dealer's insignia shall be affixed to automobile.
- i. A minimum five gallons of fuel in each vehicle.
- j. Delivery shall be during normal working hours, 8 A.M. 4 P.M. Monday Friday.
- k. License plate holders installed, front and rear.

6. NOTES:

- 6.1 Ordering State agency purchase order(s) and all necessary supporting documents will be forwarded to the Department of Finance and Administration, Office of Administrative Services.
- 6.2 <u>Options</u> Purchaser shall select preferred options listed in addenda 1 through 28 and include the following information in their procurement request:
 - a. Title, number, and date of this specification.
 - b. Title, and number of addendum.
 - c. Numbers and descriptions of the options selected.

AWARD NO: SP-07-0035 PAGE 67

6.3 <u>Exclusivity</u> - This specification shall, until revised or rescinded by the Office of State Procurement, apply to each future purchase and/or contract for those commodities described herein.

6.4 Copies of this specification can be obtained from:

Department of Finance and Administration Office of State Procurement Attention: Vehicle Buyer P.O. Box 2940 Little Rock, Arkansas 72203

AWARD NO: SP-07-0035 PAGE 68

ADDENDUM 1: TYPE PAA: Compact Pickup Truck

A. Equipment:

- A.1 Standard Equipment Each long bed pickup truck shall be equipped as follows:
 - a. Air conditioning: factory installed, and tinted glass.
 - b. Alternator: type recommended by manufacturer for truck as equipped.
 - c. Antifreeze: serviced to -29°C (-20°F) or lower.
 - d. Battery: Maintenance free, type recommended by manufacturer for vehicle as equipped.
 - e. Bumpers: standard front, heavy duty step type rear.
 - f. Engine: gasoline engine of manufacturer's standard size for truck as equipped.
 - g. Horsepower/Torque: minimum of 148 hp rating and 180 lb torque
 - h. License plate brackets: front and rear.
 - i. Long wide pickup box.
 - j. Mirrors: two (2) outside, low mount, right and left.
 - k. Operator's manual.
 - I. Paint: One (1) standard exterior color selected from manufacturer's list and specified by ordering entity.
 - m. Power brakes: Factory installed.
 - n. Power steering.
 - o. Radio: factory installed in dash AM/FM.
 - p. Tires: five (5) radial, tubeless, type recommended by manufacturer for vehicle as equipped.
 - q. Transmission: automatic, with a minimum of three (3) forward speeds and one (1) reverse.
 - r. Upholstery: manufacturer's standard materials and colors to coincide with exterior color.
- A.2 Optional equipment Purchasers may select from the following:
 - LS. Differential: limited slip, ratio as recommended by manufacturer.
 - PO. Automatic Speed Control (may be dealer installed but shall be from same manufacturer as vehicle).
 - QI. Short Wide Pickup Box.
 - TO. Without air conditioning.
 - ZO. Transmission: manual, with a minimum of three (3) forward speeds and one (1) reverse.

ADDENDUM 2: TYPE PAB: Compact Pickup Truck with Extended Cab

A. Equipment:

- A.1 Standard Equipment Each short bed pickup truck shall be equipped as follows:
 - a. Air conditioning: factory installed, and tinted glass.
 - b. Alternator: type recommended by manufacturer for truck as equipped.
 - c. Antifreeze: serviced to -29°C (-20°F) or lower.
 - d. Battery: Maintenance free, type recommended by manufacturer for vehicle as equipped.
 - e. Bumpers: standard front, heavy-duty step type rear.
 - f. Engine: gasoline engine of manufacturer's standard size for truck as equipped.
 - g. Horsepower/Torque: minimum of 148 hp rating and 180 lb torque
 - h. License plate brackets: front and rear.
 - i. Short wide pickup box.
 - j. Mirrors: two (2) outside, low mount, right and left.
 - k. Operator's manual.
 - I. Paint: One (1) standard exterior color selected from manufacturer's list and specified by ordering entity.
 - m. Power brakes: Factory installed.
 - n. Power steering.
 - o. Radio: factory installed in dash AM/FM.
 - p. Tires: five (5) radial, tubeless, type recommended by manufacturer for vehicle as equipped.
 - g. Transmission: automatic, with a minimum of three (3) forward speeds and one (1) reverse.
 - r. Upholstery: manufacturer's standard materials and colors to coincide with exterior color.
 - s. Extended cab
- A.2 Optional equipment Purchasers may select from the following:
 - LS. Differential: limited slip, ratio as recommended by manufacturer.
 - PO. Automatic Speed Control (may be dealer installed but shall be from same manufacturer as vehicle).
 - QH. Long Wide Pickup Box.
 - TO. Without air conditioning.
 - ZO. Transmission: manual, with a minimum of three (3) forward speeds and one (1) reverse.

AWARD NO: SP-07-0035 PAGE 70

ADDENDUM 2A: TYPE PAD: Compact Truck, 4wd, Extended Cab, Four (4) Doors, Short Box

A. Equipment:

- A.1 Standard equipment Each truck shall be equipped as follows:
 - a. Air conditioning: factory installed and tinted glass.
 - b. Alternator: heavy duty, minimum of 40 amperes.
 - c. Antifreeze: serviced to -29°C (-20°F) or lower.
 - d. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
 - e. Bumpers: standard front, heavy-duty step type rear.
 - f. Cooling system: heavy duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
 - g. Engine: gasoline engine of the type recommended by manufacturer for vehicle as equipped.
 - h. Horsepower/Torque: minimum of 148 hp rating and 180 lb torque
 - i. Gauge: oil pressure.
 - j. Hubs: automatic locking.
 - k. Inside hood latch control.
 - I. License plate brackets: front and rear.
 - m. Short box.
 - n. Mirrors: two (2) outside, low mount, right and left.
 - o. Operator's manual.
 - p. Paint: one (1) standard exterior color selected from manufacturer's list and specified by ordering entity.
 - q. Power brakes: factory installed.
 - r. Power steering: factory installed.
 - s. Radio: factory installed in dash AM/FM.
 - t. Suspension: Type recommended by manufacturer for vehicle as equipped.
 - u. Tires: five (5) radial tubeless, type recommended by manufacturer or vehicle as equipped.
 - v. Transmission: automatic, with a minimum of three (3) forward speeds and one (1) reverse.
 - w. Upholstery: manufacturer's standard materials and colors to coincide with exterior color.
- A.2 Optional equipment Purchasers may select from the following:
 - CB. Gasoline engine: 8-cylinder, a minimum of 280 cid.
 - KO. Skid plate.
 - LS. Differential: limited slip, ratio as recommended by manufacturer.
 - PO. Automatic Speed Control (may be dealer installed but shall be from same manufacturer as vehicle) and tilt steering wheel.
 - TO. Without air conditioning.
 - UO. Transmission Oil coolers.
 - XO. Hitch, Class III, frames attached, 7500 lb or better towing capacity. Must be dealer or manufacturer installed. Insert bar and ball not included.
 - ZO. Transmission: manual, with a minimum of three (3) forward speeds and one (1) reverse.

AWARD NO: SP-07-0035 PAGE 71

ADDENDUM 3: TYPE PBA: Full Size One-Half (1/2) Ton Pickup Truck, 6-Cylinder Larger engine size not acceptable

A. Equipment:

A.1 Standard equipment - Each long bed pickup truck shall be equipped as follows:

- a. Air conditioning: factory installed and tinted glass.
- b. Alternator: heavy duty, minimum 40 amperes.
- c. Antifreeze: serviced to -29°C (-20°F) or lower.
- d. Battery: maintenance free; type recommended by manufacturer for vehicle as equipped.
- e. Bumpers: standard front, heavy duty step type rear.
- f. Cooling system: heavy duty, including heavy duty radiator, heavy duty fan, and factory installed coolant recovery system.
- g. Engine: 6-cylinder gasoline engine of the type recommended by manufacturer for vehicle as equipped. Larger engine size not acceptable
- h. Inside hood latch control.
- i. License plate brackets: front and rear.
- j. Long wide pickup box.
- k. Mirrors: two (2) outside, low mount, right and left.
- I. Operator's manual.
- m. Paint: one (1) standard exterior color selected from manufacturer's list and specified by ordering entity.
- n. Power brakes: factory installed.
- o. Power steering.
- p. Radio: factory installed in dash AM/FM.
- q. Tires: five (5) radial, tubeless, type recommended by manufacturer for vehicle as equipped.
- r. Transmission: automatic, with a minimum of three (3) forward speeds and one (1) reverse.
- s. Upholstery: manufacturer's standard materials and colors to coincide with exterior color.

A.2 Optional equipment - Purchasers may select from the following:

- LS. Differential: limited slip, ratio as recommended by manufacturer.
- PO. Automatic Speed Control (may be dealer installed but shall be from same manufacturer as vehicle) plus tilt steering wheel.
- QI. Short wide pickup box.
- TO. Without air conditioning.
- XO. Hitch, Class III, frame attached, 7500 lb or better towing capacity. Must be dealer or manufacturer installed. Insert bar and ball not included.
- ZO. Transmission: manual, with a minimum of three (3) forward speeds and one (1) reverse.

ADDENDUM 4: TYPE PBB: Full Size One-Half (1/2) Ton Pickup Truck, Short Bed, 6-Cylinder, Extended Cab, Rear Seat, Four (4) Doors (Larger engine size not acceptable)

A. Equipment:

A.1 Standard equipment - Each short bed pickup truck shall be equipped as follows:

- a. Air conditioning: factory installed and tinted glass.
- b. Alternator: heavy duty, minimum 40 amperes.
- c. Antifreeze: serviced to -29°C (-20°F) or lower.
- d. Battery: maintenance free; type recommended by manufacturer for vehicle as equipped.
- e. Bumpers: standard front, heavy-duty step type rear.
- f. Cooling system: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
- g. Engine: 6-cylinder gasoline engine of the type recommended by manufacturer for vehicle as equipped. Larger engine size not acceptable
- h. Inside hood latch control.
- i. License plate brackets: front and rear.
- j. Short wide pickup box.
- k. Mirrors: two (2) outside, low mount, right and left.
- I. Operator's manual.
- m. Paint: one (1) standard exterior color selected from manufacturer's list and specified by ordering entity.
- n. Power brakes: factory installed.
- o. Power steering.
- p. Radio: factory installed in dash AM/FM.
- q. Tires: five (5) radial, tubeless, type recommended by manufacturer for vehicle as equipped.
- r. Transmission: automatic, with a minimum of three (3) forward speeds and one (1) reverse.
- s. Upholstery: manufacturer's standard materials and colors to coincide with exterior color.
- t. Extended Cab w/rear seat, four doors.

A.2 Optional equipment - Purchasers may select from the following:

- DS. Without Rear Seat
- LS. Differential: limited slip, ratio as recommended by manufacturer.
- PO. Automatic Speed Control (may be dealer installed but shall be from same manufacturer as vehicle) plus tilt steering wheel.
- QH. Long Wide Pickup Box
- TO. Without air conditioning.
- XO. Hitch, Class III, frame attached, 7500 lb or better towing capacity. Must be dealer or manufacturer installed. Insert bar and ball not included.
- ZO. Transmission: manual, with a minimum of three (3) forward speeds and one (1) reverse.

ADDENDUM 5: TYPE PBC: Full Size One-Half (1/2) Ton Pickup Truck, 6-Cylinder, Extended Cab Rear Seat, Four (4) Doors, (Short Bed Only with V-6), Larger engine size not acceptable NOT ON CONTRACT, SAME AS TYPE PBB

A. Equipment:

A.1 Standard equipment - Each long bed pickup truck shall be equipped as follows:

- a. Air conditioning: factory installed and tinted glass.
- b. Alternator: heavy duty, minimum 40 amperes.
- c. Antifreeze: serviced to -29°C (-20°F) or lower.
- d. Battery: maintenance free; type recommended by manufacturer for vehicle as equipped.
- e. Bumpers: standard front, heavy duty step type rear.
- f. Cooling system: heavy duty, including heavy duty radiator, heavy duty fan, and factory installed coolant recovery system.
- g. Engine: 6-cylinder gasoline engine of the type recommended by manufacturer for vehicle as equipped. Larger engine size not acceptable
- h. Inside hood latch control.
- i. License plate brackets: front and rear.
- j. Long wide pickup box.
- k. Mirrors: two (2) outside, low mount, right and left.
- I. Operator's manual.
- m. Paint: one (1) standard exterior color selected from manufacturer's list and specified by ordering entity.
- n. Power brakes: factory installed.
- o. Power steering.
- p. Radio: factory installed in dash AM/FM.
- q. Tires: five (5) radial, tubeless, type recommended by manufacturer for vehicle as equipped.
- r. Transmission: automatic, with a minimum of three (3) forward speeds and one (1) reverse.
- s. Upholstery: manufacturer's standard materials and colors to coincide with exterior color.
- t. Extended Cab w/ rear seat, 4 doors.

A.2 Optional equipment - Purchasers may select from the following:

- LS. Differential: limited slip, ratio as recommended by manufacturer.
- PO. Automatic Speed Control (may be dealer installed but shall be from same manufacturer as vehicle) plus tilt steering wheel.
- QI. Short wide pickup box.
- TO. Without air conditioning.
- XO. Hitch, Class III, frame attached, 7500 lb or better towing capacity. Must be dealer or manufacturer installed. Insert bar and ball not included.
- ZO. Transmission: manual, with a minimum of three (3) forward speeds and one (1) reverse.

AWARD NO: SP-07-0035 PAGE 74

ADDENDUM 6: TYPE PGA: Full Size One-Half (1/2) Ton Pickup Truck, 8-Cylinder

A. Equipment:

- A.1 Standard equipment Each long bed pickup truck shall be equipped as follows:
 - a. Air conditioning: factory installed and tinted glass.
 - b. Alternator: heavy duty, minimum 40 amperes.
 - c. Antifreeze: serviced to -29°C (-20°F) or lower.
 - d. Battery: maintenance free, type recommend by manufacturer for vehicle as equipped.
 - e. Bumpers: standard front, heavy-duty step type rear.
 - f. Cooling System: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
 - g. Engine: 8-cylinder, a minimum of 280 cid.
 - h. Inside hood latch control.
 - i. License plate brackets: front and rear.
 - j. Long wide pickup bed.
 - k. Mirrors: two (2) outside, low mount, right and left.
 - I. Operator's manual.
 - m. Paint: one (1) standard exterior color selected from manufacturer's list and specified by ordering entity.
 - n. Power brakes: factory installed.
 - o. Power steering: factory installed.
 - p. Radio: factory installed in dash AM/FM.
 - q. Tires: five (5) radial, tubeless, type recommended by manufacturer for vehicle as equipped.
 - r. Transmission: automatic, with a minimum of three (3) forward speeds and one (1) reverse.
 - s. Upholstery: manufacturer's standard materials and colors to coincide with exterior color chosen.

A.2 Optional equipment - Purchasers may select from the following:

- LS. Differential: limited slip, ratio as recommended by manufacturer.
- PO. Automatic Speed Control (may be dealer installed but shall be from same manufacturer as vehicle) and tilt steering wheel.
- QI. Short wide pickup box.
- TO. Without air conditioning.
- UO. Transmission oil cooler, Mfr. or dealer installed.
- XO. Hitch, Class III, frame attached, 7500 lb or better towing capacity. Must be Mfr. or dealer installed. Insert bar and ball not included.
- ZO. Transmission: manual, with a minimum of three (3) forward speeds and one (1) reverse.

ADDENDUM 7: TYPE PGB: Full Size One-Half (1/2) Ton Pickup Truck, Long Bed, 8-Cylinder, Extended Cab, Rear Seat, Four (4) Doors

- A.1 Standard equipment Each long wide pickup bed truck shall be equipped as follows:
 - a. Air conditioning: factory installed and tinted glass.
 - b. Alternator: heavy duty, minimum 40 amperes.
 - c. Antifreeze: serviced to -29°C (-20°F) or lower.
 - d. Battery: maintenance free, type recommend by manufacturer for vehicle as equipped.
 - e. Bumpers: standard front, heavy-duty step type rear.
 - f. Cooling System: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
 - g. Engine: 8-cylinder, a minimum of 280 cid.
 - h. Inside hood latch control.
 - i. License plate brackets: front and rear.
 - j. Long wide pickup bed.
 - k. Mirrors: two (2) outside, low mount, right and left.
 - I. Operator's manual.
 - m. Paint: one (1) standard exterior color selected from manufacturer's list and specified by ordering entity.
 - n. Power brakes: factory installed.
 - o. Power steering: factory installed.
 - p. Radio: factory installed in dash AM/FM.
 - q. Tires: five (5) radial, tubeless, type recommended by manufacturer for vehicle as equipped.
 - r. Transmission: automatic, with a minimum of three (3) forward speeds and one (1) reverse.
 - s. Upholstery: manufacturer's standard materials and colors to coincide with exterior color chosen.
 - t. Extended cab w/rear seat, four (4) doors.
- A.2 Optional equipment Purchasers may select from the following:
 - DS. Without Rear Seat
 - LS. Differential: limited slip, ratio as recommended by manufacturer.
 - PO. Automatic Speed Control (may be dealer installed but shall be from same manufacturer as vehicle) and tilt steering wheel.
 - QI. Short wide pickup bed.
 - TO. Without air conditioning.
 - UO. Transmission Oil coolers.
 - XO. Hitch, Class III, frame attached, 7500 lb or better towing capacity. Must be dealer or manufacturer installed. Insert bar and ball not included.
 - ZO. Transmission: manual, with a minimum of three (3) forward speeds and one (1) reverse.

AWARD NO: SP-07-0035 PAGE 76

ADDENDUM 8: TYPE PGC: Full Size One-Half (1/2) Ton Pickup Truck, 8-cylinder Extended Cab, Four (4) Doors, Long Bed, Rear Seat

NOT ON CONTRACT, SAME AS TYPE PGB

- A.1 Standard equipment Each long wide pickup bed truck shall be equipped as follows:
 - a. Air conditioning: factory installed and tinted glass.
 - b. Alternator: heavy-duty, minimum 40 amperes.
 - c. Antifreeze: serviced to -29°C (-20°F) or lower.
 - d. Battery: maintenance free, type recommend by manufacturer for vehicle as equipped.
 - e. Bumpers: standard front, heavy-duty step type rear.
 - f. Cooling System: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
 - g. Engine: 8-cylinder, a minimum of 280 cid.
 - h. Inside hood latch control.
 - i. License plate brackets: front and rear.
 - j. Long wide pickup bed.
 - k. Mirrors: two (2) outside, low mount, right and left.
 - I. Operator's manual.
 - m. Paint: one (1) standard exterior color selected from manufacturer's list and specified by ordering entity.
 - n. Power brakes: factory installed.
 - o. Power steering: factory installed.
 - p. Radio: factory installed in dash AM/FM.
 - q. Tires: five (5) radial, tubeless, type recommended by manufacturer for vehicle as equipped.
 - r. Transmission: automatic, with a minimum of three (3) forward speeds and one (1) reverse.
 - s. Upholstery: manufacturer's standard materials and colors to coincide with exterior color chosen.
 - t. Extended Cab, Rear Seat, 4 Doors.
- A.2 Optional equipment Purchasers may select from the following:
 - LS. Differential: limited slip, ratio as recommended by manufacturer.
 - PO. Automatic Speed Control (may be dealer installed but shall be from same manufacturer as vehicle) and tilt steering wheel.
 - QI. Short wide pickup bed.
 - TO. Without air conditioning.
 - UO. Transmission Oil coolers.
 - XO. Hitch, Class III, frame attached, 7500 lb or better towing capacity. Must be dealer or manufacturer installed. Insert bar and ball not included.
 - ZO. Transmission: manual, with a minimum of three (3) forward speeds and one (1) reverse.

ADDENDUM 9: TYPE PGD: One Half (1/2) Ton Heavy Duty Pickup Truck, Long Bed, (3/4 ton standard duty), Minimum GVWR of 7200 lbs

- A.1 Standard equipment Each long wide pickup bed truck shall be equipped as follows:
 - a. Air conditioning: factory installed and tinted glass.
 - b. Alternator: heavy duty, type recommended by manufacturer for vehicle as equipped.
 - c. Antifreeze: serviced to -29°C (-20°F) or lower.
 - d. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
 - e. Bumpers: standard front, heavy-duty step type rear.
 - f. Cooling system: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
 - g. Engine: 8-cylinder, a minimum of 280 CID.
 - h. Inside hood latch control.
 - i. License plate brackets: front and rear.
 - j. Long wide pickup bed.
 - k. Mirrors: two (2) outside, low mount, right and left.
 - I. Operator's manual.
 - m. Paint: one (1) standard exterior color selected from manufacturer's list and specified by ordering entity.
 - n. Power brakes: factory installed.
 - o. Power steering: factory installed.
 - p. Radio: factory installed in dash AM/FM.
 - q. Suspension: Type recommended by manufacturer for vehicle as equipped.
 - r. Tires: five (5) radial, tubeless, type recommended by manufacturer for vehicle as equipped.
 - s. Transmission: automatic, with a minimum of three (3) forward speeds and one (1) reverse.
 - t. Upholstery: manufacturer's standard materials and color to coincide with exterior color.
 - u. Payload package for heavy-duty use.
- A.2 Optional equipment Purchasers may select from the following:
 - LS. Differential: limited slip, ratio as recommended by manufacturer.
 - PO. Automatic Speed Control (may be dealer installed but shall be from same manufacturer as vehicle) and tilt steering wheel.
 - QI. Short wide pickup bed.
 - TO. Without air conditioning.
 - UO. Transmission Oil coolers.
 - XO. Hitch, Class III, frame attached, 7500 lb or better towing capacity. Must be dealer or manufacturer installed. Insert bar and ball not included.
 - ZO. Transmission: manual, with a minimum of three (3) forward speeds and one (1) reverse.

AWARD NO: SP-07-0035 PAGE 78

ADDENDUM 10: TYPE PGE: One Half (1/2) Ton Pickup Truck Heavy Duty, Long Bed, Extended Cab, Rear Seat, Four (4) Doors, (3/4 ton standard duty) (Minimum GVWR 7200 lbs)

- A.1 Standard equipment Each long wide pickup bed truck shall be equipped as follows:
 - a. Air conditioning: factory installed and tinted glass.
 - b. Alternator: heavy-duty, type recommended by manufacturer for vehicle as equipped.
 - c. Antifreeze: serviced to -29°C (-20°F) or lower.
 - d. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
 - e. Bumpers: standard front, heavy-duty step type rear.
 - f. Cooling system: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
 - g. Engine: 8-cylinder, a minimum of 280 CID.
 - h. Inside hood latch control.
 - i. License plate brackets: front and rear.
 - j. Long wide pickup bed.
 - k. Mirrors: two (2) outside, low mount, right and left.
 - I. Operator's manual.
 - m. Paint: one (1) standard exterior color selected from manufacturer's list and specified by ordering entity.
 - n. Power brakes: factory installed.
 - o. Power steering: factory installed.
 - p. Radio: factory installed in dash AM/FM.
 - q. Suspension: Type recommended by manufacturer for vehicle as equipped.
 - r. Tires: five (5) radial, tubeless, type recommended by manufacturer for vehicle as equipped.
 - s. Transmission: automatic, with a minimum of three (3) forward speeds and one (1) reverse.
 - t. Upholstery: manufacturer's standard materials and color to coincide with exterior color.
 - u. Extended cab w/rear seat, four (4) doors.
 - v. Payload package for heavy-duty use.
- A.2 Optional equipment Purchasers may select from the following:
 - DS. Without Rear Seat.
 - LS. Differential: limited slip, ratio as recommended by manufacturer.
 - PO. Automatic Speed Control (may be dealer installed but shall be from same manufacturer as vehicle) and tilt steering wheel.
 - QI. Short wide pickup bed.
 - TO. Without air conditioning.
 - UO. Transmission Oil coolers.
 - XO. Hitch, Class III, frame attached, 7500 lb or better towing capacity. Must be dealer or manufacturer installed. Insert bar and ball not included.
 - ZO. Transmission: manual, with a minimum of three (3) forward speeds and one (1) reverse.

AWARD NO: SP-07-0035

PAGE 79

ADDENDUM 11: TYPE PGF: One Half Ton Heavy Duty Pickup Truck Long Bed, Extended Cab, Rear Seat, (3/4 ton standard duty) Four (4) Doors, Minimum 7200 lbs GVWR NOT ON CONTRACT, SAME AS TYPE PGE

- A.1 Standard equipment Each long wide pickup bed truck shall be equipped as follows:
 - a. Air conditioning: factory installed and tinted glass.
 - b. Alternator: heavy-duty, type recommended by manufacturer for vehicle as equipped.
 - c. Antifreeze: serviced to -29°C (-20°F) or lower.
 - d. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
 - e. Bumpers: standard front, heavy-duty step type rear.
 - f. Cooling system: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
 - g. Engine: 8-cylinder, a minimum of 280 CID.
 - h. Inside hood latch control.
 - i. License plate brackets: front and rear.
 - j. Long wide pickup bed.
 - k. Mirrors: two (2) outside, low mount, right and left.
 - I. Operator's manual.
 - m. Paint: one (1) standard exterior color selected from manufacturer's list and specified by ordering entity.
 - n. Power brakes: factory installed.
 - o. Power steering: factory installed.
 - p. Radio: factory installed in dash AM/FM.
 - q. Suspension: Type recommended by manufacturer for vehicle as equipped.
 - r. Tires: five (5) radial, tubeless, type recommended by manufacturer for vehicle as equipped.
 - s. Transmission: automatic, with a minimum of three (3) forward speeds and one (1) reverse.
 - t. Upholstery: manufacturer's standard materials and color to coincide with exterior color.
 - u. Extended Cab w/ rear seat, four (4) doors
 - v. Payload package for heavy use.
- A.2 Optional equipment Purchasers may select from the following:
 - LS. Differential: limited slip, ratio as recommended by manufacturer.
 - PO. Automatic Speed Control (may be dealer installed but shall be from same manufacturer as vehicle) and tilt steering wheel.
 - QI. Short wide pickup bed.
 - TO. Without air conditioning.
 - UO. Transmission Oil coolers.
 - XO. Hitch, Class III, frame attached, 7500 lb or better towing capacity. Must be dealer or manufacturer installed. Insert bar and ball not included.
 - ZO. Transmission: manual, with a minimum of three (3) forward speeds and one (1) reverse.

AWARD NO: SP-07-0035 PAGE 80

ADDENDUM 12: TYPE PCA: Full Size 4x4 One-Half (1/2) Ton Pickup Truck

- A.1 Standard equipment Each long wide pickup bed truck shall be equipped as follows:
 - a. Air conditioning: factory installed and tinted glass.
 - b. Alternator: heavy-duty, minimum of 40 amperes.
 - c. Antifreeze: serviced to -29°C (-20°F) or lower.
 - d. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
 - e. Bumpers: standard front, heavy-duty step type rear.
 - f. Cooling system: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
 - i. Engine: 6-cylinder gasoline engine of the type recommended by manufacturer for vehicle as equipped.
 - j. Gauge: oil pressure.
 - k. Hubs: automatic locking.
 - I. Inside hood latch control.
 - m. License plate brackets: front and rear.
 - n. Long wide pickup bed.
 - o. Mirrors: two (2) outside, low mount, right and left.
 - p. Operator's manual.
 - q. Paint: one (1) standard exterior color selected from manufacturer's list and specified by ordering entity.
 - r. Power brakes: factory installed.
 - s. Power steering: factory installed.
 - t. Radio: factory installed in dash AM/FM.
 - u. Suspension: Type recommended by manufacturer for vehicle as equipped.
 - v. Tires: five (5) radial tubeless, type recommended by manufacturer or vehicle as equipped.
 - x. Transmission: automatic, with a minimum of three (3) forward speeds and one (1) reverse.
 - y. Upholstery: manufacturer's standard materials and colors to coincide with exterior color.
- A.2 Optional equipment Purchasers may select from the following:
 - CB. Gasoline engine: 8-cylinder, a minimum of 280 cid.
 - KO. Skid plate.
 - LS. Differential: limited slip, ratio as recommended by manufacturer.
 - PO. Automatic Speed Control (may be dealer installed but shall be from same manufacturer as vehicle) and tilt steering wheel.
 - QI. Short wide pickup bed.
 - TO. Without air conditioning.
 - UO. Transmission Oil coolers.
 - XO. Hitch, Class III, frame attached, 7500 lb or better towing capacity. Must be dealer or manufacturer installed. Insert bar and ball not included.
 - ZO. Transmission: manual, with a minimum of three (3) forward speeds and one (1) reverse.

AWARD NO: SP-07-0035

PAGE 81

ADDENDUM 13: TYPE PCB: Full Size 4x4 One-Half (1/2) Ton Pickup Truck, Long Bed, Extended Cab, Rear Seat, Four (4) Doors

- A.1 Standard equipment Each long wide pickup bed truck shall be equipped as follows:
 - a. Air conditioning: factory installed and tinted glass.
 - b. Alternator: heavy-duty, minimum of 40 amperes.
 - c. Antifreeze: serviced to -29°C (-20°F) or lower.
 - d. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
 - e. Bumpers: standard front, heavy-duty step type rear.
 - f. Cooling system: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
 - g. Engine: 6-cylinder gasoline engine of the type recommended by manufacturer for vehicle as equipped.
 - h. Gauge: oil pressure.
 - i. Hubs: automatic locking.
 - j. Inside hood latch control.
 - k. License plate brackets: front and rear.
 - I. Long wide pickup bed.
 - m. Mirrors: two (2) outside, low mount, right and left.
 - n. Operator's manual.
 - o. Paint: one (1) standard exterior color selected from manufacturer's list and specified by ordering entity.
 - p. Power brakes: factory installed.
 - q. Power steering: factory installed.
 - r. Radio: factory installed in dash AM/FM.
 - s. Suspension: Type recommended by manufacturer for vehicle as equipped.
 - t. Tires: five (5) radial tubeless, type recommended by manufacturer or vehicle as equipped.
 - u. Transmission: automatic, with a minimum of three (3) forward speeds and one (1) reverse.
 - v. Upholstery: manufacturer's standard materials and colors to coincide with exterior color.
 - w. Extended cab w/rear seat, four (4) doors.
- A.2 Optional equipment Purchasers may select from the following:
 - CB. Gasoline engine: 8-cylinder, a minimum of 280 cid.
 - DS. Without Rear Seat.
 - KO. Skid plate.
 - LS. Differential: limited slip, ratio as recommended by manufacturer.
 - PO. Automatic Speed Control (may be dealer installed but shall be from same manufacturer as vehicle) and tilt steering wheel.
 - QI. Short wide pickup bed.
 - TO. Without air conditioning.
 - UO. Transmission Oil coolers.
 - XO. Hitch, Class III, frame attached, 7500 lb or better towing capacity. Must be dealer or manufacturer installed. Insert bar and ball not included.
 - ZO. Transmission: manual, with a minimum of three (3) forward speeds and one (1) reverse.

ADDENDUM 14: TYPE PCC: Full Size 4x4, One-Half (1/2) Ton Pickup Truck, Extended Cab, Rear Seat, Four (4) Doors NOT ON CONTRACT, SAME AS TYPE PCB

- A.1 Standard equipment Each long wide pickup bed truck shall be equipped as follows:
 - a. Air conditioning: factory installed and tinted glass.
 - b. Alternator: heavy-duty, minimum of 40 amperes.
 - c. Antifreeze: serviced to -29°C (-20°F) or lower.
 - d. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
 - e. Bumpers: standard front, heavy-duty step type rear.
 - f. Cooling system: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
 - g. Engine: 6-cylinder gasoline engine of the type recommended by manufacturer for vehicle as equipped.
 - h. Gauge: oil pressure.
 - i. Hubs: automatic locking.
 - j. Inside hood latch control.
 - k. License plate brackets: front and rear.
 - I. Long wide pickup bed.
 - m. Mirrors: two (2) outside, low mount, right and left.
 - n. Operator's manual.
 - o. Paint: one (1) standard exterior color selected from manufacturer's list and specified by ordering entity.
 - p. Power brakes: factory installed.
 - q. Power steering: factory installed.
 - r. Radio: factory installed in dash AM/FM.
 - s. Suspension: Type recommended by manufacturer for vehicle as equipped.
 - t. Tires: five (5) radial tubeless, type recommended by manufacturer or vehicle as equipped.
 - u. Transmission: automatic, with a minimum of three (3) forward speeds and one (1) reverse.
 - v. Upholstery: manufacturer's standard materials and colors to coincide with exterior color.
 - w. Extended Cab w/rear seat, four (4) Doors
- A.2 Optional equipment Purchasers may select from the following:
 - CB. Gasoline engine: 8-cylinder, a minimum of 280 cid.
 - KO. Skid plate.
 - LS. Differential: limited slip, ratio as recommended by manufacturer.
 - PO. Automatic Speed Control (may be dealer installed but shall be from same manufacturer as vehicle) and tilt steering wheel.
 - QI. Short wide pickup bed.
 - TO. Without air conditioning.
 - UO. Transmission Oil cooler.
 - XO. Hitch, Class III, frame attached, 7500 lb or better towing capacity. Must be dealer or manufacturer installed. Insert bar and ball not included.
 - ZO. Transmission: manual, with a minimum of three (3) forward speeds and one (1) reverse.

ADDENDUM 15: TYPE PJA: Three-Quarter (3/4) Ton Heavy Duty Pickup Truck

- A.1 Standard Equipment Each long wide pickup bed truck shall be equipped as follows:
 - a. Air Conditioning: factory installed and tinted glass.
 - b. Alternator: heavy-duty, type recommended by manufacturer for vehicle as equipped.
 - c. Antifreeze: serviced to -29°C (-20°F) or lower.
 - d. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
 - e. Bumpers: standard front, heavy-duty step type rear.
 - f. GVWR: shall be 8600 or better.
 - g. Engine: 8-cylinder, a minimum of 325 CID.
 - h. Inside hood latch control.
 - i. License plate brackets: front and rear.
 - j. Long wide pickup bed.
 - k. Mirrors: two (2) outside, low mount, right and left.
 - I. Operator's manual.
 - m. Paint: one (1) standard exterior color selected from manufacturer's list and specified by ordering entity.
 - n. Power brakes: factory installed.
 - o. Power steering: factory installed.
 - p. Radio: factory installed in dash AM/FM.
 - q. Suspension: type recommended by manufacturer for vehicle as equipped.
 - r. Tires: five (5) radial, tubeless, type recommended by manufacturer for vehicle as equipped.
 - s. Trailering package: to include an engine oil and transmission cooler.
 - t. Transmission: heavy duty, automatic, with a minimum of three (3) forward speeds and one (1) reverse.
 - u. Upholstery: manufacturer's standard materials and color to coincide with exterior color.
- A.2 Optional equipment Purchasers may select from the following:
 - BO. Differential with gear ratio designed for extra towing capability.
 - CA. Diesel engine: a minimum of 190 HP with a rear axle ratio as recommended by manufacturer to maximize the vehicles highway performance and towing capabilities.
 - LS. Differential: limited slip, ratio as recommended by manufacturer.
 - PO. Automatic Speed Control (may be dealer installed but shall be from same manufacturer as vehicle) and tilt steering wheel.
 - XO. Hitch, Class III, frame attached, 7500 lb or better towing capacity. Must be dealer or manufacturer installed. Insert bar and ball not included.

AWARD NO: SP-07-0035 PAGE 84

ADDENDUM 16: TYPE PJB: Three-Quarter (3/4) Ton Heavy Duty Pickup Truck, Long Bed, Extended Cab, Rear Seat, Four (4) Doors

- A.1 Standard Equipment Each long wide pickup bed truck shall be equipped as follows:
 - a. Air Conditioning: factory installed and tinted glass.
 - b. Alternator: heavy-duty, type recommended by manufacturer for vehicle as equipped.
 - c. Antifreeze: serviced to -29°C (-20°F) or lower.
 - d. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
 - e. Bumpers: standard front, heavy-duty step type rear.
 - f. GVWR: shall be 8600 or better.
 - g. Engine: 8-cylinder, a minimum of 325 CID.
 - h. Inside hood latch control.
 - i. License plate brackets: front and rear.
 - j. Long wide pickup bed.
 - k. Mirrors: two (2) outside, low mount, right and left.
 - I. Operator's manual.
 - m. Paint: one (1) standard exterior color selected from manufacturer's list and specified by ordering entity.
 - n. Power brakes: factory installed.
 - o. Power steering: factory installed.
 - p. Radio: factory installed in dash AM/FM.
 - q. Suspension: type recommended by manufacturer for vehicle as equipped.
 - r. Tires: five (5) radial, tubeless, type recommended by manufacturer for vehicle as equipped.
 - s. Trailering package: to include an engine oil and transmission cooler.
 - t. Transmission: heavy duty, automatic, with a minimum of three (3) forward speeds and one (1) reverse.
 - u. Upholstery: manufacturer's standard materials and color to coincide with exterior color.
 - v. Extended cab w/rear seat, four (4) doors.
- A.2 Optional equipment Purchasers may select from the following:
 - BO. Differential with gear ratio designed for extra towing capability.
 - CA. Diesel engine: a minimum of 190 HP with a rear axle ratio as recommended by manufacturer to maximize the vehicles highway performance and towing capabilities.
 - DS. Without Rear Seat
 - LS. Differential: limited slip, ratio as recommended by manufacturer.
 - PO. Automatic Speed Control (may be dealer installed but shall be from same manufacturer as vehicle) and tilt steering wheel.
 - QI. Short wide pickup bed.
 - XO. Hitch, Class III, frame attached, 7500 lb or better towing capacity. Must be dealer or manufacturer installed. Insert bar and ball not included.

ADDENDUM 17: TYPE PJC - Three-Quarter (3/4) Ton Heavy Duty Pickup Truck, Long Bed Extended Cab, Rear Seat, Four (4) Doors NOT ON CONTRACT, SAME AS TYPE PCB

- A.1 Standard Equipment Each long wide pickup bed truck shall be equipped as follows:
 - a. Air Conditioning: factory installed and tinted glass.
 - b. Alternator: heavy-duty, type recommended by manufacturer for vehicle as equipped.
 - c. Antifreeze: serviced to -29°C (-20°F) or lower.
 - d. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
 - e. Bumpers: standard front, heavy-duty step type rear.
 - f. GVWR: shall be 8600 or better.
 - g. Engine: 8-cylinder, a minimum of 325 CID.
 - h. Inside hood latch control.
 - i. License plate brackets: front and rear.
 - i. Long wide pickup bed.
 - k. Mirrors: two (2) outside, low mount, right and left.
 - I. Operator's manual.
 - m. Paint: one (1) standard exterior color selected from manufacturer's list and specified by ordering entity.
 - n. Power brakes: factory installed.
 - o. Power steering: factory installed.
 - p. Radio: factory installed in dash AM/FM.
 - q. Suspension: type recommended by manufacturer for vehicle as equipped.
 - r. Tires: five (5) radial, tubeless, type recommended by manufacturer for vehicle as equipped.
 - s. Trailering package: to include an external engine oil and transmission cooler.
 - t. Transmission: heavy-duty, automatic, with a minimum of three (3) forward speeds and one (1) reverse.
 - u. Upholstery: manufacturer's standard materials and color to coincide with exterior color.
 - v. Extended Cab w/rear seat, four (4) doors.
- A.2 Optional equipment Purchasers may select from the following:
 - BO. Differential with gear ratio designed for extra towing capability.
 - CA. Diesel engine: a minimum of 190 HP with a rear axle ratio as recommended by manufacturer to maximize the vehicles highway performance and towing capabilities.
 - DS. Without Rear Seat.
 - LS. Differential: limited slip, ratio as recommended by manufacturer.
 - PO. Automatic Speed Control (may be dealer installed but shall be from same manufacturer as vehicle) and tilt steering wheel.
 - QI. Short wide pickup bed.
 - XO. Hitch, Class III, frame attached, 7500 lb or better towing capacity. Must be dealer or manufacturer installed. Insert bar and ball not included.

AWARD NO: SP-07-0035

PAGE 86

ADDENDUM 18: TYPE PJD - Three-Quarter (3/4) Ton Heavy Duty Pickup Truck Crew Cab, Long Bed, Full Size Rear Bench Seat, Four (4) Full Doors

- A.1 Standard Equipment Each long wide pickup bed truck shall be equipped as follows:
 - a. Air Conditioning: factory installed and tinted glass.
 - b. Alternator: heavy-duty, type recommended by manufacturer for vehicle as equipped.
 - c. Antifreeze: serviced to -29°C (-20°F) or lower.
 - d. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
 - e. Bumpers: standard front, heavy-duty step type rear.
 - f. GVWR: shall be 8600 or better.
 - g. Engine: 8-cylinder, a minimum of 325 CID.
 - h. Inside hood latch control.
 - i. License plate brackets: front and rear.
 - j. Long wide pickup bed.
 - k. Mirrors: two (2) outside, low mount, right and left.
 - I. Operator's manual.
 - m. Paint: one (1) standard exterior color selected from manufacturer's list and specified by ordering entity.
 - n. Power brakes: factory installed.
 - o. Power steering: factory installed.
 - p. Radio: factory installed in dash AM/FM.
 - q. Suspension: type recommended by manufacturer for vehicle as equipped.
 - r. Tires: five (5) radial, tubeless, type recommended by manufacturer for vehicle as equipped.
 - s. Trailering package: to include an engine oil and transmission cooler.
 - t. Transmission: heavy duty, automatic, with a minimum of three (3) forward speeds and one (1) reverse.
 - u. Upholstery: manufacturer's standard materials and color to coincide with exterior color.
 - v. Crew Cab w/full size rear bench seat, four (4) full doors.
- A.2 Optional equipment Purchasers may select from the following:
 - BO. Differential with gear ratio designed for extra towing capability.
 - CA. Diesel engine: a minimum of 190 HP with a rear axle ratio as recommended by manufacturer to maximize the vehicles highway performance and towing capabilities.
 - GO. Carrier: spare wheel, side mount.
 - LS. Differential: limited slip, ratio as recommended by manufacturer.
 - PO. Automatic Speed Control (may be dealer installed but shall be from same manufacturer as vehicle) and tilt steering wheel.
 - QI. Short pickup bed.
 - XO. Hitch, Class III, frame attached, 7500 lb or better towing capacity. Must be dealer or manufacturer installed. Insert bar and ball not included.

AWARD NO: SP-07-0035 PAGE 87

ADDENDUM 19: TYPE PEA - 4x4, Three-Quarter (3/4) Ton Heavy Duty Pickup Truck

- A.1 Standard equipment Each long wide pickup bed truck obtained by this specification shall have a minimum GVW of 8600 lbs and be equipped as follows:
 - a. Air conditioning: factory installed and tinted glass.
 - b. Alternator: heavy duty, minimum 60 amperes.
 - c. Antifreeze: serviced to -29°C (-20°F) or lower.
 - d. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
 - e. Bumpers: standard front, heavy duty step type rear.
 - f. Cooling system: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
 - g. Engine: 8-cylinder, a minimum of 325 CID.
 - h. Gauge: oil pressure.
 - i. Hubs: automatic locking.
 - i. Inside hood latch control.
 - k. License plate brackets: front and rear.
 - I. Long wide pickup bed.
 - m. Mirrors: two (2) outside, low mount, right and left.
 - n. Operator's manual.
 - o. Paint: one (1) standard exterior color selected from manufacturer's list and specified by ordering entity.
 - p. Power brakes: factory installed.
 - q. Power steering: factory installed.
 - r. Radio: factory installed in dash AM/FM.
 - s. Suspension: Type recommended by manufacturer for vehicle as equipped.
 - t. Tires: five (5) radial, tubeless, type recommended by manufacturer for vehicle as equipped.
 - u. Transmission: automatic, with a minimum of three (3) forward speeds and one (1) reverse.
 - v. Upholstery: manufacturer's standard materials and colors to coincide with exterior color.
- A.2 Optional equipment: Purchasers may select from the following:
 - KO. Skid plate.
 - LS. Differential: limited slip, ratio as recommended by manufacturer.
 - PO. Automatic Speed Control (may be dealer installed but shall be from same manufacturer as vehicle) and tilt steering wheel.
 - QI. Short Wide Pickup Bed
 - TO. Without air conditioning.
 - XO. Hitch, Class III, frame attached, 7500 lb or better towing capacity. Must be dealer or manufacturer installed. Insert bar and ball not included.
 - ZO. Transmission: manual, with a minimum of three (3) forward speeds and one (1) reverse.

AWARD NO: SP-07-0035 PAGE 88

ADDENDUM 20: TYPE PEB - 4x4 Three-Quarter (3/4) Ton Heavy Duty Pickup Truck, Long Bed, Extended Cab, Rear Seat, Four (4) Doors

- A.1 Standard equipment Each long wide pickup bed truck obtained by this specification shall have a minimum GVW of 8600 lbs and be equipped as follows:
 - a. Air conditioning: factory installed and tinted glass.
 - b. Alternator: heavy-duty, minimum 60 amperes.
 - c. Antifreeze: serviced to -29°C (-20°F) or lower.
 - d. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
 - e. Bumpers: standard front, heavy-duty step type rear.
 - f. Cooling system: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
 - g. Engine: 8-cylinder, a minimum of 325 CID.
 - h. Gauge: oil pressure.
 - i. Hubs: automatic locking.
 - i. Inside hood latch control.
 - k. License plate brackets: front and rear.
 - I. Long wide pickup bed.
 - m. Mirrors: two (2) outside, low mount, right and left.
 - n. Operator's manual.
 - o. Paint: one (1) standard exterior color selected from manufacturer's list and specified by ordering entity.
 - p. Power brakes: factory installed.
 - q. Power steering: factory installed.
 - r. Radio: factory installed in dash AM/FM.
 - s. Suspension: Type recommended by manufacturer for vehicle as equipped.
 - t. Tires: five (5) radial, tubeless, type recommended by manufacturer for vehicle as equipped.
 - u. Transmission: automatic, with a minimum of three (3) forward speeds and one (1) reverse.
 - v. Upholstery: manufacturer's standard materials and colors to coincide with exterior color.
 - w. Extended Cab w/rear seat, four (4) doors.
- A.2 Optional equipment: Purchasers may select from the following:
 - DS. Without Rear Seat.
 - KO. Skid plate.
 - LS. Differential: limited slip, ratio as recommended by manufacturer.
 - PO. Automatic Speed Control (may be dealer installed but shall be from same manufacturer as vehicle) and tilt steering wheel.
 - QI. Short Wide Pickup Bed
 - TO. Without air conditioning.
 - XO. Hitch, Class III, frame attached, 7500 lb or better towing capacity. Must be dealer or manufacturer installed. Insert bar and ball not included.
 - ZO. Transmission: manual, with a minimum of three (3) forward speeds and one (1) reverse.

ADDENDUM 21: TYPE PEC - 4x4 Three-Quarter (3/4) Ton Heavy Duty Pickup Truck, Extended Cab, Rear Seat, Four (4) Doors NOT ON CONTRACT, SAME AS TYPE PEB

- A.1 Standard equipment Each long wide pickup bed truck obtained by this specification shall have a minimum GVW of 8600 lbs and be equipped as follows:
 - a. Air conditioning: factory installed and tinted glass.
 - b. Alternator: heavy-duty, minimum 60 amperes.
 - c. Antifreeze: serviced to -29°C (-20°F) or lower.
 - d. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
 - e. Bumpers: standard front, heavy-duty step type rear.
 - f. Cooling system: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
 - g. Engine: 8-cylinder, a minimum of 325 CID.
 - h. Gauge: oil pressure.
 - i. Hubs: automatic locking.
 - j. Inside hood latch control.
 - k. License plate brackets: front and rear.
 - I. Long wide pickup bed.
 - m. Mirrors: two (2) outside, low mount, right and left.
 - n. Operator's manual.
 - o. Paint: one (1) standard exterior color selected from manufacturer's list and specified by ordering entity.
 - p. Power brakes: factory installed.
 - q. Power steering: factory installed.
 - r. Radio: factory installed in dash AM/FM.
 - s. Suspension: Type recommended by manufacturer for vehicle as equipped.
 - t. Tires: five (5) radial, tubeless, type recommended by manufacturer for vehicle as equipped.
 - u. Transmission: automatic, with a minimum of three (3) forward speeds and one (1) reverse.
 - v. Upholstery: manufacturer's standard materials and colors to coincide with exterior color.
 - w. Extended Cab w/rear seat, four (4) doors.
- A.2 Optional equipment: Purchasers may select from the following:
 - KO. Skid plate.
 - LS. Differential: limited slip, ratio as recommended by manufacturer.
 - PO. Automatic Speed Control (may be dealer installed but shall be from same manufacturer as vehicle) and tilt steering wheel.
 - QI. Short wide pickup bed.
 - TO. Without air conditioning.
 - XO. Hitch, Class III, frame attached, 7500 lb or better towing capacity. Must be dealer or manufacturer installed. Insert bar and ball not included.
 - ZO. Transmission: manual, with a minimum of three (3) forward speeds and one (1) reverse.

AWARD NO: SP-07-0035 PAGE 90

ADDENDUM 22: TYPE PED - 4x4, Three-Quarter (3/4) Ton Heavy Duty Pickup Truck, Crew Cab, Rear Bench Seat, Four (4) Full Doors

- A.1 Standard equipment Each long wide pickup bed truck obtained by this specification shall have a minimum GVW of 8600 lbs and be equipped as follows:
 - a. Air conditioning: factory installed and tinted glass.
 - b. Alternator: heavy-duty, minimum 60 amperes.
 - c. Antifreeze: serviced to -29°C (-20°F) or lower.
 - d. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
 - e. Bumpers: standard front, heavy-duty step type rear.
 - f. Cooling system: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
 - g. Engine: 8-cylinder, a minimum of 325 CID.
 - h. Gauge: oil pressure.
 - i. Hubs: automatic locking.
 - i. Inside hood latch control.
 - k. License plate brackets: front and rear.
 - I. Long wide pickup bed.
 - m. Mirrors: two (2) outside, low mount, right and left.
 - n. Operator's manual.
 - o. Paint: one (1) standard exterior color selected from manufacturer's list and specified by ordering entity.
 - p. Power brakes: factory installed.
 - q. Power steering: factory installed.
 - r. Radio: factory installed in dash AM/FM.
 - s. Suspension: Type recommended by manufacturer for vehicle as equipped.
 - t. Tires: five (5) radial, tubeless, type recommended by manufacturer for vehicle as equipped.
 - u. Transmission: automatic, with a minimum of three (3) forward speeds and one (1) reverse.
 - v. Upholstery: manufacturer's standard materials and colors to coincide with exterior color.
 - w. Crew Cab w/rear bench seat, four (4) full doors.
- A.2 Optional equipment: Purchasers may select from the following:
 - CA. Diesel engine: a minimum of 190 HP with a rear axle ratio as recommended by manufacturer to maximize the vehicles highway performance and towing capabilities. KO. Skid plate.
 - LS. Differential: limited slip, ratio as recommended by manufacturer.
 - PO. Automatic Speed Control (may be dealer installed but shall be from same manufacturer as vehicle) and tilt steering wheel.
 - QI. Short pickup bed.
 - TO. Without air conditioning.
 - XO. Hitch, Class III, frame attached, 7500 lb or better towing capacity. Must be dealer or manufacturer installed. Insert bar and ball not included.
 - ZO. Transmission: manual, with a minimum of three (3) forward speeds and one (1) reverse.

AWARD NO: SP-07-0035 PAGE 91

ADDENDUM 23: TYPE PKA - Full Size One (1) Ton Pickup Truck, Dually

- A.1 Standard equipment Each long wide pickup bed truck shall be equipped as follows:
 - a. Air conditioning: factory installed and tinted glass.
 - b. Alternator: heavy-duty, minimum 95 amperes.
 - c. Antifreeze: serviced to -29°C (-20°F) or lower.
 - d. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
 - e. Bumpers: standard front, heavy-duty step type rear.
 - f. Cooling system: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
 - g. Engine: minimum of a 325 CID with rear axle ratio suggested by manufacturer to maximize the vehicles highway performance and towing capabilities.
 - h. Inside hood latch control.
 - i. License plate brackets: front and rear.
 - j. Long wide pickup bed.
 - k. Mirrors: two (2) outside, low mount, right and left.
 - I. Operator's manual.
 - m. Paint: one (1) standard exterior color selected from manufacturer's list and specified by ordering entity.
 - n. Power brakes: factory installed.
 - o. Power steering: factory installed.
 - p. Radio: factory installed AM/FM.
 - q. Tires and Rims: seven (7) steel wheels with all season, steel belted radial tubeless blackwall as recommended by manufacturer for size and load range of vehicle as equipped.
 - r. Trailering package: to include oil cooler and transmission (auto transmission only) cooler.
 - s. Transmission: heavy duty five (5) speed manual with overdrive.
 - t. Upholstery: manufacturer's standard materials and colors to coincide with exterior color chosen.
- A.2 Optional equipment Purchasers may select from the following:
 - CA. Diesel engine: a minimum of 190 HP with a rear axle ratio as recommended by manufacturer to maximize the vehicles highway performance and towing capabilities CD. Gasoline Engine: Min. 8-cylinder, a minimum of 414 CID with a rear axle ratio suggested by manufacturer to maximize the vehicles highway performance and towing capabilities.
 - LS. Differential: limited slip, ratio as recommended by manufacturer.
 - PO. Automatic speed control (may be dealer installed but shall be from same manufacturer as vehicle) and tilt steering wheel.
 - TO. Without air conditioning.
 - XO. Hitch, Class III, frame attached, 7500 lb or better towing capacity. Must be dealer or manufacturer installed. Insert bar and ball not included.
 - ZO. Transmission: four (4) speed automatic.

AWARD NO: SP-07-0035 PAGE 92

ADDENDUM 24: TYPE PKB - Full Size One (1) Ton Pickup Truck, Dually, Extended Cab

- A.1 Standard equipment Each long wide pickup bed truck shall be equipped as follows:
 - a. Air conditioning: factory installed and tinted glass.
 - b. Alternator: heavy-duty, minimum 95 amperes.
 - c. Antifreeze: serviced to -29°C (-20°F) or lower.
 - d. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
 - e. Bumpers: standard front, heavy-duty step type rear.
 - f. Cooling system: heavy-duty, including heavy-duty radiator, heavy duty fan, and factory installed coolant recovery system.
 - g. Engine: minimum of a 325 CID with rear axle ratio suggested by manufacturer to maximize the vehicles highway performance and towing capabilities.
 - h. Inside hood latch control.
 - i. License plate brackets: front and rear.
 - j. Long wide pickup bed.
 - k. Mirrors: two (2) outside, low mount, right and left.
 - I. Operator's manual.
 - m. Paint: one (1) standard exterior color selected from manufacturer's list and specified by ordering entity.
 - n. Power brakes: factory installed.
 - o. Power steering: factory installed.
 - p. Radio: factory installed AM/FM.
 - q. Tires and Rims: seven (7) steel wheels with all season, steel belted radial tubeless blackwalls as recommended by manufacturer for size and load range of vehicle as equipped.
 - r. Trailering package: to include oil cooler and transmission (auto transmission only) cooler.
 - s. Transmission: heavy-duty five (5) speed manual with overdrive.
 - t. Upholstery: manufacturer's standard materials and colors to coincide with exterior color chosen.
 - u. Extended Cab
- A.2 Optional equipment Purchasers may select from the following:
 - CA. Diesel engine: a minimum of 190 HP with a rear axle ratio as recommended by manufacturer to maximize the vehicles highway performance and towing capabilities CD. Gasoline Engine: Min. 8 cylinder, a minimum of 414 CID with a rear axle ratio suggested by manufacturer to maximize the vehicles highway performance and towing capabilities.
 - LS. Differential: limited slip, ratio as recommended by manufacturer.
 - PO. Automatic speed control (may be dealer installed but shall be from same manufacturer as vehicle) and tilt steering wheel.
 - TO. Without air conditioning.
 - XO. Hitch, Class III, frame attached, 7500 lb or better towing capacity. Must be dealer or manufacturer installed. Insert bar and ball not included.
 - ZO. Transmission: four (4) speed automatic.

ADDENDUM 25: TYPE PQA - One (1) Ton Truck Standard Chassis Single Rear Wheel Type Chassis/Cab (w/out bed), minimum of 135 inches

- A.1 Standard equipment Chassis/cab shall be a minimum of one hundred thirty five (135) inches long and shall be equipped as follows:
 - a. Air conditioning: factory installed.
 - b. Alternator: heavy-duty, a minimum of 95 amperes.
 - c. Antifreeze: serviced to -29°C (-20°F) or lower.
 - d. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
 - e. Bumpers: standard front.
 - f. Cooling system: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
 - g. Engine: minimum of a 325 CID with a rear axle ratio suggested by manufacturer to maximize the vehicles highway performance and towing capabilities.
 - h. Gauges: a minimum of engine temperature, fuel, oil pressure, speedometer, and voltmeter.
 - i. Inside hood latch control.
 - j. License plate brackets: front and rear.
 - k. Mirrors: two (2) outside, camper type extended view.
 - I. Operator's manual.
 - m. Paint: one (1) standard exterior color selected from manufacturer's standard list and specified by ordering entity.
 - n. Power brakes: factory installed.
 - o. Power steering: factory installed.
 - p. Radio: factory installed AM/FM.
 - q. Tires and rims: five (5) steel wheels (2 front, 2 rear plus matching spare) with all season steel belted radial tubeless black-walls as recommended by manufacturer for size and load range of vehicle as equipped.
 - r. Transmission: heavy duty five (5) speed manual with overdrive.
 - s. Upholstery: manufacturers standard materials and colors to coincide with exterior color chosen.
- A.2 Optional equipment Purchaser's may select from the following:
 - AO. Four wheel drive (4x4) (with standard equipment and buyers choice of options listed).
 - CD. Gasoline Engine: Min. 8-cylinder, a minimum of 414 CID with a rear axle ratio suggested by manufacturer to maximize the vehicles highway performance and towing capabilities.
 - GG. Dual Rear Wheels.
 - LS. Differential: limited slip, ratio as recommended by manufacturer for maximum use of cargo carrier selected.
 - PO. Automatic Speed Control (may be dealer installed but shall be from same manufacturer as vehicle) and tilt steering wheel.
 - TO. Without air conditioning.
 - ZO. Transmission: four (4) speed automatic.

AWARD NO: SP-07-0035 PAGE 94

ADDENDUM 26: TYPE PQB - One (1) Ton Truck Standard Chassis Single Rear Wheel Type, Crew Cab, Chassis/Cab (w/out bed), minimum of 159 inches

- A.1 Standard equipment Chassis/cab shall be a minimum of one hundred fifty-nine (159) inches long and shall be equipped as follows:
 - a. Air conditioning: factory installed.
 - b. Alternator: heavy-duty, a minimum of 95 amperes.
 - c. Antifreeze: serviced to -29°C (-20°F) or lower.
 - d. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
 - e. Bumpers: standard front.
 - f. Cooling system: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
 - g. Engine: minimum of a 325 CID with a rear axle ratio suggested by manufacturer to maximize the vehicles highway performance and towing capabilities.
 - h. Gauges: a minimum of engine temperature, fuel, oil pressure, speedometer, and voltmeter.
 - i. Inside hood latch control.
 - j. License plate brackets: front and rear.
 - k. Mirrors: two (2) outside, camper type extended view.
 - I. Operator's manual.
 - m. Paint: One (1) standard exterior color selected from manufacturer's standard list and specified by ordering entity.
 - n. Power brakes: factory installed.
 - o. Power steering: factory installed.
 - p. Radio: factory installed AM/FM.
 - q. Tires and rims: five (5) steel wheels (2 front, 2 rear plus spare) with all season steel belted radial tubeless black-walls as recommended by manufacturer for size and load range of vehicle as equipped.
 - r. Transmission: heavy duty five (5) speed manual with overdrive.
 - s. Upholstery: manufacturers standard materials and colors to coincide with exterior color chosen.
 - t. Crew Cab, w/rear seat, four (4) full doors.
- A.2 Optional equipment Purchaser's may select from the following:
 - AO. Four wheel drive (4x4) (with standard equipment and buyers choice of options listed).
 - CD. Gasoline Engine: Min. 8-cylinder, a minimum of 414 CID with a rear axle ratio suggested by manufacturer to maximize the vehicles highway performance and towing capabilities.
 - GG. Dual Rear Wheels.
 - LS. Differential: limited slip, ratio as recommended by manufacturer for maximum use of cargo carrier selected.
 - PO. Automatic Speed Control (may be dealer installed but shall be from same manufacturer as vehicle) and tilt steering wheel.
 - TO. Without air conditioning.
 - ZO. Transmission: four (4) speed automatic.

ADDENDUM 27: TYPE PRA - One (1) Ton Truck Long Chassis, Dual Rear Wheels Chassis/Cab (w/out bed), minimum 159 inches and minimum of 11,000 lb GVWR

- A.1 Standard equipment Chassis/cab shall be a minimum of one hundred fifty nine (159) inches long with a minimum eleven thousand 11,000) pounds GVWR and shall be equipped as follows:
 - a. Air conditioning: factory installed.
 - b. Alternator: heavy-duty, a minimum of 95 amperes.
 - c. Antifreeze: serviced to -29°C (-20°F) or lower.
 - d. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
 - e. Bumpers: standard front.
 - f. Cooling system: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
 - g. Engine: minimum of a 325 CID with an axle ratio suggested by manufacturer to maximize vehicles highway performance and towing capabilities.
 - h. Gauges: a minimum of engine temperature, fuel, oil pressure, speedometer, and voltmeter.
 - i. Inside hood latch control.
 - j. License plate brackets: front and rear.
 - k. Mirrors: two (2) outside, camper type extended view.
 - I. Operator's manual.
 - m. Paint: one (1) standard exterior color selected from manufacturer's standard list and specified by ordering entity.
 - n. Power brakes: factory installed.
 - o. Power steering: factory installed
 - p. Radio: factory installed AM/FM.
 - q. Tires and rims: seven (7) steel wheels (2 front, 4 rear plus spare) with all season steel belted radial tubeless black-walls as recommended by manufacturer for size and load range of vehicle as equipped.
 - r. Transmission: heavy duty five (5) speed manual with overdrive.
 - s. Upholstery: manufacturers standard materials and colors to coincide with exterior color chosen.
- A.2 Optional equipment Purchaser's may select from the following:
 - CA. Diesel engine: a minimum of 190 HP with a rear axle ratio as recommended by manufacturer to maximize the vehicles highway performance and towing capabilities
 - CD. Gasoline Engine: Min. 8-cylinder, a minimum of 414 CID with a rear axle ratio suggested by manufacturer to maximize the vehicles highway performance and towing capabilities.
 - LS. Differential: limited slip, ratio as recommended by manufacturer for maximum use of cargo carrier selected.
 - PO. Automatic Speed Control (may be dealer installed but shall be from same manufacturer as vehicle) and tilt steering wheel.
 - TO. Without air conditioning.
 - ZO. Transmission: four (4) speed automatic.

AWARD NO: SP-07-0035 PAGE 96

ADDENDUM 28: TYPE PRB - One (1) Ton Truck Long Chassis, Dual Rear Wheels Crew Cab Chassis/Cab (w/out bed), minimum 176 inches and minimum 11,000 lb GVWR

- A.1 Standard equipment Chassis/cab shall be a minimum of one hundred seventy-six (176) inches long with a minimum eleven thousand (11,000) pounds GVWR and shall be equipped as follows:
 - a. Air conditioning: factory installed.
 - b. Alternator: heavy-duty, a minimum of 95 amperes.
 - c. Antifreeze: serviced to -29°C (-20°F) or lower.
 - d. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
 - e. Bumpers: standard front.
 - f. Cooling system: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
 - g. Engine: minimum of a 325 CID with an axle ratio suggested by manufacturer to maximize vehicles highway performance and towing capabilities.
 - h. Gauges: a minimum of engine temperature, fuel, oil pressure, speedometer, and voltmeter.
 - i. Inside hood latch control.
 - j. License plate brackets: front and rear.
 - k. Mirrors: two (2) outside, camper type extended view.
 - I. Operator's manual.
 - m. Paint: one (1) standard exterior color selected from manufacturer's standard list and specified by ordering entity.
 - n. Power brakes: factory installed.
 - o. Power steering: factory installed
 - p. Radio: factory installed AM/FM.
 - q. Tires and rims: seven (7) steel wheels (2 front, 4 rear, plus spare) with all season steel belted radial tubeless black-walls as recommended by manufacturer for size and load range of vehicle as equipped.
 - r. Transmission: heavy-duty five (5) speed manual with overdrive.
 - s. Upholstery: manufacturers standard materials and colors to coincide with exterior color chosen.
 - t. Crew Cab w/rear seat, four (4) full doors.
- A.2 Optional equipment Purchaser's may select from the following:
 - CA. Diesel Engine: min of a 190 hp with a rear wheel axle ratio as recommended by manufacturer to maximize the vehicles highway performance and towing capabilities.
 - CD. Gasoline Engine: Min. 8 cylinder, a minimum of 414 CID with a rear axle ratio suggested by manufacturer to maximize the vehicles highway performance and towing capabilities.
 - LS. Differential: limited slip, ratio as recommended by manufacturer for maximum use of cargo carrier selected.
 - PO. Automatic Speed Control (may be dealer installed but shall be from same manufacturer as vehicle) and tilt steering wheel.
 - TO. Without air conditioning.
 - ZO. Transmission: four (4) speed automatic.

PAGE 97

AWARD NO: SP-07-0035

STATE OF ARKANSAS DEPARTMENT OF FINANCE AND ADMINISTRATION OFFICE OF STATE PROCUREMENT

STANDARD SPECIFICATIONS FOR VANS, CARRYALLS AND UTILITY VEHICLES

1. SCOPE AND CLASSIFICATION:

- 1.1 Scope To set forth the minimum purchasing standards in obtaining vans and utility vehicles in conjunction with this specification and the states requirements.
- 1.2 Classification Vehicles covered herein shall be of the following types and options as specified in the Invitation for Bid (IFB):

TYPE VAA - 1/2 ton utility van, see addendum 1, page 99

TYPE VAB - 3/4 ton utility van, see addendum 2, page 100

TYPE VAC - 1 ton utility van, see addendum 3, page 101

TYPE VBA - 1/2 ton 8-passenger van, see addendum 4, page 102

TYPE VGA - 3/4 ton 8-passenger van, see addendum 5, page 103

TYPE VCA - 1 ton 12-passenger van, see addendum 6, page 104

TYPE VDA - 1 ton 15-passenger van, see addendum 7, page 105

TYPE VEA - Compact utility van, see addendum 8, page 106

TYPE VFA - Compact 7-passenger van, see addendum 9, page 107

TYPE PHA - Compact 2 WD Utility Vehicle, see addendum 10, page 108

TYPE PFA - Compact 4 WD Utility Vehicle, see addendum 11, page 109

TYPE PSA - Standard 2 WD Utility Vehicle, see addendum 12, page 110

TYPE PSB - Standard 4 WD Utility Vehicle, see addendum 13, page 111

TYPE PMA - Carryall, 8-passenger, see addendum 14, page 112

2. APPLICABLE DOCUMENTS:

- 2.1 Reference to any standard(s), specification(s), amendment(s), and/or test method(s) shall be to the current issue(s) in effect on the date of the Invitation for Bid (IFB).
- 2.2 Gasoline mileage shall conform to minimums shown in the latest edition of the <u>Fuel Economy</u> <u>Guide</u> published by the Environmental Protection Agency.

3. REQUIREMENTS:

3.1 All vehicles furnished to the State of Arkansas shall be new and delivered as specified within the Invitation for Bid (IFB). Vehicles shall be furnished with all interior, exterior trim and appointments listed by the manufacturer in printed specifications and literature as standard equipment. Vehicles shall also be equipped with any and all safety equipment required by the State of Arkansas and/or applicable Federal Regulations. Any upgrades and/or additional equipment necessitated by selection of any listed option by the ordering entity shall be included in the prices bid, and no additional charge shall be made by the vendor.

3.2 <u>Warranty</u> - From date of delivery, each vehicle shall be accompanied by a warranty for a minimum of thirty six (36) months or thirty six thousand (36,000) miles, whichever comes first. Warranty shall certify that the vehicle is of good material and workmanship and that the replacement of any part or parts that fails under normal use within the designated period, free of negligence or accident, will be promptly repaired or replaced at NO cost to the agency, institution, or other public body that purchased the vehicle.

3.2 <u>Specific Requirements</u> - See addenda 1 through 14 for specific requirements appropriate to each type of vehicle listed herein.

4. <u>SAMPLING, INSPECTION, AND TEST PROCEDURES:</u>

- 4.1 Responsibility for inspection Unless otherwise specified, the successful contractor will be responsible for performing all inspections required herein. The Office of State Procurement reserves the right to make any and all inspections deemed necessary to insure compliance with these specifications.
- 4.2 Samples after bid results are tabulated, the Office of State Procurement reserves the right to require samples of selected vehicles for inspection and evaluation as required in the IFB.

5. PREPARATION FOR DELIVERY:

5.1 Each vehicle shall be completely serviced, cleaned and thoroughly inspected by the successful contractor just prior to delivery to the purchasing entity. No dealer advertisement shall be on any vehicle purchased by the State of Arkansas.

PREDELIVERY REQUIREMENTS:

- a. Complete lubrication.
- b. Fill crankcase with oil.
- c. Adjustment of engine to proper operating conditions.
- d. Inflate tires to proper pressure.
- e. Careful check to assure perfect operation of all mechanical features.
- f. Front end alignment and wheels balanced.
- g. Cleaning of vehicle, if necessary, and removal of all unnecessary tags, stickers, papers, etc. Window price sticker shall not be removed.
- h. No dealer's insignia shall be affixed to automobile.
- i. A minimum 5 gallons of fuel in each vehicle.
- j. Delivery shall be during normal working hours, 8 A.M. 4 P.M. Monday Friday.
- k. License plate holder, front and rear.

AWARD NO: SP-07-0035 PAGE 99

ADDENDUM 1: TYPE VAA: Full Size One-Half (1/2) Ton Utility Van

A. Equipment:

A.1 Standard equipment - Each van shall be equipped with the following:

- a. Air conditioning: factory installed, including factory installed insulation and heavy-duty alternator.
- b. Alternator: minimum 40 amperes.
- c. Anti-freeze: serviced to -29°C (-20°F) or lower.
- d. Automatic transmission: minimum of three (3) forward speeds and one (1) reverse.
- e. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
- f. Bumpers: front and rear.
- g. Cooling system: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
- h. Doors: two (2) front, right and left with crank vertical windows, two (2) right side, to open in opposite direction or one (1) right sliding, and two (2) rear to open in opposite direction.
- i. Engine: a 6-cylinder gasoline engine of the type recommended by manufacturer for vehicle as equipped.
- j. Glass: sides and rear cargo doors, all tinted.
- k. Inside hood latch control.
- I. License plate brackets: front and rear.
- m. Mirrors: two (2) outside, low mount, right and left.
- n. Operator's manual.
- o. Paint: one (1) exterior color selected from manufacturer's list and specified by ordering entity.
- p. Power brakes: factory installed.
- q. Power steering: factory installed.
- r. Radio: factory installed in dash AM/FM.
- s. Seats: two front, driver and passenger, manufacturer's standard colors and materials to coincide with vehicles exterior color.
- t. Shock absorbers: Type recommended by manufacturer for vehicle as equipped.
- u. Tires: Five (5) radial, tubeless, type recommended by manufacturer for vehicle as equipped.

A.2 Optional equipment - Purchasers may choose from the following:

- DO. Glass: sides and rear cargo doors, delete for credit.
- LS. Differential: limited slip, ratio as recommended by manufacturer.
- PO. Automatic speed control (may be dealer installed of same manufacturer as vehicle).
- TO. Without air conditioning.

AWARD NO: SP-07-0035 PAGE 100

ADDENDUM 2: TYPE VAB - Full Size Three-Quarter (3/4) Ton Utility Van A. Equipment:

A.1 Standard equipment - Each van shall be equipped with the following:

- a. Air conditioning with auxiliary rear unit, rear heating factory installed, and heavy-duty alternator.
- b. Alternator: minimum 40 amperes.
- c. Anti-freeze: services to -29°C (-20°F) or lower.
- d. Automatic speed control (may be dealer installed, but of same manufacturer as vehicle) with tilt steering wheel.
- e. Automatic transmission: minimum of three (3) forward speeds and one reverse.
- f. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
- g. Bumpers: front and rear.
- h. Cooling system: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
- i. Doors: two (2) front, right and left with cranked vertical opening windows, two (2) right side opposite opening, or one (1) right side sliding, and two (2) rear opposite opening.
- j. Engine: a gasoline fueled eight (8) cylinder engine of the type recommended by manufacturer for vehicle as equipped.
- k. Glass: tinted, all around combination.
- I. Inside hood latch control.
- m. Insulation: top, including full length headliner; sides, including trim panels, trim items may be dealer installed if equivalent in quality to standard type offered by manufacturer.
- n. License plate brackets: front and rear.
- o. Mirrors: two (2) outside, low mount, right and left.
- p. Operator's manual.
- q. Paint: one (1) exterior color selected from manufacturer's list and specified by ordering entity.
- r. Power brakes: factory installed.
- s. Power steering: factory installed.
- t. Radio: factory installed in dash AM/FM.
- u. Seats: two (2) front, driver and passenger.
- v. Shock absorbers: Type recommended by manufacturer for vehicle as equipped.
- w. Tires: five (5) radial, tubeless, type recommended by manufacturer for vehicle as equipped.

A.2 Optional equipment - Purchasers may choose from the following:

- DO. Glass: sides and rear cargo doors, delete for credit.
- LS. Differential: limited slip, ratio as recommended by manufacturer.
- PO. Automatic speed control (may be dealer installed of same manufacturer as vehicle).
- TO. Without air conditioning

ADDENDUM 3: TYPE VAC - Full Size One (1) Ton Utility Van

- A.1 Standard equipment Each van shall be equipped with the following:
- a. Air conditioning with auxiliary rear unit, rear heating factory installed, and heavy-duty alternator.
- b. Alternator: minimum 60 amperes.
- c. Anti-freeze: services to -29°C (-20°F) or lower.
- d. Automatic speed control (may be dealer installed, but of same manufacturer as vehicle) with tilt steering wheel.
- e. Automatic transmission: minimum of three (3) forward speeds and one reverse.
- f. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
- g. Bumpers: front and rear.
- h. Cooling system: heavy duty, including heavy duty radiator, heavy-duty fan, and factory installed coolant recovery system.
- i. Doors: two (2) front, right and left with cranked vertical opening windows, two (2) right side opposite opening, or one (1) right side sliding, and two (2) rear opposite opening.
- j. Engine: a gasoline fueled eight (8) cylinder engine of the type recommended by manufacturer for vehicle as equipped.
- k. Glass: tinted, all around combination.
- I. Inside hood latch control.
- m. Insulation: top, including full length headliner; sides, including trim panels, trim items may be dealer installed if equivalent in quality to standard type offered by manufacturer.
- n. License plate brackets: front and rear.
- o. Mirrors: two (2) outside, low mount, right and left.
- p. Operator's manual.
- q. Paint: one (1) exterior color selected from manufacturer's list and specified by ordering entity.
- r. Power brakes: factory installed.
- s. Power steering: factory installed.
- t. Radio: factory installed in dash AM/FM.
- u. Seats: two (2) front, driver and passenger.
- v. Shock absorbers: Type recommended by manufacturer for vehicle as equipped.
- w. Tires: five (5) radial, tubeless, type recommended by manufacturer for vehicle as equipped.
- A.2 Optional equipment Purchasers may choose from the following:
 - DO. Glass: sides and rear cargo doors, delete for credit.
 - LS. Differential: limited slip, ratio as recommended by manufacturer.
 - PO. Automatic speed control (may be dealer installed of same manufacturer as vehicle).
 - TO. Without air conditioning

ADDENDUM 4: TYPE VBA: Full Size One-Half (1/2) Ton Eight (8) Passenger Van

A. Equipment:

A.1 Standard equipment - Each van shall be equipped with the following:

- a. Air conditioning: factory installed, including factory installed insulation and heavy-duty alternator.
- b. Alternator: minimum 60 amperes.
- c. Anti-freeze: serviced to -29°C (-20°F) or lower.
- d. Automatic speed control (may be dealer installed, but of same manufacturer as vehicle) with tilt steering wheel.
- e. Automatic transmission: minimum of three (3) forward speeds and one (1) reverse.
- f. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
- g. Bumpers: front and rear.
- h. Cooling system: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
- i. Doors: two (2) front right and left with cranked vertical opening windows, two (2) right side opposite opening, or one right side sliding, and two (2) rear opposite opening.
- j. Engine: a gasoline fueled engine of the type recommended by manufacturer for vehicle as equipped.
- k. Glass: tinted all around, with a minimum of three (3) windows capable of being opened.
- I. Inside hood latch control.
- m. Insulation: top, including full length headliner; sides, including trim panels, trim items may be dealer installed if equivalent in quality to standard type offered by vehicle manufacturer.
- n. License plate brackets: front and rear.
- o. Mirrors: two (2) outside, low mount, right and left.
- p. Operator's manual.
- q. Paint: one (1) exterior color selected from manufacturer's list and specified by ordering entity.
- r. Power Windows and Power Door Locks: factory installed.
- s. Power brakes: factory installed.
- t. Power steering: factory installed.
- u. Radio: factory installed in dash AM/FM.
- v. Seats: two (2) front, driver and passenger; and two (2) rear passenger, factory installed and removable, manufacturers standard materials, and color to coincide with vehicles exterior color.
- w. Shock absorbers: Type recommended by manufacturer for vehicle as equipped.
- x. Tires: five (5) radial, tubeless, type recommended by manufacturer for vehicle as equipped.
- A.2 Optional Equipment. Purchasers may choose from the following:
 - CB. Gasoline Engine: 8 cylinder, a minimum of 280 CID.
 - LS. Differential: limited slip, ratio as recommended by manufacturer.
 - UO. Auxiliary, transmission oil cooler.

ADDENDUM 5: TYPE VGA: Three Quarter (3/4) Ton Eight (8) Passenger Van (A larger van will not be accepted)

- A.1 Standard Equipment All 3/4 ton vans provided shall have a minimum wheelbase of one hundred twenty-seven (127) inches and shall be equipped with the following:
 - a. Air conditioning with auxiliary rear unit, rear heating factory installed, and heavy duty alternator.
 - b. Alternator: minimum 60 amperes.
 - c. Anti-freeze: services to -29°C (-20°F) or lower.
 - d. Automatic speed control (may be dealer installed, but of same manufacturer as vehicle) with tilt steering wheel.
 - e. Automatic transmission: minimum of three (3) forward speeds and one reverse.
 - f. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
 - g. Bumpers: front and rear.
 - h. Cooling system: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
 - i. Doors: two (2) front, right and left with cranked vertical opening windows, two (2) right side opposite opening, or one (1) right side sliding, and two (2) rear opposite opening.
 - j. Engine: a gasoline fueled eight (8) cylinder engine of the type recommended by manufacturer for vehicle as equipped.
 - k. Glass: tinted, all around combination.
 - I. Inside hood latch control.
 - m. Insulation: top, including full length headliner; sides, including trim panels, trim items may be dealer installed if equivalent in quality to standard type offered by manufacturer.
 - n. License plate brackets: front and rear.
 - o. Mirrors: two (2) outside, low mount, right and left.
 - p. Operator's manual.
 - q. Paint: one (1) exterior color selected from manufacturer's list and specified by ordering entity.
 - r. Power Windows and Power Door Locks: factory installed.
 - s. Power brakes: factory installed.
 - t. Power steering: factory installed.
 - u. Radio: factory installed in dash AM/FM.
 - v. Seats: two (2) front, driver and passenger, with a minimum of two (2) rear passenger seats factory installed and removable. Manufacturer's standard materials and colors to coincide with vehicles exterior color.
 - w. Shock absorbers: Type recommended by manufacturer for vehicle as equipped.
 - x. Tires: five (5) radial, tubeless, type recommended by manufacturer for vehicle as equipped.
- A-2 Optional Equipment: Purchasers may choose from the following:
 - CC. Gasoline Engine: 8 cylinder, a minimum of a 325 CID.
 - HO. Seat (add one additional bench seat in rear of van).
 - LS. Differential: limited slip, ratio as recommended by manufacturer.
 - UO. Transmission oil cooler.

ADDENDUM 6: TYPE VCA: One (1) Ton Twelve (12) Passenger Van

A. Equipment:

A.1 Standard equipment - Each van shall be equipped with the following:

- a. Air conditioning with auxiliary rear unit, rear heating factory installed, and heavy-duty alternator.
- b. Alternator: minimum 60 amperes.
- c. Anti-freeze: services to -29°C (-20°F) or lower.
- d. Automatic speed control (may be dealer installed, but of same manufacturer as vehicle) with tilt steering wheel.
- e. Automatic transmission: minimum of three (3) forward speeds and one reverse.
- f. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
- g. Bumpers: front and rear.
- h. Cooling system: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
- i. Doors: two (2) front, right and left with cranked vertical opening windows, two (2) right side opposite opening, or one (1) right side sliding, and two (2) rear opposite opening.
- j. Engine: a gasoline fueled eight (8) cylinder engine of the type recommended by manufacturer for vehicle as equipped.
- k. Glass: tinted, all around combination.
- I. Inside hood latch control.
- m. Insulation: top, including full length headliner; sides, including trim panels, trim items may be dealer installed if equivalent in quality to standard type offered by manufacturer.
- n. License plate brackets: front and rear.
- o. Mirrors: two (2) outside, low mount, right and left.
- p. Operator's manual.
- q. Paint: one (1) exterior color selected from manufacturer's list and specified by ordering entity.
- r. Power Windows and Power Door Locks: factory installed.
- s. Power brakes: factory installed.
- t. Power steering: factory installed.
- u. Radio: factory installed in dash AM/FM.
- v. Seats: two (2) front, driver and passenger, and three (3) rear passenger factory installed and removable, manufacturer's standard materials and colors to coincide with vehicles exterior color.
- w. Shock absorbers: Type recommended by manufacturer for vehicle as equipped.
- x. Tires: five (5) radial, tubeless, type recommended by manufacturer for vehicle as equipped.
- A-2 Optional Equipment: Purchasers may choose from the following:
 - CC. Gasoline Engine: 8-cylinder, a minimum of a 325 CID.
 - LS. Differential: limited slip, ratio as recommended by manufacturer.
 - UO. Transmission oil coolers.

ADDENDUM 7: TYPE VDA: One (1) Ton Fifteen (15) Passenger Van

A. Equipment:

A.1 Standard equipment - Each van shall be equipped with the following:

- a. Air conditioning with auxiliary rear unit, rear heating: Factory, or dealer installed or O.E.M. warranted, and heavy-duty alternator.
- b. Alternator: minimum 60 amperes.
- c. Anti-freeze: service to -29°C (-20°F) or lower.
- d. Automatic speed control (may be dealer installed, but of same manufacturer as vehicle) with tilt steering wheel.
- e. Automatic transmission: minimum of three (3) forward speeds and one (1) reverse.
- f. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
- g. Bumpers: front and rear.
- h. Cooling system: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
- i. Doors: two (2) front, right and left with cranked vertical opening windows, two (2) right side opposite opening, or one (1) right side sliding, and two (2) rear opposite opening.
- j. Engine: a gasoline fueled eight (8) cylinder engine of the type recommended by manufacturer for vehicle as equipped.
- k. Glass: tinted all around combination.
- I. Inside hood latch.
- m. Insulation: top, including full length headliner; sides, including trim panels, trim items may be dealer installed if equivalent in quality to standard type offered by vehicle manufacturer.
- n. License plate brackets: front and rear.
- o. Mirrors: two (2) outside, low mount, right and left.
- p. Operator's manual.
- q. Paint: one (1) exterior color selected from manufacturer's list and specified by ordering entity.
- r. Power Windows and Power Door Locks: factory installed.
- s. Power brakes: factory installed.
- t. Power steering: factory installed.
- u. Radio: factory installed in dash AM/FM.
- v. Seats: two (2) front, driver and passenger, and four (4) rear passenger factory installed and removable, manufacturer's standard materials and colors to coincide with vehicles exterior color.
- w. Shock absorbers: Type recommended by manufacturer for vehicle as equipped.
- x. Tires: five (5) radial, tubeless, type recommended by manufacturer for vehicle as equipped.

A.2 Optional equipment - Purchasers may choose from the following:

- CC. Gasoline Engine: 8 cylinder, a minimum of a 325 CID.
- LS. Differential: limited slip, ratio as recommended by manufacturer.
- UO. Transmission oil coolers.
- WW. Cloth bench seats.

AWARD NO: SP-07-0035 PAGE 106

ADDENDUM 8: TYPE VEA: Compact Utility Mini-Van (Larger Van Will Not Be Accepted)

A. Equipment:

A.1 Standard equipment - Each van shall be equipped with the following:

- a. Air conditioning: factory installed, including insulation which may be dealer installed if equivalent in quality to standard type offered by vehicle manufacturer and heavy-duty alternator.
- b. Alternator: type recommended by manufacturer for vehicle as equipped.
- c. Anti-freeze: serviced to -29°C (-20°F) or lower.
- d. Automatic Speed Control (may be dealer installed, but of same manufacturer as vehicle) with tilt steering wheel.
- e. Automatic transmission: minimum of three (3) forward speeds and one (1) reverse.
- f. Battery: maintenance free, and type recommended by manufacturer for vehicle as equipped.
- g. Bumpers: front and rear.
- h. Cooling system: heavy duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
- i. Differential: ratio as recommended by manufacturer.
- j. Doors: two (2) front, one (1) or two (2) rear, and one (1) side sliding.
- k. Engine: a gasoline fueled 6 cylinder engine of the type recommended by manufacturer for vehicle as equipped.
- I. Glass: Standard tinting.
- m. Inside hood latch control.
- n. License plate brackets: front and rear.
- o. Mirrors: two (2) outside, low mount, right and left.
- p. Operator's manual.
- q. Paint: one (1) exterior color selected from manufacturer's list and specified by ordering entity.
- r. Power brakes: factory installed.
- s. Power steering: factory installed.
- t. Radio: factory installed in dash AM/FM.
- u. Seats: two (2) front, driver and passenger, manufacturer's standard type.
- v. Suspension: Type recommended by manufacturer for vehicle as equipped.
- w. Tires: four (4) radial, tubeless, type recommended by manufacturer for vehicle as equipped, and one (1) mounted spare tire with wheel, either "space saver" or full size.
- A.2 Optional equipment Purchasers may choose from the following:
- JO. Glass; tinted rear cargo door(s).
- TO. Without air conditioning.

AWARD NO: SP-07-0035 PAGE 107

ADDENDUM 9: TYPE VFA: Compact (7) Passenger Mini-Van (Larger Van Will Not Be Accepted)

A. Equipment:

A.1 Standard equipment - Each van shall be equipped with the following:

- a. Air conditioning: factory installed.
- b. Alternator: heavy duty, and type recommended by manufacturer for vehicle as equipped.
- c. Anti-freeze: serviced to -29°C (-20°F) or lower.
- d. Automatic speed control (may be dealer installed, but of same manufacturer as vehicle) with tilt steering wheel.
- e. Automatic transmission: minimum of three (3) forward speeds and one (1) reverse.
- f. Battery: maintenance free, and type recommended by manufacturer for vehicle as equipped.
- g. Bumpers: front and rear.
- h. Cooling system: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
- i. Differential: ratio as recommended by manufacturer.
- j. Doors: two (2) front, one (1) or two (2) rear, and one (1) side sliding.
- k. Engine: 6 cylinder gasoline fueled, and type recommended by manufacturer as being capable of handling a fully loaded passenger van as equipped.
- I. Glass: all tinted (standard tint), with windows capable of being opened in at least one (1) location on each side to the rear of driver area.
- m. Inside hood latch control.
- n. Insulation: top, including full length headliner; sides, including trim panels; may be dealer installed if equivalent in quality to standard type offered by vehicle manufacturer.
- o. License plate brackets: front and rear.
- p. Mirrors: two outside, low mount, right and left.
- q. Operator's manual.
- r. Paint: one (1) exterior color selected from manufacturer's list and specified by ordering entity.
- s. Power Windows and Power Door Locks: factory installed.
- t. Power brakes: factory installed.
- u. Power steering: factory installed.
- v. Radio: factory installed in dash AM/FM.
- w. Seats: manufacturer's standard seven (7) passenger (minimum) seating arrangement, factory installed and removable. Manufacturer's standard materials, and color to coincide with vehicles exterior color.
- x. Suspension: type recommended by manufacturer for vehicle as equipped,
- y. Tires: five (5) radial, tubeless, type recommended by manufacturer for vehicle as equipped.

ADDENDUM 10: TYPE PHA: Compact 2 WD Utility Vehicle

- A.1 Standard equipment Each compact two wheel drive (2WD) special purpose vehicle shall be equipped with the following, as standard equipment listed by manufacturer, as required by this specification.
- a. Air conditioning: all weather, factory installed.
- b. Alternator: minimum of 40 amperes.
- c. Anti-freeze: serviced to -29°C (-20°F) or lower, and vehicle to be completely winterized.
- d. Automatic Speed Control (may be dealer installed, but of same manufacturer as vehicle) and tilt steering wheel.
- e. Automatic transmission: minimum of three (3) forward speeds and one (1) reverse.
- f. Battery: maintenance free; type recommended by manufacturer for vehicle as equipped.
- g. Bumpers: front and rear.
- h. Cooling system: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
- i. Differential: ratio as recommended by manufacturer.
- j. Doors: two (2) front; right and left with crank vertical windows.
- k. Engine: a gasoline fueled 6 cylinder engine of the type recommended by manufacturer for vehicle as equipped.
- I. Glass: all tinted (standard tint).
- m. Inside hood latch control.
- n. Insulation: top, including full length headliner; sides, including trim panels; may be dealer installed if equivalent in quality to standard type offered by vehicle manufacturer.
- o. License plate brackets: front and rear.
- p. Mirrors: exterior, low mount (below eye level type), right and left, and one (1) interior.
- g. Operator's manual.
- r. Paint: one (1) exterior color selected from manufacturer's list and specified by ordering entity.
- s. Power Windows and Power Door Locks: factory installed.
- t. Power brakes: factory installed.
- u. Power steering: factory installed.
- v. Radio: factory installed in dash AM/FM.
- w. Seats: Bucket or split bench in front, fold down bench type in rear and seat belts for all seats; manufacturer's standard materials and color to coincide with exterior color.
- x. Shock absorbers: Type recommended by manufacturer for vehicle as equipped.
- y. Tires: Four (4) according to manufacturer's factory standard with one (1) spare.
- z. Windshield washer: with two (2) speed wipers.
- aa. Fuel tank: 17 gallon capacity or more.
- bb. Lamp: interior dome with door courtesy warning feature.
- cc. Stabilizer equipment: front.
- dd. Storage box: instrument panel area.
- ee. Trailer package: to include external oil and transmission cooler.
- A.2 Optional Equipment Purchasers may choose from the following:
 - CB. Gasoline V-8, not less than 280 CID.
 - FO. Power window package (four door only)
 - RO. Four (4) door.
 - XO. Hitch, Class III, frame attached, 5000 lb or better towing capacity. Must be dealer or manufacturer installed. Insert bar and ball not included.

ADDENDUM 11: TYPE PFA: Compact 4 WD Utility Vehicle

A. Equipment:

A.1 Standard equipment - Each compact four wheel drive (4WD) special purpose vehicle shall be equipped with the following, as standard equipment listed by manufacturer, as required by this specification.

- a. Air conditioning: all weather, factory installed.
- b. Alternator: minimum of 95 amperes.
- c. Anti-freeze: serviced to -29°C (-20°F) or lower, and vehicle to be completely winterized.
- d. Automatic Speed Control (may be dealer installed, but of same manufacturer as vehicle) and tilt steering wheel.
- e. Automatic transmission: minimum of three (3) forward speeds and one (1) reverse.
- f. Battery: maintenance free; type recommended by manufacturer for vehicle as equipped.
- g. Bumpers: front and rear.
- h. Cooling system: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
- i. Differential: ratio as recommended by manufacturer.
- j. Doors: two (2) front; right and left.
- k. Engine: a gasoline fueled 6 cylinder engine of the type recommended by manufacturer for vehicle as equipped.
- I. Glass: all tinted (standard tint).
- m. Inside hood latch control.
- n. Insulation: top, including full length headliner; sides, including trim panels; may be dealer installed if equivalent in quality to standard type offered by vehicle manufacturer.
- o. License plate brackets: front and rear.
- p. Mirrors: exterior, low mount (below eye level type), right and left, and one (1) interior.
- q. Operator's manual.
- r. Paint: one (1) exterior color selected from manufacturer's list and specified by ordering entity.
- s. Power Windows and Power Door Locks: factory installed.
- t. Power brakes: factory installed.
- u. Power steering: factory installed.
- v. Radio: factory installed in dash AM/FM.
- w. Seats: Bucket or split bench in front, fold down bench type in rear, and seat belts for all seats; manufacturer's standard materials and color to coincide with exterior color.
- x. Shock absorbers: Type recommended by manufacturer for vehicle as equipped.
- y. Tires: four (4) according to manufacturer's factory standard with one (1) spare.
- z. Windshield washer: with two (2) speed wipers.
- aa. Fuel tank: approximately 19-gallon capacity or more.
- bb. Lamp: interior dome with door courtesy warning feature.
- cc. Stabilizer equipment: front.
- dd. Storage box: instrument panel area.
- ee. Trailering package: to include external oil and transmission cooler.
- A.2 Optional Equipment Purchasers may choose from the following:
 - CB. Gasoline V-8 engine, not less than 280 CID.
 - FO. Power windows (available on four (4) door only).
 - KO. Skid plate.
 - LO. Special Equipment Package (to include steel wheels, rear window wiper and defroster). (not a police pkg.)
 - RO. Four (4) door.
 - XO. Hitch, Class III, frame attached, 5000 lb or better towing capacity. Must be dealer or manufacturer installed. Insert bar and ball not included.

AWARD NO: SP-07-0035 PAGE 110

ADDENDUM 12: TYPE PSA: Standard 2 WD Utility Vehicle

- A.1 Standard equipment Each standard two wheel drive (2WD) special purpose vehicle shall be equipped with the following, as standard equipment listed by manufacturer, as required by this specification.
 - a. Air conditioning: all weather, factory installed.
 - b. Alternator: minimum of 95 amperes.
 - c. Anti-freeze: serviced to -29°C (-20°F) or lower, and vehicle to be completely winterized.
 - d. Automatic Speed Control (may be dealer installed, but of same manufacturer as vehicle) and tilt steering wheel.
 - e. Automatic transmission: minimum of three (3) forward speeds and one (1) reverse.
 - f. Battery: maintenance free; type recommended by manufacturer for vehicle as equipped.
 - g. Bumpers: front and rear.
 - h. Cooling system: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
 - i. Differential: ratio as recommended by manufacturer.
 - j. Doors: Four (4): front; right and left, rear: right and left with crank vertical windows.
 - k. Engine: a gasoline fueled 8 cylinder engine of the type recommended by manufacturer for vehicle as equipped.
 - I. Glass: all tinted (standard tint).
 - m. Inside hood latch control.
 - n. Insulation: top, including full length headliner; sides, including trim panels; may be dealer installed if equivalent in quality to standard type offered by vehicle manufacturer.
 - o. License plate brackets: front and rear.
 - p. Mirrors: exterior, low mount (below eye level type), right and left, and one (1) interior.
 - q. Operator's manual.
 - r. Paint: one (1) exterior color selected from manufacturer's list and specified by ordering entity.
 - s. Power Windows and Power Door Locks: factory installed.
 - t. Power brakes: factory installed.
 - u. Power steering: factory installed.
 - v. Radio: factory installed in dash AM/FM.
 - w. Seats: Front: Bucket or split bench, 2nd Row: Fold Down Bench Type, 3rd Row: Fold- Flat to the Floor Type, and seat belts for all seats; manufacturer's standard materials and color to coincide with exterior color.
 - x. Shock absorbers: Type recommended by manufacturer for vehicle as equipped.
 - y. Tires: four (4) according to manufacturer's factory standard with one (1) spare.
 - z. Windshield washer: with two (2) speed wipers.
 - aa. Fuel tank: approximately 25-gallon capacity or more.
 - bb. Lamp: interior dome with door courtesy warning feature.
 - cc. Stabilizer equipment: front, and rear.
 - dd. Storage box: instrument panel area.
 - ee. Trailering package: to include oil and transmission cooler.
 - zz. Wheelbase: 115" minimum.
- A.2 Optional Equipment Purchasers may choose from the following:
 - FL. Power locks.
 - FO. Power windows.
 - HS. Heavy service package, including heavy-duty alternator, battery, suspension and maximum engine/transmission cooling.
 - KO. Skid Plate
 - LO. Special Equipment Package to include steel wheels, rear window wiper and defroster. (not a police pkg.)
 - LS. Limited slip rear end.
 - XO. Hitch, Class III, frame attached, 5000 lb or better towing capacity. Must be dealer or manufacturer installed. Insert bar and ball not included.

AWARD NO: SP-07-0035 PAGE 111

ADDENDUM 13: TYPE PSB: Standard 4 WD Utility Vehicle

A. Equipment:

A.1 Standard equipment - Each standard four wheel drive (4WD) special purpose vehicle shall be equipped with the following, as standard equipment listed by manufacturer, as required by this specification.

- a. Air conditioning: all weather, factory installed.
- b. Alternator: minimum of 95 amperes.
- c. Anti-freeze: serviced to -29°C (-20°F) or lower, and vehicle to be completely winterized.
- d. Automatic Speed Control (may be dealer installed, but of same manufacturer as vehicle) and tilt steering wheel.
- e. Automatic transmission: minimum of three (3) forward speeds and one (1) reverse.
- f. Battery: maintenance free; type recommended by manufacturer for vehicle as equipped.
- g. Bumpers: front and rear.
- h. Cooling system: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
- i. Differential: ratio as recommended by manufacturer.
- j. Doors: Four (4): front; right and left with crank vertical windows, rear: right and left with crank vertical windows.
- k. Engine: a gasoline fueled 8 cylinder engine of the type recommended by manufacturer for vehicle as equipped.
- I. Glass: all tinted (standard tint).
- m. Inside hood latch control.
- n. Insulation: top, including full length headliner; sides, including trim panels; may be dealer installed if equivalent in quality to standard type offered by vehicle manufacturer.
- o. License plate brackets: front and rear.
- p. Mirrors: exterior, low mount (below eye level type), right and left, and one (1) interior.
- q. Operator's manual.
- r. Paint: one (1) exterior color selected from manufacturer's list and specified by ordering entity.
- s. Power brakes: factory installed.
- t. Power steering: factory installed.
- u. Radio: factory installed in dash AM/FM.
- v. Seats: Front: Bucket or split bench, 2nd Row: Fold Down Bench Type, 3rd Row: Fold Flat to the Floor Type and seat belts for all seats; manufacturer's standard materials and color to coincide with exterior color.
- w. Shock absorbers: Type recommended by manufacturer for vehicle as equipped.
- x. Tires: four (4) according to manufacturer's factory standard with one (1) spare.
- y. Windshield washer: with two (2) speed wipers.
- z. Fuel tank: approximately 25 gallon capacity or more.
- aa. Lamp: interior dome with door courtesy warning feature.
- bb. Stabilizer equipment: front, and rear.
- cc. Storage box: instrument panel area.
- dd. Trailering package: to include oil and transmission cooler.
- ee. Wheelbase: 115" minimum.

A.2 Optional Equipment - Purchasers may choose from the following:

- FL. Power locks.
- FO. Power windows.
- HS. Heavy service package, including heavy duty alternator, battery, suspension and maximum engine/transmission cooling.
- KO. Skid plate (s)
- LO. Special Equipment Package to include steel wheels, rear window wiper and defroster (not a police pkg.)
- LS. Limited slip rear end.
- XO. Hitch, Class III, frame attached, 5000 lb or better towing capacity. Must be dealer or manufacturer installed. Insert bar and ball not included.

AWARD NO: SP-07-0035

PAGE 112

ADDENDUM 14: TYPE PMA: Eight (8) Passenger Carryall

- A.1 Standard Equipment Each four (4) door carryall with rear entry access shall be equipped with the following standard equipment listed by manufacturer, as required by this specification.
 - a. Air conditioning: factory installed, including factory installed insulation and heavy-duty alternator.
 - b. Alternator: minimum 100 amperes.
 - c. Anti-freeze: serviced to -29°C (-20°F) or lower.
 - d. Automatic speed control (may be dealer installed, but of same manufacturer as vehicle) with tilt steering wheel.
 - e. Automatic trans.: min. of three forward and one reverse speed.
 - f. Battery: maintenance free, type recommended by manufacturer for vehicle as equipped.
 - g. Bumpers: front and rear.
 - h. Cooling system: heavy-duty, including heavy-duty radiator, heavy-duty fan, and factory installed coolant recovery system.
 - i. Doors: Four doors with lift gate, tail gate or panel door(s) type rear entry.
 - j. Engine: a gasoline fueled V-8 engine of the type recommended by manufacturer for vehicle as equipped.
 - k. Glass: tinted all around, with a minimum of four (4) windows capable of being opened.
 - I. Inside hood latch control.
 - m. Insulation: top, including full length headliner; sides, including trim panels, trim items may be dealer installed if equivalent in quality to type offered by vehicle manufacturer.
 - n. License plate brackets: front and rear.
 - o. Mirrors: two (2) outside, low mount, right and left.
 - p. Operator's manual.
 - q. Paint: one (1) exterior color selected from manufacturer's list and specified by ordering entity.
 - r. Power Windows and Power Door Locks: factory installed.
 - s. Power brakes: factory installed.
 - t. Power steering: factory installed.
 - u. Radio: factory installed in dash AM/FM.
 - v. Seats: Eight (8) passenger, with a factory installed folding center and a detachable rear seat, from manufacturer's standard materials, with color to coincide with vehicles exterior color.
 - w. Shock absorbers: Manufacturer's recommendation for vehicle as equipped.
 - x. Tires: five (5) radial, tubeless, type recommended by manufacturer for vehicle as equipped.
 - v. Wheelbase: 130" minimum
- A.2 Optional Equipment. Purchasers may choose from the following:
 - AO. Four wheel drive (with standard equipment and buyers' choice of options as listed).
 - LS. Differential: limited slip, ratio as recommended by manufacturer.
 - WO. Factory installed rear air conditioning system.
 - XO. Hitch, Class III, frame attached, 7500 lb + towing capacity. Must be dealer or manufacturer installed. Insert bar and ball not included. A minimum rear axle ratio of 3.31 is needed for option XO.

TERM AWARD TERMS AND CONDITIONS

- 1. GENERAL: All terms and conditions stated in the invitation for bid govern this contract.
- PRICES: Prices are firm and not subject to escalation, unless otherwise specified in the invitation for bid.
- 3. DISCOUNTS: All cash discounts offered will be taken if earned.
- 4. TAXES: Most state agencies must pay state sales tax. Before billing, the contractor should contact the ordering agency to find out if that agency must pay sales tax. Itemize state sales tax when applicable on invoices.
- 5. BRAND NAME REFERENCES: The contractor guarantees that the commodity delivered is the same as specified in the bid.
- 6. GUARANTY: All items delivered are to be newly manufactured, in first- class condition, latest model and design, including, where applicable, containers suitable for shipment and storage unless otherwise indicated in the bid invitation. The contractor guarantees that everything furnished hereunder will be free from defects in design, workmanship, and material; that if sold by drawing, sample or specification, it will conform thereto and will serve the function for which furnished. The contractor further guarantees that if the items furnished hereunder are to be installed by the contractor, such items will function properly when installed. The contractor also guarantees that all applicable laws have been complied with relating to construction, packaging, labeling, and registration. The contractor's obligations under this paragraph shall survive for a period of one year from the date of delivery, unless otherwise specified in the invitation for bid.
- 7. AWARD: This contract award does not authorize shipment. Shipment against this contract is authorized by the receipt of a purchase order from the ordering agency. A written purchase order mailed or otherwise furnished to the contractor results in a binding obligation without further action by either party.
- 8. DELIVERY: The term of the contract is shown on the face of the contract award. The contractor is required to supply the state's needs during this term. The number of days required to place the commodity in the receiving agency's designated location under normal conditions is also shown. Consistent failure to meet delivery without a valid reason may cause removal from the bidders' list or suspension of eligibility for award.
- 9. BACK ORDERS OR DELAY IN DELIVERY: Back orders or failure to deliver within the time required may be default of the contract. The contractor must give written notice to the Office of State Procurement and ordering agency of the reason and the expected delivery date. If the reason is not acceptable, the contractor is in default. The Office of State Procurement has the right to extend delivery if reasons appear valid. If the date is not acceptable, the agency may buy elsewhere.
- 10. DELIVERY REQUIREMENTS: No substitutions or cancellations are permitted without written approval of the Office of State Procurement. Delivery shall be made during agency work hours only, 8:00 a.m. to 4:30 p.m., unless prior approval for other delivery has been obtained from the

AWARD NO: SP-07-0035

PAGE 114

- agency. Packing memoranda shall be enclosed with each shipment.
- 11. STORAGE: The ordering agency is responsible for storage if the contractor delivers within the time required and the agency cannot accept delivery.
- 12. DEFAULT: All commodities furnished will be subject to inspection and acceptance of the ordering agency after delivery. Default in promised delivery or failure to meet specifications authorizes the Office of State Procurement to cancel this contract or any portion of same and reasonably purchase commodities elsewhere and charge full increase, if any, in cost and handling to the defaulting contractor.
- 13. VARIATION IN QUANTITY: The state assumes no liability for commodities produced, processed or shipped in excess of the amount specified herein.
- 14. INVOICING: The contractor shall submit an original and two copies of an itemized invoice showing the bid number and purchase request number when itemized in the invitation for bid. Invoices must be sent to "Invoice to" point shown on the purchase order.
- 15. STATE PROPERTY: Any specifications, drawing, technical information, dies, cuts, negatives, positives, data or any other commodity furnished to the contractor hereunder or in contemplation hereof or developed by the contractor for the use hereunder shall remain property of the state, be kept confidential, be used only as expressly authorized, and be returned at the contractor's expense to the F.O.B. point, properly identifying what is being returned.
- 16. ASSIGNMENT: This contract is not assignable nor the duties hereunder delegable by either party without the written consent of the other party to the contract.
- 17. OTHER REMEDIES: In addition to the remedies outlined herein, the contractor and the state have the right to pursue any other remedy permitted by law or in equity.
- 18. LACK OF FUNDS: The state may cancel this contract to the extent funds are no longer legally available for expenditures under this contract. Any delivered but unpaid for goods will be returned in normal condition to the contractor by the state. If the state is unable to return the commodities in normal condition and there are no funds legally available to pay for the goods, the contractor may file a claim with the Arkansas Claims Commission. If the contractor has provided services and there are no longer funds legally available to pay for the services, the contractor may file a claim.
- QUANTITIES: The state may order more or less than the estimated quantity in the invitation for bid.
- 20. DISCLOSURE: Failure to make any disclosure required by the Governor's Executive Order 98-04, or any violation of any rule, regulation, or policy adopted pursuant to that order, shall be a material breach of the terms of this contract. Any contractor, whether an individual or entity, who fails to make the required disclosure or who violates any rule, regulation, or policy shall be subject to all legal remedies available to the agency.